

THE COMMISSIONER OF POLICE PIMPRI CHINCHWAD
POLICE CONSTABLE RECRUITMENT - 2021
OUTDOOR MARKS OF CANDIDATES
Total Record Count for Constable is 589

Sr No	Chest No	Run 1600 Mtr (In Minutes)	Run 1600 Mtr Marks	Running 100 Mtr (In Seconds)	Running 100 Mtr Marks	Shot put (In Meters)	Shot put Marks	Ground Total	Optical Result
1	2788	06:09	14	13.567	8	9.23	15	37.00	Pass
2	2789	05:34	16	14.037	8	9.23	15	39.00	Pass
3	2790	05:50	16	13.787	8	8.67	15	39.00	Pass
4	2791	05:51	14	13.797	8	6.61	6	28.00	Pass
5	2792	05:35	16	14.267	8	8.03	12	36.00	Pass
6	2793	05:38	16	13.780	8	7.62	10	34.00	Pass
7	2794	08:03	0	16.537	1	6.47	6	7.00	Fail
8	2795	06:28	12	14.287	8	5.98	5	25.00	Pass
9	2796	05:07	20	12.787	10	8.41	12	42.00	Pass
10	2797	05:49	16	13.770	8	8.10	12	36.00	Pass
11	2798	06:06	14	14.427	8	7.47	10	32.00	Pass
12	2799	05:27	18	12.520	10	8.82	15	43.00	Pass
13	2800	05:42	16	13.613	8	7.77	10	34.00	Pass
14	2801	06:36	10	15.287	6	6.65	6	22.00	Fail
15	2802	05:43	16	13.520	8	7.46	10	34.00	Pass
16	2803	06:04	14	15.336	6	6.65	6	26.00	Pass
17	2804	06:01	14	14.086	8	7.10	8	30.00	Pass
18	2805	06:31	10	14.306	8	6.87	8	26.00	Pass
19	2806	05:37	16	13.350	10	8.92	15	41.00	Pass
20	2807	00	0	13.634	8	7.82	10	18.00	Fail
21	2808	00	0	13.010	10	8.41	12	22.00	Fail
22	2809	07:38	0	14.010	8	7.30	10	18.00	Fail
23	2810	00	0	14.260	8	9.40	15	23.00	Fail
24	2811	05:42	16	13.024	10	8.32	12	38.00	Pass
25	2812	01:30	0	13.523	8	8.44	12	20.00	Fail
26	2813	07:03	8	15.023	6	6.47	6	20.00	Fail
27	2814	00	0	12.836	10	7.78	10	20.00	Fail
28	2815	05:58	14	13.840	8	7.47	10	32.00	Pass
29	2816	05:10	20	13.510	8	7.50	10	38.00	Pass
30	2817	05:14	18	13.043	10	8.92	15	43.00	Pass
31	2818	05:59	14	14.856	6	5.88	5	25.00	Pass

32	2819	05:32	16	13.597	8	7.79	10	34.00	Pass
33	2820	05:24	18	13.823	8	8.22	12	38.00	Pass
34	2821	02:05	0	15.524	4	6.89	8	12.00	Fail
35	2822	05:13	18	12.257	12	8.50	15	45.00	Pass
36	2823	05:29	0	16.993	1	6.03	5	6.00	Fail
37	2824	06:04	14	14.763	6	8.11	12	32.00	Pass
38	2825	05:39	16	14.260	8	7.21	8	32.00	Pass
39	2826	06:49	10	12.570	10	8.52	15	35.00	Pass
40	2827	05:45	16	14.324	8	6.59	6	30.00	Pass
41	2828	06:25	12	13.760	8	8.34	12	32.00	Pass
42	2829	05:28	18	12.256	12	8.20	12	42.00	Pass
43	2830	06:05	14	14.317	8	7.47	10	32.00	Pass
44	2831	05:44	16	13.753	8	7.60	10	34.00	Pass
45	2832	06:40	10	14.757	6	6.01	5	21.00	Fail
46	2833	08:20	0	16.023	4	7.56	10	14.00	Fail
47	2834	07:01	8	14.100	8	7.29	8	24.00	Fail
48	2835	05:37	16	12.787	10	7.70	10	36.00	Pass
49	2836	07:32	0	14.537	6	6.40	6	12.00	Fail
50	2837	06:02	14	13.866	8	7.72	10	32.00	Pass
51	2838	01:55	0	15.600	4	6.95	8	12.00	Fail
52	2839	05:43	16	13.533	8	7.31	10	34.00	Pass
53	2840	06:23	12	14.517	6	7.37	10	28.00	Pass
54	2841	05:30	18	13.533	8	7.06	8	34.00	Pass
55	2842	05:18	18	12.503	10	8.50	15	43.00	Pass
56	2843	05:53	14	13.503	8	7.91	12	34.00	Pass
57	2844	05:46	16	14.253	8	7.53	10	34.00	Pass
58	2845	07:05	0	15.006	6	7.66	10	16.00	Fail
59	2846	05:56	14	13.773	8	6.16	6	28.00	Pass
60	2847	01:52	0	14.506	6	7.33	10	16.00	Fail
61	2848	05:51	14	13.507	8	7.60	10	32.00	Pass
62	2849	05:36	16	14.007	8	7.37	10	34.00	Pass
63	2850	06:41	0	17.523	0	7.32	10	10.00	Fail
64	2851	06:01	14	14.014	8	6.0	5	27.00	Pass
65	2852	05:34	16	12.760	10	8.82	15	41.00	Pass
66	2853	05:23	18	13.014	10	8.80	15	43.00	Pass
67	2854	00	0	17.017	1	6.36	6	7.00	Fail
68	2855	05:14	18	13.030	10	7.03	8	36.00	Pass
69	2856	05:24	18	12.523	10	8.50	15	43.00	Pass

70	2857	06:34	10	13.507	8	8.48	12	30.00	Pass
71	2858	05:32	16	13.260	10	8.04	12	38.00	Pass
72	2859	06:16	12	14.257	8	7.68	10	30.00	Pass
73	2860	05:45	16	13.276	10	8.45	12	38.00	Pass
74	2861	01:32	0	12.523	10	8.58	15	25.00	Pass
75	2862	05:09	0	14.026	8	6.16	6	14.00	Fail
76	2863	05:27	18	13.257	10	8.95	15	43.00	Pass
77	2864	06:35	10	14.083	8	8.60	15	33.00	Pass
78	2865	05:51	14	15.350	6	6.50	6	26.00	Pass
79	2866	05:23	18	13.270	10	8.10	12	40.00	Pass
80	2867	06:08	14	13.516	8	7.82	10	32.00	Pass
81	2868	05:48	16	13.753	8	9.18	15	39.00	Pass
82	2869	05:42	16	13.797	8	8.31	12	36.00	Pass
83	2870	05:31	16	13.547	8	8.71	15	39.00	Pass
84	2871	05:54	14	14.310	8	8.87	15	37.00	Pass
85	2872	05:47	16	15.053	6	8.07	12	34.00	Pass
86	2873	05:16	18	13.790	8	7.52	10	36.00	Pass
87	2874	07:12	5	15.303	6	5.96	5	16.00	Fail
88	2875	05:21	18	12.287	12	8.66	15	45.00	Pass
89	2876	06:37	10	16.287	4	7.43	10	24.00	Fail
90	2877	06:04	14	13.554	8	8.53	15	37.00	Pass
91	2878	05:13	0	12.833	10	8.51	15	25.00	Pass
92	2879	07:12	5	16.037	4	5.55	5	14.00	Fail
93	2880	07:36	0	15.787	4	6.69	6	10.00	Fail
94	2881	06:25	12	13.527	8	7.33	10	30.00	Pass
95	2882	05:23	18	12.777	10	8.55	15	43.00	Pass
96	2883	05:27	18	13.027	10	8.55	15	43.00	Pass
97	2884	06:21	12	14.763	6	7.87	10	28.00	Pass
98	2885	05:32	16	13.023	10	8.64	15	41.00	Pass
99	2886	05:28	18	13.776	8	8.69	15	41.00	Pass
100	2887	05:39	16	13.834	8	7.37	10	34.00	Pass
101	2888	05:45	16	14.067	8	8.23	12	36.00	Pass
102	2889	05:24	18	14.067	8	5.59	5	31.00	Pass
103	2890	05:22	18	12.830	10	8.51	15	43.00	Pass
104	2891	06:13	12	13.567	8	8.83	15	35.00	Pass
105	2892	02:17	0	20.816	0	5.90	5	5.00	Fail
106	2893	06:41	10	14.554	6	6.28	6	22.00	Fail
107	2894	05:36	16	14.024	8	7.50	10	34.00	Pass

108	2895	06:11	12	13.774	8	5.80	5	25.00	Pass
109	2896	05:29	18	13.063	10	8.09	12	40.00	Pass
110	2897	06:09	14	15.020	6	6.05	5	25.00	Pass
111	2898	06:23	12	15.083	6	7.41	10	28.00	Pass
112	2899	05:23	18	14.006	8	7.80	10	36.00	Pass
113	2900	07:05	8	13.773	8	8.17	12	28.00	Pass
114	2901	06:06	14	15.506	4	7.88	10	28.00	Pass
115	2902	06:00	14	14.027	8	6.42	6	28.00	Pass
116	2903	06:04	14	13.777	8	8.73	15	37.00	Pass
117	2904	06:29	12	14.260	8	6.95	8	28.00	Pass
118	2905	05:30	18	13.050	10	8.93	15	43.00	Pass
119	2906	06:18	12	14.033	8	7.95	12	32.00	Pass
120	2907	05:31	16	13.783	8	7.76	10	34.00	Pass
121	2908	05:44	16	14.814	6	7.40	10	32.00	Pass
122	2909	05:09	20	13.560	8	8.13	12	40.00	Pass
123	2910	05:37	16	13.563	8	7.90	12	36.00	Pass
124	2911	05:26	18	13.303	10	8.58	15	43.00	Pass
125	2912	00	0	14.786	6	8.60	15	21.00	Fail
126	2913	05:56	14	14.053	8	8.78	15	37.00	Pass
127	2914	06:01	14	14.304	8	7.36	10	32.00	Pass
128	2915	05:37	16	14.320	8	7.14	8	32.00	Pass
129	2916	07:14	5	15.600	4	7.17	8	17.00	Fail
130	2917	05:20	18	13.060	10	8.23	12	40.00	Pass
131	2918	05:51	14	13.803	8	8.37	12	34.00	Pass
132	2919	06:06	14	13.320	10	8.56	15	39.00	Pass
133	2920	07:29	5	14.787	6	7.62	10	21.00	Fail
134	2921	07:28	5	15.804	4	6.43	6	15.00	Fail
135	2922	05:32	16	12.556	10	7.73	10	36.00	Pass
136	2923	05:39	16	13.787	8	8.13	12	36.00	Pass
137	2924	05:31	16	13.537	8	8.36	12	36.00	Pass
138	2925	06:33	10	15.037	6	6.55	6	22.00	Fail
139	2926	05:39	16	12.793	10	8.72	15	41.00	Pass
140	2927	05:48	16	13.043	10	6.88	8	34.00	Pass
141	2928	05:54	14	13.043	10	7.97	12	36.00	Pass
142	2929	05:33	16	13.283	10	6.92	8	34.00	Pass
143	2930	05:54	14	13.783	8	7.95	12	34.00	Pass
144	2931	05:57	14	13.280	10	8.02	12	36.00	Pass
145	2932	05:49	16	14.353	8	7.90	12	36.00	Pass

146	2933	05:49	16	13.520	8	8.54	15	39.00	Pass
147	2934	05:21	0	12.836	10	7.79	10	20.00	Fail
148	2935	05:54	14	14.860	6	7.95	12	32.00	Pass
149	2936	07:13	5	14.266	8	6.83	8	21.00	Fail
150	2937	06:14	12	14.266	8	6.98	8	28.00	Pass
151	2938	06:59	8	16.276	4	6.61	6	18.00	Fail
152	2939	05:29	18	12.770	10	8.35	12	40.00	Pass
153	2940	05:12	18	14.273	8	6.85	8	34.00	Pass
154	2941	05:39	16	13.767	8	7.54	10	34.00	Pass
155	2942	06:15	12	15.017	6	7.17	8	26.00	Pass
156	2943	05:43	16	14.267	8	7.36	10	34.00	Pass
157	2944	05:18	18	12.780	10	8.94	15	43.00	Pass
158	2945	05:53	14	13.030	10	8.83	15	39.00	Pass
159	2946	05:28	18	14.270	8	7.44	10	36.00	Pass
160	2947	05:46	16	12.540	10	8.30	12	38.00	Pass
161	2948	01:36	0	15.523	4	7.86	10	14.00	Fail
162	2949	05:15	0	14.003	8	8.51	15	23.00	Fail
163	2950	05:51	14	13.037	10	8.85	15	39.00	Pass
164	2951	05:32	16	13.290	10	8.32	12	38.00	Pass
165	2952	05:14	18	12.287	12	8.95	15	45.00	Pass
166	2953	05:28	18	13.294	10	8.08	12	40.00	Pass
167	2954	05:28	18	13.060	10	9.12	15	43.00	Pass
168	2955	05:38	16	13.043	10	8.54	15	41.00	Pass
169	2956	07:00	8	14.033	8	7.72	10	26.00	Pass
170	2957	06:08	14	14.786	6	7.22	8	28.00	Pass
171	2958	06:10	14	12.800	10	8.34	12	36.00	Pass
172	2959	05:54	14	13.810	8	8.53	15	37.00	Pass
173	2960	07:28	5	14.297	8	7.76	10	23.00	Fail
174	2961	05:35	16	13.030	10	7.48	10	36.00	Pass
175	2962	05:11	18	12.773	10	8.65	15	43.00	Pass
176	2963	05:27	18	14.303	8	8.06	12	38.00	Pass
177	2964	05:21	18	13.773	8	6.78	8	34.00	Pass
178	2965	05:30	18	13.290	10	8.48	12	40.00	Pass
179	2966	05:34	16	13.313	10	8.65	15	41.00	Pass
180	2967	07:52	0	15.300	6	8.08	12	18.00	Fail
181	2968	05:24	18	13.600	8	8.59	15	41.00	Pass
182	2969	05:58	14	13.257	10	8.90	15	39.00	Pass
183	2970	05:45	16	13.617	8	8.55	15	39.00	Pass

184	2971	05:22	18	14.757	6	7.97	12	36.00	Pass
185	2972	05:41	16	13.257	10	7.51	10	36.00	Pass
186	2973	05:36	16	13.380	10	8.50	15	41.00	Pass
187	2974	02:13	0	12.766	10	8.73	15	25.00	Pass
188	2975	07:31	0	14.016	8	8.54	15	23.00	Fail
189	2976	06:07	14	13.253	10	8.53	15	39.00	Pass
190	2977	05:19	18	14.043	8	8.04	12	38.00	Pass
191	2978	05:48	16	14.090	8	7.82	10	34.00	Pass
192	2979	06:58	8	14.856	6	7.68	10	24.00	Fail
193	2980	05:55	14	13.867	8	8.15	12	34.00	Pass
194	2981	05:19	18	13.290	10	8.31	12	40.00	Pass
195	2982	05:28	18	13.040	10	7.66	10	38.00	Pass
196	2983	05:46	16	14.286	8	8.23	12	36.00	Pass
197	2984	05:48	16	13.536	8	8.61	15	39.00	Pass
198	2985	05:46	16	13.333	10	8.94	15	41.00	Pass
199	2986	06:10	14	14.537	6	6.62	6	26.00	Pass
200	2987	05:27	18	13.304	10	8.57	15	43.00	Pass
201	2988	06:28	12	13.773	8	8.24	12	32.00	Pass
202	2989	05:31	16	12.313	12	8.65	15	43.00	Pass
203	2990	07:12	5	14.033	8	7.52	10	23.00	Fail
204	2991	05:37	16	12.080	12	9.02	15	43.00	Pass
205	2992	05:50	16	13.073	10	8.65	15	41.00	Pass
206	2993	05:24	18	12.837	10	7.81	10	38.00	Pass
207	2994	06:21	12	12.793	10	8.71	15	37.00	Pass
208	2995	06:17	12	15.023	6	8.55	15	33.00	Pass
209	2996	02:04	0	17.010	1	4.90	4	5.00	Fail
210	2997	06:10	14	13.523	8	8.65	15	37.00	Pass
211	2998	05:38	16	13.533	8	7.53	10	34.00	Pass
212	2999	05:24	18	13.023	10	8.90	15	43.00	Pass
213	3000	05:22	18	13.520	8	7.89	10	36.00	Pass
214	3001	05:38	16	13.760	8	7.90	12	36.00	Pass
215	3002	06:22	12	13.760	8	7.06	8	28.00	Pass
216	3003	05:45	16	13.760	8	7.67	10	34.00	Pass
217	3004	05:16	18	14.247	8	7.34	10	36.00	Pass
218	3005	05:30	18	12.787	10	8.81	15	43.00	Pass
219	3006	05:09	20	13.497	10	8.54	15	45.00	Pass
220	3007	05:21	18	13.777	8	7.28	8	34.00	Pass
221	3008	04:55	0	12.807	10	8.31	12	22.00	Fail

222	3009	05:08	0	13.057	10	8.85	15	25.00	Pass
223	3010	05:37	16	12.770	10	8.70	15	41.00	Pass
224	3011	05:32	16	12.520	10	7.72	10	36.00	Pass
225	3012	05:40	16	13.270	10	7.19	8	34.00	Pass
226	3013	05:32	16	13.803	8	8.03	12	36.00	Pass
227	3014	01:45	0	16.567	1	6.78	8	9.00	Fail
228	3015	05:48	16	14.554	6	7.66	10	32.00	Pass
229	3016	03:35	0	17.367	1	7.09	8	9.00	Fail
230	3017	05:26	18	12.037	12	8.33	12	42.00	Pass
231	3018	05:34	16	12.554	10	8.64	15	41.00	Pass
232	3019	05:44	16	13.557	8	8.63	15	39.00	Pass
233	3020	06:21	12	14.307	8	6.35	6	26.00	Pass
234	3021	05:45	16	14.307	8	7.88	10	34.00	Pass
235	3022	06:37	10	15.824	4	6.24	6	20.00	Fail
236	3023	05:48	16	13.807	8	8.70	15	39.00	Pass
237	3024	06:42	10	15.057	6	6.98	8	24.00	Fail
238	3025	05:31	16	12.776	10	8.64	15	41.00	Pass
239	3026	05:13	18	13.763	8	7.73	10	36.00	Pass
240	3027	05:37	16	13.750	8	8.52	15	39.00	Pass
241	3028	06:43	10	13.086	10	8.25	12	32.00	Pass
242	3029	07:51	0	17.836	0	5.90	5	5.00	Fail
243	3030	05:24	18	13.526	8	8.74	15	41.00	Pass
244	3031	05:41	16	13.554	8	8.36	12	36.00	Pass
245	3032	06:52	8	14.540	6	8.35	12	26.00	Pass
246	3033	07:04	8	16.040	4	7.61	10	22.00	Fail
247	3034	07:07	8	17.023	1	4.98	4	13.00	Fail
248	3035	05:51	14	13.257	10	9.17	15	39.00	Pass
249	3036	06:49	10	13.257	10	8.36	12	32.00	Pass
250	3037	07:12	5	17.017	1	6.78	8	14.00	Fail
251	3038	05:45	16	12.777	10	8.24	12	38.00	Pass
252	3039	07:04	8	16.763	1	6.23	6	15.00	Fail
253	3040	05:50	16	13.534	8	7.93	12	36.00	Pass
254	3041	05:15	18	13.017	10	8.68	15	43.00	Pass
255	3042	06:20	12	14.054	8	6.58	6	26.00	Pass
256	3043	05:22	18	12.760	10	8.63	15	43.00	Pass
257	3044	06:15	12	14.277	8	8.28	12	32.00	Pass
258	3045	06:36	10	13.277	10	7.94	12	32.00	Pass
259	3046	06:22	12	14.023	8	7.92	12	32.00	Pass

260	3047	05:16	18	14.773	6	8.43	12	36.00	Pass
261	3048	06:02	14	14.023	8	7.38	10	32.00	Pass
262	3049	05:16	18	12.260	12	8.53	15	45.00	Pass
263	3050	07:08	0	17.530	0	4.66	3	3.00	Fail
264	3051	06:39	10	12.264	12	11.15	15	37.00	Pass
265	3052	05:31	16	13.256	10	7.04	8	34.00	Pass
266	3053	06:14	12	13.757	8	7.23	8	28.00	Pass
267	3054	05:33	16	14.273	8	8.51	15	39.00	Pass
268	3055	04:43	0	17.507	0	6.35	6	6.00	Fail
269	3056	05:47	16	13.280	10	7.48	10	36.00	Pass
270	3057	05:49	16	13.014	10	8.84	15	41.00	Pass
271	3058	05:12	18	12.520	10	7.99	12	40.00	Pass
272	3059	06:29	12	13.584	8	9.55	15	35.00	Pass
273	3060	05:59	14	13.584	8	7.80	10	32.00	Pass
274	3061	05:43	16	13.530	8	8.66	15	39.00	Pass
275	3062	05:27	18	13.280	10	9.55	15	43.00	Pass
276	3063	05:09	20	12.777	10	8.62	15	45.00	Pass
277	3064	06:04	14	14.267	8	8.55	15	37.00	Pass
278	3065	05:55	14	13.270	10	7.24	8	32.00	Pass
279	3066	05:14	18	13.017	10	7.68	10	38.00	Pass
280	3067	07:13	5	15.256	6	7.40	10	21.00	Fail
281	3068	06:24	12	14.270	8	8.68	15	35.00	Pass
282	3069	05:23	18	14.270	8	7.99	12	38.00	Pass
283	3070	05:38	16	13.537	8	8.60	15	39.00	Pass
284	3071	05:48	16	13.533	8	6.79	8	32.00	Pass
285	3072	05:37	16	13.533	8	8.65	15	39.00	Pass
286	3073	06:23	12	13.540	8	8.51	15	35.00	Pass
287	3074	05:50	16	13.273	10	7.49	10	36.00	Pass
288	3075	07:25	5	16.026	4	8.19	12	21.00	Fail
289	3076	06:33	10	13.040	10	7.96	12	32.00	Pass
290	3077	06:08	14	14.036	8	8.75	15	37.00	Pass
291	3078	05:35	16	12.300	12	8.52	15	43.00	Pass
292	3079	06:25	0	17.276	1	5.31	4	5.00	Fail
293	3080	07:06	8	14.026	8	6.86	8	24.00	Fail
294	3081	05:42	16	14.526	6	8.33	12	34.00	Pass
295	3082	05:29	18	14.290	8	7.22	8	34.00	Pass
296	3083	05:13	18	13.506	8	8.10	12	38.00	Pass
297	3084	06:06	14	13.773	8	8.52	15	37.00	Pass

298	3085	06:10	0	19.047	0	7.45	10	10.00	Fail
299	3086	05:37	16	13.057	10	8.50	15	41.00	Pass
300	3087	05:44	16	13.804	8	8.75	15	39.00	Pass
301	3088	05:26	18	13.563	8	8.80	15	41.00	Pass
302	3089	07:44	0	16.097	4	5.97	5	9.00	Fail
303	3090	06:05	14	15.283	6	6.11	6	26.00	Pass
304	3091	05:35	16	14.297	8	7.78	10	34.00	Pass
305	3092	07:09	8	14.810	6	7.05	8	22.00	Fail
306	3093	00	0	15.547	4	8.15	12	16.00	Fail
307	3094	05:34	16	13.317	10	8.51	15	41.00	Pass
308	3095	06:00	14	15.050	6	8.15	12	32.00	Pass
309	3096	07:44	0	15.567	4	6.94	8	12.00	Fail
310	3097	05:50	16	13.237	10	8.50	15	41.00	Pass
311	3098	05:41	16	12.770	10	9.30	15	41.00	Pass
312	3099	05:24	18	12.753	10	8.51	15	43.00	Pass
313	3100	06:03	14	13.777	8	9.40	15	37.00	Pass
314	3101	05:59	14	13.030	10	8.87	15	39.00	Pass
315	3102	06:25	12	14.764	6	6.63	6	24.00	Fail
316	3103	05:09	20	12.524	10	9.13	15	45.00	Pass
317	3104	06:31	10	14.024	8	7.31	10	28.00	Pass
318	3105	05:25	18	13.524	8	8.15	12	38.00	Pass
319	3106	06:07	14	13.776	8	8.80	15	37.00	Pass
320	3107	05:37	16	13.007	10	9.09	15	41.00	Pass
321	3108	06:33	10	13.523	8	8.52	15	33.00	Pass
322	3109	05:24	18	14.263	8	7.79	10	36.00	Pass
323	3110	05:57	14	12.763	10	8.28	12	36.00	Pass
324	3111	05:03	20	12.763	10	7.78	10	40.00	Pass
325	3112	05:45	16	12.796	10	9.73	15	41.00	Pass
326	3113	05:27	18	12.783	10	8.45	12	40.00	Pass
327	3114	05:38	16	14.033	8	7.96	12	36.00	Pass
328	3115	01:31	0	17.557	0	6.90	8	8.00	Fail
329	3116	05:32	16	14.303	8	7.18	8	32.00	Pass
330	3117	07:09	8	15.053	6	7.77	10	24.00	Fail
331	3118	07:02	8	13.037	10	6.87	8	26.00	Pass
332	3119	05:27	18	12.803	10	8.04	12	40.00	Pass
333	3120	05:39	16	13.787	8	8.17	12	36.00	Pass
334	3121	05:38	16	13.524	8	8.18	12	36.00	Pass
335	3122	06:43	10	14.274	8	8.19	12	30.00	Pass

336	3123	05:57	14	13.524	8	7.79	10	32.00	Pass
337	3124	05:01	20	12.267	12	8.45	12	44.00	Pass
338	3125	05:31	16	13.080	10	8.79	15	41.00	Pass
339	3126	05:47	16	12.517	10	8.70	15	41.00	Pass
340	3127	05:53	14	14.530	6	6.64	6	26.00	Pass
341	3128	05:24	18	13.280	10	8.82	15	43.00	Pass
342	3129	06:14	12	13.750	8	6.91	8	28.00	Pass
343	3130	05:56	14	14.017	8	8.51	15	37.00	Pass
344	3131	07:00	8	14.814	6	8.19	12	26.00	Pass
345	3132	05:39	16	12.814	10	8.35	12	38.00	Pass
346	3133	07:10	8	14.007	8	8.00	12	28.00	Pass
347	3134	07:00	0	16.267	4	6.98	8	12.00	Fail
348	3135	05:46	16	12.770	10	8.18	12	38.00	Pass
349	3136	05:54	14	14.014	8	7.89	10	32.00	Pass
350	3137	05:59	14	13.250	10	8.56	15	39.00	Pass
351	3138	05:47	16	13.250	10	7.20	8	34.00	Pass
352	3139	06:08	14	13.820	8	9.50	15	37.00	Pass
353	3140	05:37	16	13.803	8	8.06	12	36.00	Pass
354	3141	06:01	14	13.057	10	8.65	15	39.00	Pass
355	3142	05:25	18	13.857	8	8.38	12	38.00	Pass
356	3143	07:34	0	13.620	8	7.17	8	16.00	Fail
357	3144	05:26	18	13.290	10	8.10	12	40.00	Pass
358	3145	06:22	12	13.800	8	8.28	12	32.00	Pass
359	3146	06:01	14	13.067	10	8.64	15	39.00	Pass
360	3147	06:26	12	13.567	8	6.10	6	26.00	Pass
361	3148	06:00	14	14.520	6	8.73	15	35.00	Pass
362	3149	05:13	18	12.766	10	8.67	15	43.00	Pass
363	3150	07:16	5	14.260	8	6.40	6	19.00	Fail
364	3151	06:38	10	15.010	6	7.58	10	26.00	Pass
365	3152	05:21	18	14.256	8	7.61	10	36.00	Pass
366	3153	05:48	16	14.506	6	6.42	6	28.00	Pass
367	3154	06:22	12	14.770	6	7.01	8	26.00	Pass
368	3155	05:38	16	13.020	10	8.78	15	41.00	Pass
369	3156	06:01	14	14.020	8	7.94	12	34.00	Pass
370	3157	06:42	10	15.037	6	9.02	15	31.00	Pass
371	3158	05:33	16	12.863	10	9.02	15	41.00	Pass
372	3159	05:31	16	13.287	10	8.51	15	41.00	Pass
373	3160	00	0	15.573	4	8.01	12	16.00	Fail

374	3161	05:56	14	14.037	8	7.47	10	32.00	Pass
375	3162	05:39	16	13.274	10	8.69	15	41.00	Pass
376	3163	05:47	16	13.776	8	8.54	15	39.00	Pass
377	3164	05:42	16	13.623	8	7.58	10	34.00	Pass
378	3165	05:19	18	13.526	8	8.11	12	38.00	Pass
379	3166	02:45	0	16.350	4	6.82	8	12.00	Fail
380	3167	08:25	0	13.756	8	7.54	10	18.00	Fail
381	3168	05:38	16	13.117	10	7.87	10	36.00	Pass
382	3169	05:23	18	13.080	10	8.66	15	43.00	Pass
383	3170	05:45	16	13.597	8	8.70	15	39.00	Pass
384	3171	05:18	0	13.517	8	9.67	15	23.00	Fail
385	3172	05:28	18	13.023	10	7.24	8	36.00	Pass
386	3173	07:02	8	13.557	8	6.50	6	22.00	Fail
387	3174	05:26	18	13.070	10	8.68	15	43.00	Pass
388	3175	06:00	14	14.040	8	8.81	15	37.00	Pass
389	3176	06:08	14	14.273	8	7.60	10	32.00	Pass
390	3177	06:26	12	15.023	6	7.09	8	26.00	Pass
391	3178	06:47	10	15.016	6	6.86	8	24.00	Fail
392	3179	05:58	14	13.777	8	6.31	6	28.00	Pass
393	3180	02:56	0	19.030	0	5.43	4	4.00	Fail
394	3181	06:01	14	15.007	6	7.31	10	30.00	Pass
395	3182	05:14	18	13.253	10	9.00	15	43.00	Pass
396	3183	07:59	0	14.257	8	6.54	6	14.00	Fail
397	3184	08:00	0	15.023	6	5.96	5	11.00	Fail
398	3185	06:45	10	13.263	10	7.75	10	30.00	Pass
399	3186	07:11	5	14.036	8	7.35	10	23.00	Fail
400	3187	06:08	14	13.753	8	7.45	10	32.00	Pass
401	3188	06:10	14	13.753	8	8.62	15	37.00	Pass
402	3189	06:23	12	15.753	4	6.14	6	22.00	Fail
403	3191	06:05	14	13.267	10	8.35	12	36.00	Pass
404	3192	05:05	20	13.013	10	8.61	15	45.00	Pass
405	3193	05:42	16	13.056	10	7.27	8	34.00	Pass
406	3194	06:01	14	14.306	8	8.18	12	34.00	Pass
407	3195	07:58	0	15.056	6	6.01	5	11.00	Fail
408	3196	05:55	14	14.133	8	8.40	12	34.00	Pass
409	3197	05:33	16	13.557	8	7.86	10	34.00	Pass
410	3198	04:39	0	16.867	1	6.88	8	9.00	Fail
411	3199	08:31	0	18.060	0	5.94	5	5.00	Fail

412	3200	08:10	0	17.074	1	6.78	8	9.00	Fail
413	3201	06:54	8	14.570	6	6.55	6	20.00	Fail
414	3202	06:18	12	13.023	10	8.81	15	37.00	Pass
415	3203	05:42	16	13.100	10	8.33	12	38.00	Pass
416	3204	06:19	12	13.027	10	7.72	10	32.00	Pass
417	3205	06:12	12	15.256	6	8.19	12	30.00	Pass
418	3206	02:22	0	16.520	1	7.83	10	11.00	Fail
419	3207	05:20	18	12.773	10	8.50	15	43.00	Pass
420	3208	05:51	14	13.030	10	8.85	15	39.00	Pass
421	3209	05:43	16	13.827	8	6.80	8	32.00	Pass
422	3210	05:45	16	13.530	8	8.15	12	36.00	Pass
423	3211	05:50	16	13.067	10	8.76	15	41.00	Pass
424	3212	05:49	16	13.567	8	9.11	15	39.00	Pass
425	3213	01:39	0	16.317	4	7.02	8	12.00	Fail
426	3214	05:56	0	14.507	6	7.50	10	16.00	Fail
427	3215	05:56	0	14.507	6	8.75	15	21.00	Fail
428	3216	06:04	14	16.010	4	7.02	8	26.00	Pass
429	3217	05:25	18	12.750	10	7.96	12	40.00	Pass
430	3218	07:58	0	17.267	1	6.03	5	6.00	Fail
431	3219	07:20	5	14.517	6	7.93	12	23.00	Fail
432	3220	05:57	14	13.010	10	8.77	15	39.00	Pass
433	3221	07:50	0	17.260	1	5.31	4	5.00	Fail
434	3222	06:03	14	14.513	6	7.99	12	32.00	Pass
435	3223	08:12	0	14.743	6	7.51	10	16.00	Fail
436	3224	05:21	18	12.757	10	9.13	15	43.00	Pass
437	3225	06:14	0	15.260	6	7.39	10	16.00	Fail
438	3226	05:20	18	12.020	12	8.22	12	42.00	Pass
439	3227	06:49	10	14.520	6	6.98	8	24.00	Fail
440	3228	07:10	8	14.020	8	8.46	12	28.00	Pass
441	3229	08:02	0	15.247	6	6.87	8	14.00	Fail
442	3230	05:51	14	13.513	8	8.53	15	37.00	Pass
443	3231	06:12	12	13.514	8	8.53	15	35.00	Pass
444	3232	06:41	0	16.777	1	8.28	12	13.00	Fail
445	3233	05:52	14	14.527	6	8.92	15	35.00	Pass
446	3234	07:55	0	15.777	4	5.33	4	8.00	Fail
447	3235	05:27	18	13.756	8	7.80	10	36.00	Pass
448	3236	05:59	14	14.506	6	8.61	15	35.00	Pass
449	3237	06:13	12	14.273	8	6.70	8	28.00	Pass

450	3238	02:02	0	16.030	4	6.80	8	12.00	Fail
451	3239	05:31	16	13.060	10	8.60	15	41.00	Pass
452	3240	06:38	0	16.030	4	5.57	5	9.00	Fail
453	3241	05:32	16	12.507	10	8.18	12	38.00	Pass
454	3242	05:44	16	13.543	8	7.96	12	36.00	Pass
455	3243	06:22	12	13.277	10	7.50	10	32.00	Pass
456	3244	02:04	0	16.740	1	5.40	4	5.00	Fail
457	3245	06:01	14	13.023	10	8.62	15	39.00	Pass
458	3246	06:48	0	13.523	8	8.14	12	20.00	Fail
459	3247	05:11	18	13.517	8	7.57	10	36.00	Pass
460	3248	06:45	10	14.047	8	7.80	10	28.00	Pass
461	3249	06:29	12	13.767	8	8.74	15	35.00	Pass
462	3250	05:39	16	13.520	8	8.06	12	36.00	Pass
463	3251	05:11	18	12.520	10	8.68	15	43.00	Pass
464	3252	05:54	14	12.020	12	8.86	15	41.00	Pass
465	3253	05:51	14	13.023	10	8.55	15	39.00	Pass
466	3254	07:19	5	13.527	8	6.78	8	21.00	Fail
467	3255	05:58	14	13.273	10	7.93	12	36.00	Pass
468	3256	08:29	0	13.770	8	5.82	5	13.00	Fail
469	3257	06:20	12	14.257	8	7.11	8	28.00	Pass
470	3258	08:13	0	14.524	6	7.01	8	14.00	Fail
471	3259	05:46	16	14.270	8	8.55	15	39.00	Pass
472	3260	05:41	16	12.770	10	8.95	15	41.00	Pass
473	3261	05:21	18	13.770	8	7.60	10	36.00	Pass
474	3262	05:18	18	13.260	10	7.90	12	40.00	Pass
475	3263	06:11	12	14.024	8	7.66	10	30.00	Pass
476	3264	06:17	12	15.260	6	5.56	5	23.00	Fail
477	3265	06:16	12	14.553	6	7.13	8	26.00	Pass
478	3266	10:34	0	17.560	0	6.21	6	6.00	Fail
479	3267	05:57	14	14.810	6	7.60	10	30.00	Pass
480	3268	06:17	0	16.090	4	5.54	5	9.00	Fail
481	3269	06:56	8	14.836	6	7.05	8	22.00	Fail
482	3270	07:22	5	16.810	1	6.38	6	12.00	Fail
483	3271	06:14	12	13.820	8	7.23	8	28.00	Pass
484	3272	07:29	5	29.554	0	7.34	10	15.00	Fail
485	3273	06:48	10	15.290	6	7.83	10	26.00	Pass
486	3274	10:10	0	16.253	4	8.19	12	16.00	Fail
487	3275	06:01	0	14.520	6	7.80	10	16.00	Fail

488	3276	06:50	10	13.253	10	6.98	8	28.00	Pass
489	3277	06:03	14	14.510	6	7.35	10	30.00	Pass
490	3278	05:19	18	12.510	10	8.34	12	40.00	Pass
491	3279	05:26	18	13.010	10	8.24	12	40.00	Pass
492	3280	05:15	18	13.510	8	7.58	10	36.00	Pass
493	3281	05:43	16	13.760	8	7.70	10	34.00	Pass
494	3282	06:50	10	14.510	6	7.99	12	28.00	Pass
495	3283	05:47	16	13.050	10	8.51	15	41.00	Pass
496	3284	07:24	0	16.800	1	6.81	8	9.00	Fail
497	3285	06:07	14	15.083	6	7.02	8	28.00	Pass
498	3286	05:47	16	13.774	8	8.92	15	39.00	Pass
499	3287	05:34	16	13.524	8	7.44	10	34.00	Pass
500	3288	08:24	0	15.040	6	7.25	8	14.00	Fail
501	3289	09:47	0	17.043	1	7.11	8	9.00	Fail
502	3290	05:25	18	13.763	8	7.46	10	36.00	Pass
503	3291	10:03	0	14.763	6	6.23	6	12.00	Fail
504	3292	07:03	8	15.300	6	7.80	10	24.00	Fail
505	3293	05:23	18	13.014	10	7.63	10	38.00	Pass
506	3294	05:25	18	12.560	10	8.50	15	43.00	Pass
507	3295	05:37	16	13.100	10	8.95	15	41.00	Pass
508	3296	05:23	18	13.834	8	8.37	12	38.00	Pass
509	3297	05:56	14	14.584	6	7.77	10	30.00	Pass
510	3298	05:13	18	11.753	12	8.59	15	45.00	Pass
511	3299	10:21	0	17.506	0	7.41	10	10.00	Fail
512	3300	07:53	0	15.256	6	7.29	8	14.00	Fail
513	3301	08:16	0	15.263	6	5.44	4	10.00	Fail
514	3302	06:21	12	14.533	6	9.05	15	33.00	Pass
515	3303	04:07	0	15.813	4	6.84	8	12.00	Fail
516	3304	05:51	14	12.767	10	8.92	15	39.00	Pass
517	3305	05:25	18	14.017	8	7.25	8	34.00	Pass
518	3306	05:53	0	15.037	6	6.59	6	12.00	Fail
519	3307	05:30	18	14.773	6	7.78	10	34.00	Pass
520	3308	06:40	10	13.773	8	7.38	10	28.00	Pass
521	3309	05:40	0	17.273	1	5.51	5	6.00	Fail
522	3310	06:23	0	13.760	8	8.53	15	23.00	Fail
523	3311	05:53	14	13.526	8	8.85	15	37.00	Pass
524	3312	05:51	14	12.260	12	8.45	12	38.00	Pass
525	3313	05:28	18	13.013	10	8.51	15	43.00	Pass

526	3314	06:29	12	13.514	8	8.37	12	32.00	Pass
527	3315	06:28	12	13.280	10	8.63	15	37.00	Pass
528	3316	05:30	18	13.257	10	8.60	15	43.00	Pass
529	3317	06:07	14	13.520	8	8.54	15	37.00	Pass
530	3318	01:36	0	16.257	4	5.23	4	8.00	Fail
531	3319	06:16	12	14.017	8	6.96	8	28.00	Pass
532	3320	05:24	18	12.264	12	8.85	15	45.00	Pass
533	3321	01:37	0	17.267	1	5.25	4	5.00	Fail
534	3322	05:14	18	13.757	8	7.17	8	34.00	Pass
535	3323	05:21	18	14.507	6	8.37	12	36.00	Pass
536	3324	09:26	0	18.257	0	4.62	3	3.00	Fail
537	3325	06:16	12	13.526	8	7.78	10	30.00	Pass
538	3326	05:57	14	15.260	6	7.80	10	30.00	Pass
539	3327	05:55	14	14.010	8	7.44	10	32.00	Pass
540	3328	05:59	14	13.270	10	7.94	12	36.00	Pass
541	3329	05:35	16	14.036	8	7.91	12	36.00	Pass
542	3330	05:26	0	16.023	4	6.37	6	10.00	Fail
543	3331	07:57	0	15.770	4	5.93	5	9.00	Fail
544	3332	05:34	16	13.270	10	7.14	8	34.00	Pass
545	3333	05:55	14	13.333	10	8.50	15	39.00	Pass
546	3334	05:06	20	12.780	10	8.25	12	42.00	Pass
547	3335	06:04	14	12.780	10	8.68	15	39.00	Pass
548	3336	05:33	16	11.777	12	8.62	15	43.00	Pass
549	3337	06:52	8	14.257	8	5.62	5	21.00	Fail
550	3338	05:41	16	13.834	8	8.27	12	36.00	Pass
551	3339	05:15	18	13.113	10	7.35	10	38.00	Pass
552	3340	06:12	12	14.833	6	6.36	6	24.00	Fail
553	3341	05:24	18	12.770	10	8.60	15	43.00	Pass
554	3342	05:39	16	13.083	10	9.00	15	41.00	Pass
555	3343	06:22	12	14.014	8	7.40	10	30.00	Pass
556	3344	05:38	16	12.264	12	10.03	15	43.00	Pass
557	3345	00	0	13.764	8	8.20	12	20.00	Fail
558	3346	05:05	0	18.063	0	6.48	6	6.00	Fail
559	3347	06:01	14	13.357	10	8.62	15	39.00	Pass
560	3348	05:18	18	11.840	12	8.76	15	45.00	Pass
561	3349	06:46	10	15.777	4	6.80	8	22.00	Fail
562	3350	03:55	0	16.260	4	6.44	6	10.00	Fail
563	3351	06:18	0	14.273	8	8.36	12	20.00	Fail

564	3352	05:32	16	12.774	10	8.51	15	41.00	Pass
565	3353	07:15	5	14.260	8	7.13	8	21.00	Fail
566	3354	07:38	0	18.277	0	6.71	8	8.00	Fail
567	3355	05:36	16	13.014	10	8.64	15	41.00	Pass
568	3356	02:06	0	14.514	6	8.36	12	18.00	Fail
569	3357	09:39	0	18.264	0	4.47	3	3.00	Fail
570	3358	05:46	16	13.520	8	7.40	10	34.00	Pass
571	3359	03:44	0	16.520	1	6.76	8	9.00	Fail
572	3360	07:28	5	15.020	6	7.09	8	19.00	Fail
573	3361	05:23	18	12.794	10	8.84	15	43.00	Pass
574	3362	07:14	5	16.016	4	8.86	15	24.00	Fail
575	3363	06:06	0	16.016	4	7.18	8	12.00	Fail
576	3364	05:55	14	13.263	10	8.34	12	36.00	Pass
577	3365	06:11	12	15.017	6	6.25	6	24.00	Fail
578	3366	02:04	0	19.503	0	6.20	6	6.00	Fail
579	3367	07:23	5	13.513	8	8.65	15	28.00	Pass
580	3368	06:21	12	14.013	8	7.79	10	30.00	Pass
581	3369	06:51	8	15.496	6	7.82	10	24.00	Fail
582	3370	05:47	16	13.270	10	7.87	10	36.00	Pass
583	3371	09:19	0	16.253	4	5.27	4	8.00	Fail
584	3372	05:57	14	15.253	6	7.45	10	30.00	Pass
585	3373	06:27	0	16.553	1	6.99	8	9.00	Fail
586	3374	06:38	10	16.120	4	5.88	5	19.00	Fail
587	3375	05:42	16	13.040	10	8.32	12	38.00	Pass
588	3376	08:23	0	15.273	6	6.96	8	14.00	Fail
589	3377	06:07	14	13.550	8	8.54	15	37.00	Pass