

THE COMMISSIONER OF POLICE PIMPRI CHINCHWAD
POLICE CONSTABLE RECRUITMENT - 2021
OUTDOOR MARKS OF CANDIDATES
Total Record Count for Constable is 648

Sr No	Chest No	Run 1600 Mtr (In Minutes)	Run 1600 Mtr Marks	Running 100 Mtr (In Seconds)	Running 100 Mtr Marks	Shot put (In Meters)	Shot put Marks	Ground Total	Optical Result
1	3378	05:09	20	11.754	12	8.45	12	44.00	Pass
2	3379	05:19	18	13.007	10	6.24	6	34.00	Pass
3	3380	05:56	14	14.257	8	7.18	8	30.00	Pass
4	3381	06:02	14	14.010	8	7.75	10	32.00	Pass
5	3382	05:33	16	13.510	8	7.14	8	32.00	Pass
6	3383	05:14	18	14.260	8	6.27	6	32.00	Pass
7	3384	06:44	10	15.017	6	4.94	4	20.00	Fail
8	3385	06:20	12	13.267	10	8.31	12	34.00	Pass
9	3386	05:42	16	12.517	10	9.30	15	41.00	Pass
10	3387	06:17	12	14.600	6	7.66	10	28.00	Pass
11	3388	05:28	18	12.333	12	8.60	15	45.00	Pass
12	3389	05:27	18	14.050	8	8.32	12	38.00	Pass
13	3390	06:15	0	13.330	10	8.80	15	25.00	Pass
14	3391	05:34	16	13.093	10	8.63	15	41.00	Pass
15	3392	05:47	16	13.830	8	8.57	15	39.00	Pass
16	3393	06:01	14	13.020	10	7.76	10	34.00	Pass
17	3394	06:33	0	13.520	8	9.17	15	23.00	Fail
18	3395	06:12	12	13.770	8	6.86	8	28.00	Pass
19	3396	05:17	18	13.774	8	8.41	12	38.00	Pass
20	3397	06:04	14	13.257	10	8.58	15	39.00	Pass
21	3398	05:33	16	13.507	8	8.18	12	36.00	Pass
22	3399	05:47	16	13.010	10	8.83	15	41.00	Pass
23	3400	01:24	0	15.264	6	6.39	6	12.00	Fail
24	3401	06:04	14	13.523	8	7.12	8	30.00	Pass
25	3402	05:29	18	13.286	10	7.22	8	36.00	Pass
26	3403	05:34	16	12.266	12	9.64	15	43.00	Pass
27	3404	05:37	16	13.003	10	7.59	10	36.00	Pass
28	3405	06:34	10	14.510	6	8.31	12	28.00	Pass
29	3406	05:52	14	14.260	8	8.71	15	37.00	Pass
30	3407	07:06	8	14.510	6	8.87	15	29.00	Pass
31	3408	05:35	16	14.023	8	0.0	0	24.00	Fail

32	3409	05:52	14	13.007	10	8.97	15	39.00	Pass
33	3410	01:28	0	15.023	6	6.76	8	14.00	Fail
34	3411	05:46	16	14.270	8	6.81	8	32.00	Pass
35	3412	06:06	14	13.753	8	8.34	12	34.00	Pass
36	3413	05:39	16	13.253	10	8.81	15	41.00	Pass
37	3414	05:39	16	14.274	8	7.81	10	34.00	Pass
38	3415	05:32	16	13.260	10	8.58	15	41.00	Pass
39	3416	07:32	0	15.024	6	5.68	5	11.00	Fail
40	3417	06:20	12	13.270	10	8.85	15	37.00	Pass
41	3418	05:41	16	13.583	8	7.88	10	34.00	Pass
42	3419	06:27	12	14.816	6	6.70	8	26.00	Pass
43	3420	07:08	8	12.770	10	9.0	15	33.00	Pass
44	3421	05:22	18	13.504	8	7.60	10	36.00	Pass
45	3422	05:18	18	12.754	10	8.70	15	43.00	Pass
46	3423	05:40	16	13.023	10	8.08	12	38.00	Pass
47	3424	06:02	14	13.523	8	8.74	15	37.00	Pass
48	3425	06:19	12	13.773	8	7.65	10	30.00	Pass
49	3426	06:17	0	18.550	0	5.32	4	4.00	Fail
50	3427	05:25	18	13.317	10	8.63	15	43.00	Pass
51	3428	06:21	12	13.536	8	8.19	12	32.00	Pass
52	3429	06:21	12	13.534	8	8.72	15	35.00	Pass
53	3430	07:48	0	16.066	4	6.95	8	12.00	Fail
54	3431	05:49	16	12.813	10	9.28	15	41.00	Pass
55	3432	06:11	12	13.876	8	7.23	8	28.00	Pass
56	3433	06:21	12	12.626	10	7.85	10	32.00	Pass
57	3434	05:07	20	12.610	10	7.87	10	40.00	Pass
58	3435	05:58	14	15.007	6	6.46	6	26.00	Pass
59	3436	06:06	14	14.524	6	7.52	10	30.00	Pass
60	3437	06:55	8	13.774	8	8.85	15	31.00	Pass
61	3438	06:03	14	13.504	8	8.80	15	37.00	Pass
62	3439	05:40	16	13.987	8	6.46	6	30.00	Pass
63	3440	06:01	14	13.737	8	7.93	12	34.00	Pass
64	3441	05:27	18	13.257	10	8.16	12	40.00	Pass
65	3442	06:57	0	16.760	1	5.86	5	6.00	Fail
66	3443	05:45	16	13.024	10	8.39	12	38.00	Pass
67	3444	05:14	18	13.023	10	8.19	12	40.00	Pass
68	3445	06:02	14	16.760	1	6.64	6	21.00	Fail
69	3446	05:30	18	13.523	8	7.16	8	34.00	Pass

70	3447	05:45	16	13.764	8	8.13	12	36.00	Pass
71	3448	05:38	16	13.264	10	9.44	15	41.00	Pass
72	3449	06:51	0	16.000	4	6.49	6	10.00	Fail
73	3450	05:14	18	13.273	10	8.55	15	43.00	Pass
74	3451	05:55	14	13.523	8	9.25	15	37.00	Pass
75	3452	06:03	14	14.760	6	6.00	5	25.00	Pass
76	3453	05:44	16	14.006	8	8.08	12	36.00	Pass
77	3454	06:25	12	13.756	8	8.70	15	35.00	Pass
78	3455	05:36	16	13.523	8	8.51	15	39.00	Pass
79	3456	06:37	10	13.523	8	6.77	8	26.00	Pass
80	3457	06:14	12	14.023	8	5.85	5	25.00	Pass
81	3458	05:51	14	14.506	6	7.97	12	32.00	Pass
82	3459	05:33	16	12.777	10	8.52	15	41.00	Pass
83	3460	06:09	14	13.840	8	8.48	12	34.00	Pass
84	3461	06:22	12	13.527	8	7.95	12	32.00	Pass
85	3462	06:00	14	15.340	6	6.59	6	26.00	Pass
86	3463	06:41	10	17.090	1	6.90	8	19.00	Fail
87	3464	05:53	14	13.840	8	8.55	15	37.00	Pass
88	3465	05:21	18	13.580	8	7.33	10	36.00	Pass
89	3466	05:52	14	13.770	8	7.90	12	34.00	Pass
90	3467	05:36	16	14.083	8	8.71	15	39.00	Pass
91	3468	06:37	10	15.257	6	8.09	12	28.00	Pass
92	3469	05:38	16	13.553	8	8.75	15	39.00	Pass
93	3470	05:41	16	13.337	10	8.13	12	38.00	Pass
94	3471	05:24	18	12.790	10	8.16	12	40.00	Pass
95	3472	06:29	12	14.040	8	7.55	10	30.00	Pass
96	3473	06:28	12	12.790	10	9.24	15	37.00	Pass
97	3474	06:43	10	14.026	8	7.25	8	26.00	Pass
98	3475	06:48	10	14.023	8	7.53	10	28.00	Pass
99	3476	05:22	18	13.270	10	9.22	15	43.00	Pass
100	3477	08:00	0	16.287	4	6.67	6	10.00	Fail
101	3478	05:29	18	12.537	10	8.67	15	43.00	Pass
102	3479	05:31	16	14.787	6	8.87	15	37.00	Pass
103	3480	05:38	16	13.553	8	8.58	15	39.00	Pass
104	3481	06:33	10	13.567	8	8.14	12	30.00	Pass
105	3482	06:13	12	12.567	10	9.21	15	37.00	Pass
106	3483	05:09	20	12.820	10	7.98	12	42.00	Pass
107	3484	07:15	5	15.307	6	6.59	6	17.00	Fail

108	3485	05:36	16	13.277	10	8.65	15	41.00	Pass
109	3486	05:16	18	13.033	10	8.05	12	40.00	Pass
110	3487	05:54	14	14.314	8	8.93	15	37.00	Pass
111	3488	05:39	16	13.564	8	8.25	12	36.00	Pass
112	3489	05:49	16	12.614	10	9.43	15	41.00	Pass
113	3490	05:28	18	13.520	8	8.22	12	38.00	Pass
114	3491	06:20	12	15.024	6	8.70	15	33.00	Pass
115	3492	06:47	10	14.274	8	7.72	10	28.00	Pass
116	3493	06:47	10	14.024	8	8.30	12	30.00	Pass
117	3494	08:16	0	17.260	1	5.78	5	6.00	Fail
118	3495	05:55	14	14.284	8	7.43	10	32.00	Pass
119	3496	06:02	14	13.830	8	8.51	15	37.00	Pass
120	3497	06:18	12	14.300	8	8.66	15	35.00	Pass
121	3498	05:50	16	13.897	8	8.46	12	36.00	Pass
122	3499	05:45	16	13.130	10	8.53	15	41.00	Pass
123	3500	05:10	20	13.550	8	7.03	8	36.00	Pass
124	3501	05:28	18	13.813	8	8.53	15	41.00	Pass
125	3502	05:40	16	13.266	10	8.51	15	41.00	Pass
126	3503	05:50	16	14.560	6	7.51	10	32.00	Pass
127	3504	05:00	20	12.010	12	7.78	10	42.00	Pass
128	3505	05:22	18	12.763	10	8.24	12	40.00	Pass
129	3506	06:39	10	14.263	8	8.10	12	30.00	Pass
130	3507	05:42	16	14.010	8	8.06	12	36.00	Pass
131	3508	05:57	14	14.510	6	7.21	8	28.00	Pass
132	3509	05:32	16	13.510	8	8.54	15	39.00	Pass
133	3510	06:04	14	13.020	10	8.40	12	36.00	Pass
134	3511	05:23	18	13.007	10	8.55	15	43.00	Pass
135	3512	06:03	14	13.774	8	7.98	12	34.00	Pass
136	3513	05:47	16	14.007	8	7.24	8	32.00	Pass
137	3514	05:50	16	12.773	10	9.66	15	41.00	Pass
138	3515	07:25	5	15.513	4	8.07	12	21.00	Fail
139	3516	05:51	14	13.333	10	8.68	15	39.00	Pass
140	3517	08:32	0	18.007	0	6.46	6	6.00	Fail
141	3518	06:22	12	13.816	8	7.29	8	28.00	Pass
142	3519	06:37	10	13.767	8	8.70	15	33.00	Pass
143	3520	05:27	18	13.517	8	8.02	12	38.00	Pass
144	3521	06:25	12	15.017	6	6.61	6	24.00	Fail
145	3522	05:38	16	13.050	10	7.09	8	34.00	Pass

146	3523	05:47	16	12.613	10	7.84	10	36.00	Pass
147	3524	05:48	16	14.113	8	7.55	10	34.00	Pass
148	3525	05:44	16	12.770	10	8.76	15	41.00	Pass
149	3526	05:21	18	13.270	10	6.50	6	34.00	Pass
150	3527	06:36	10	15.523	4	6.75	8	22.00	Fail
151	3528	06:13	12	13.774	8	8.60	15	35.00	Pass
152	3529	07:07	8	13.524	8	7.63	10	26.00	Pass
153	3530	05:21	18	12.524	10	7.20	8	36.00	Pass
154	3531	05:24	18	13.006	10	7.81	10	38.00	Pass
155	3532	05:43	16	13.057	10	8.79	15	41.00	Pass
156	3533	05:43	16	14.040	8	6.45	6	30.00	Pass
157	3534	05:39	16	14.293	8	6.47	6	30.00	Pass
158	3535	00	0	13.513	8	8.38	12	20.00	Fail
159	3536	06:30	12	13.827	8	6.66	6	26.00	Pass
160	3537	05:30	18	13.016	10	8.22	12	40.00	Pass
161	3538	06:12	12	14.253	8	6.54	6	26.00	Pass
162	3539	05:26	18	13.503	8	8.35	12	38.00	Pass
163	3540	07:08	8	14.774	6	6.45	6	20.00	Fail
164	3541	05:54	14	12.553	10	8.52	15	39.00	Pass
165	3542	03:12	0	12.800	10	8.72	15	25.00	Pass
166	3543	05:52	14	13.580	8	7.30	10	32.00	Pass
167	3544	05:11	18	13.514	8	8.55	15	41.00	Pass
168	3545	05:19	18	12.750	10	9.05	15	43.00	Pass
169	3546	05:08	20	13.250	10	8.74	15	45.00	Pass
170	3547	05:28	18	13.767	8	8.32	12	38.00	Pass
171	3548	02:04	0	18.254	0	6.14	6	6.00	Fail
172	3549	05:32	0	15.266	6	7.45	10	16.00	Fail
173	3550	05:23	18	12.783	10	8.66	15	43.00	Pass
174	3551	06:37	10	13.500	10	8.42	12	32.00	Pass
175	3552	01:35	0	16.274	4	6.59	6	10.00	Fail
176	3553	06:01	14	14.024	8	00	0	22.00	Fail
177	3554	05:10	20	13.583	8	7.68	10	38.00	Pass
178	3555	05:44	16	13.567	8	8.21	12	36.00	Pass
179	3556	05:44	16	11.817	12	8.71	15	43.00	Pass
180	3557	05:44	16	13.520	8	8.18	12	36.00	Pass
181	3558	06:55	8	14.040	8	7.94	12	28.00	Pass
182	3559	05:29	18	13.010	10	8.74	15	43.00	Pass
183	3560	05:30	18	14.013	8	8.50	15	41.00	Pass

184	3561	05:42	16	13.280	10	8.71	15	41.00	Pass
185	3562	05:22	18	13.767	8	8.18	12	38.00	Pass
186	3563	05:21	0	15.270	6	7.68	10	16.00	Fail
187	3564	06:06	14	13.510	8	8.63	15	37.00	Pass
188	3565	05:17	18	12.260	12	8.09	12	42.00	Pass
189	3566	05:45	16	13.260	10	8.50	15	41.00	Pass
190	3567	06:34	0	15.320	6	6.34	6	12.00	Fail
191	3568	06:20	12	12.080	12	9.27	15	39.00	Pass
192	3569	04:56	20	12.303	12	8.90	15	47.00	Pass
193	3570	07:46	0	16.557	1	6.01	5	6.00	Fail
194	3571	05:43	16	14.274	8	7.28	8	32.00	Pass
195	3572	06:11	12	14.807	6	8.58	15	33.00	Pass
196	3573	05:41	16	13.527	8	8.68	15	39.00	Pass
197	3574	05:50	16	12.523	10	8.72	15	41.00	Pass
198	3575	05:46	16	14.510	6	9.05	15	37.00	Pass
199	3576	05:29	18	13.253	10	8.00	12	40.00	Pass
200	3577	05:06	20	13.033	10	8.14	12	42.00	Pass
201	3578	05:04	20	12.800	10	8.60	15	45.00	Pass
202	3579	06:25	12	13.590	8	8.64	15	35.00	Pass
203	3580	05:28	18	12.824	10	8.32	12	40.00	Pass
204	3581	05:29	18	12.840	10	8.36	12	40.00	Pass
205	3582	05:20	18	13.020	10	8.87	15	43.00	Pass
206	3583	05:44	16	12.787	10	8.00	12	38.00	Pass
207	3584	06:17	12	11.284	15	9.16	15	42.00	Pass
208	3585	05:35	16	13.770	8	8.88	15	39.00	Pass
209	3586	06:55	8	14.787	6	7.38	10	24.00	Fail
210	3587	05:55	14	13.817	8	7.72	10	32.00	Pass
211	3588	06:20	12	14.277	8	8.57	15	35.00	Pass
212	3589	05:35	16	13.367	10	8.54	15	41.00	Pass
213	3590	06:08	14	13.617	8	7.30	10	32.00	Pass
214	3591	05:49	16	14.290	8	8.05	12	36.00	Pass
215	3592	06:06	14	13.773	8	7.77	10	32.00	Pass
216	3593	05:46	16	13.790	8	7.12	8	32.00	Pass
217	3594	05:46	16	13.283	10	8.38	12	38.00	Pass
218	3595	05:42	16	13.047	10	8.15	12	38.00	Pass
219	3596	05:08	0	12.814	10	7.60	10	20.00	Fail
220	3597	05:43	16	14.034	8	7.26	8	32.00	Pass
221	3598	05:40	16	14.033	8	7.03	8	32.00	Pass

222	3599	05:48	16	13.283	10	8.58	15	41.00	Pass
223	3600	06:59	8	15.287	6	7.72	10	24.00	Fail
224	3601	04:15	0	15.054	6	6.52	6	12.00	Fail
225	3602	07:22	5	14.287	8	7.40	10	23.00	Fail
226	3603	06:00	14	13.860	8	8.15	12	34.00	Pass
227	3604	06:26	12	16.110	4	6.05	5	21.00	Fail
228	3605	05:38	16	13.360	10	8.65	15	41.00	Pass
229	3606	06:05	14	13.600	8	6.35	6	28.00	Pass
230	3607	06:05	14	15.010	6	7.78	10	30.00	Pass
231	3608	07:03	8	14.840	6	7.56	10	24.00	Fail
232	3609	05:44	16	13.250	10	8.65	15	41.00	Pass
233	3610	05:29	18	13.500	10	8.06	12	40.00	Pass
234	3611	06:06	14	14.503	6	7.65	10	30.00	Pass
235	3612	05:46	16	13.267	10	8.64	15	41.00	Pass
236	3613	00	0	13.517	8	9.07	15	23.00	Fail
237	3614	05:52	14	13.034	10	8.20	12	36.00	Pass
238	3615	05:15	18	12.266	12	8.64	15	45.00	Pass
239	3616	05:37	16	12.266	12	8.36	12	40.00	Pass
240	3617	05:14	18	13.020	10	8.29	12	40.00	Pass
241	3618	06:17	12	15.253	6	6.84	8	26.00	Pass
242	3619	06:33	10	14.020	8	8.52	15	33.00	Pass
243	3620	05:13	18	13.253	10	8.52	15	43.00	Pass
244	3621	06:12	12	15.337	6	8.30	12	30.00	Pass
245	3622	06:12	12	14.574	6	6.35	6	24.00	Fail
246	3623	05:39	16	14.384	8	7.50	10	34.00	Pass
247	3624	05:31	16	13.894	8	8.00	12	36.00	Pass
248	3625	05:51	14	13.617	8	7.62	10	32.00	Pass
249	3626	06:47	10	15.786	4	8.34	12	26.00	Pass
250	3627	06:29	12	14.517	6	9.31	15	33.00	Pass
251	3628	06:08	14	13.783	8	8.60	15	37.00	Pass
252	3629	06:05	14	14.033	8	7.82	10	32.00	Pass
253	3630	06:08	14	13.117	10	8.81	15	39.00	Pass
254	3631	06:17	12	16.063	4	7.05	8	24.00	Fail
255	3632	05:31	16	13.583	8	8.76	15	39.00	Pass
256	3633	05:26	18	14.083	8	8.04	12	38.00	Pass
257	3634	06:16	12	13.503	8	7.75	10	30.00	Pass
258	3635	05:50	16	12.830	10	8.59	15	41.00	Pass
259	3636	05:24	18	13.017	10	7.52	10	38.00	Pass

260	3637	05:15	18	13.534	8	7.03	8	34.00	Pass
261	3638	05:42	16	15.520	4	7.14	8	28.00	Pass
262	3639	05:12	18	15.300	6	6.31	6	30.00	Pass
263	3640	05:39	16	13.140	10	8.54	15	41.00	Pass
264	3641	05:37	16	13.876	8	8.69	15	39.00	Pass
265	3642	05:28	18	13.384	10	8.90	15	43.00	Pass
266	3643	05:12	18	13.134	10	7.91	12	40.00	Pass
267	3644	05:20	18	13.790	8	8.13	12	38.00	Pass
268	3645	06:12	12	12.770	10	10.10	15	37.00	Pass
269	3646	05:46	16	15.270	6	7.88	10	32.00	Pass
270	3647	05:41	16	14.033	8	8.68	15	39.00	Pass
271	3648	05:33	16	14.100	8	7.78	10	34.00	Pass
272	3649	05:34	16	14.537	6	6.34	6	28.00	Pass
273	3650	06:34	10	14.770	6	7.19	8	24.00	Fail
274	3651	06:18	12	14.577	6	6.90	8	26.00	Pass
275	3652	05:59	14	15.390	6	7.46	10	30.00	Pass
276	3653	05:28	18	13.030	10	8.54	15	43.00	Pass
277	3654	05:40	16	13.280	10	8.63	15	41.00	Pass
278	3655	05:50	16	14.030	8	8.20	12	36.00	Pass
279	3656	05:54	14	14.030	8	7.73	10	32.00	Pass
280	3657	03:40	0	14.810	6	7.39	10	16.00	Fail
281	3658	05:20	18	13.370	10	8.53	15	43.00	Pass
282	3659	06:48	10	15.810	4	6.53	6	20.00	Fail
283	3660	05:24	18	13.113	10	8.62	15	43.00	Pass
284	3661	05:19	18	13.270	10	8.63	15	43.00	Pass
285	3662	06:02	14	14.524	6	7.70	10	30.00	Pass
286	3663	04:22	0	16.637	1	6.93	8	9.00	Fail
287	3664	05:54	14	13.510	8	8.09	12	34.00	Pass
288	3665	06:21	12	14.823	6	7.82	10	28.00	Pass
289	3666	05:32	16	14.266	8	8.28	12	36.00	Pass
290	3667	05:56	14	14.673	6	7.65	10	30.00	Pass
291	3668	05:36	16	13.580	8	8.65	15	39.00	Pass
292	3669	05:23	18	13.527	8	7.24	8	34.00	Pass
293	3670	05:08	20	13.040	10	8.86	15	45.00	Pass
294	3671	06:36	10	14.527	6	7.87	10	26.00	Pass
295	3672	06:19	12	14.544	6	8.05	12	30.00	Pass
296	3673	05:58	14	14.294	8	7.43	10	32.00	Pass
297	3674	05:46	16	12.777	10	8.49	12	38.00	Pass

298	3675	06:05	14	13.256	10	9.09	15	39.00	Pass
299	3676	05:45	16	14.387	8	8.36	12	36.00	Pass
300	3677	05:09	20	13.526	8	7.99	12	40.00	Pass
301	3678	05:55	14	14.070	8	8.66	15	37.00	Pass
302	3679	06:08	0	15.574	4	6.84	8	12.00	Fail
303	3680	05:54	14	14.387	8	6.92	8	30.00	Pass
304	3681	06:09	14	14.283	8	8.57	15	37.00	Pass
305	3682	05:22	18	13.520	8	8.56	15	41.00	Pass
306	3683	03:31	0	18.304	0	5.93	5	5.00	Fail
307	3684	05:40	16	13.646	8	8.42	12	36.00	Pass
308	3685	05:11	18	13.773	8	7.37	10	36.00	Pass
309	3686	07:07	8	14.087	8	5.93	5	21.00	Fail
310	3687	05:57	14	14.020	8	8.46	12	34.00	Pass
311	3688	06:35	10	14.520	6	7.22	8	24.00	Fail
312	3689	06:01	14	14.127	8	7.67	10	32.00	Pass
313	3690	05:43	16	13.270	10	8.94	15	41.00	Pass
314	3691	05:30	18	12.816	10	8.27	12	40.00	Pass
315	3692	05:24	18	12.520	10	8.51	15	43.00	Pass
316	3693	05:44	16	13.304	10	7.91	12	38.00	Pass
317	3694	05:43	16	13.304	10	7.30	10	36.00	Pass
318	3695	05:44	16	14.807	6	8.53	15	37.00	Pass
319	3696	05:32	16	13.017	10	8.18	12	38.00	Pass
320	3697	06:18	12	13.863	8	8.53	15	35.00	Pass
321	3698	06:26	12	12.113	12	9.11	15	39.00	Pass
322	3699	05:35	16	12.987	10	8.80	15	41.00	Pass
323	3700	05:30	18	13.300	10	8.14	12	40.00	Pass
324	3701	05:46	16	13.067	10	7.92	12	38.00	Pass
325	3702	05:38	16	14.573	6	7.58	10	32.00	Pass
326	3703	05:52	14	14.540	6	6.89	8	28.00	Pass
327	3704	06:48	10	14.540	6	5.07	4	20.00	Fail
328	3705	05:31	16	12.757	10	8.21	12	38.00	Pass
329	3706	05:32	16	13.834	8	8.70	15	39.00	Pass
330	3707	00	0	21.103	0	8.56	15	15.00	Fail
331	3708	05:49	16	14.520	6	7.37	10	32.00	Pass
332	3709	05:13	18	13.270	10	8.57	15	43.00	Pass
333	3710	05:53	14	13.020	10	8.29	12	36.00	Pass
334	3711	05:27	18	13.260	10	8.30	12	40.00	Pass
335	3712	05:34	0	16.010	4	7.64	10	14.00	Fail

336	3713	07:01	8	14.073	8	6.92	8	24.00	Fail
337	3714	05:39	16	13.880	8	7.34	10	34.00	Pass
338	3715	05:22	18	12.597	10	8.07	12	40.00	Pass
339	3716	05:54	14	13.087	10	8.20	12	36.00	Pass
340	3717	05:21	18	12.277	12	9.43	15	45.00	Pass
341	3718	07:22	5	13.260	10	8.50	15	30.00	Pass
342	3719	06:39	10	12.777	10	8.85	15	35.00	Pass
343	3720	05:48	16	13.070	10	8.68	15	41.00	Pass
344	3721	05:42	16	12.806	10	8.61	15	41.00	Pass
345	3722	05:26	18	12.583	10	8.81	15	43.00	Pass
346	3723	05:44	16	12.773	10	8.41	12	38.00	Pass
347	3724	05:50	16	14.053	8	7.85	10	34.00	Pass
348	3725	06:05	14	14.536	6	7.85	10	30.00	Pass
349	3726	05:44	16	13.270	10	8.05	12	38.00	Pass
350	3727	06:29	12	14.520	6	7.53	10	28.00	Pass
351	3728	06:09	14	13.520	8	8.57	15	37.00	Pass
352	3729	05:32	16	12.600	10	9.26	15	41.00	Pass
353	3730	05:35	16	13.803	8	8.80	15	39.00	Pass
354	3731	05:22	18	12.287	12	8.89	15	45.00	Pass
355	3732	05:14	18	13.023	10	8.80	15	43.00	Pass
356	3733	05:55	14	13.773	8	6.64	6	28.00	Pass
357	3734	05:31	16	12.523	10	8.86	15	41.00	Pass
358	3735	06:35	10	13.590	8	8.18	12	30.00	Pass
359	3736	05:49	16	12.540	10	8.41	12	38.00	Pass
360	3737	05:46	16	13.823	8	7.28	8	32.00	Pass
361	3738	05:28	18	12.820	10	8.81	15	43.00	Pass
362	3739	05:53	14	13.333	10	7.70	10	34.00	Pass
363	3740	06:35	10	15.570	4	8.02	12	26.00	Pass
364	3741	06:43	10	13.817	8	7.26	8	26.00	Pass
365	3742	05:43	16	13.817	8	7.49	10	34.00	Pass
366	3743	05:06	20	12.114	12	9.03	15	47.00	Pass
367	3744	05:15	0	15.273	6	7.51	10	16.00	Fail
368	3745	06:17	12	13.273	10	8.25	12	34.00	Pass
369	3746	06:24	12	12.100	12	8.76	15	39.00	Pass
370	3747	05:55	14	13.050	10	9.05	15	39.00	Pass
371	3748	06:25	12	14.256	8	8.73	15	35.00	Pass
372	3749	05:58	14	12.817	10	8.81	15	39.00	Pass
373	3750	07:28	5	15.784	4	7.08	8	17.00	Fail

374	3751	05:17	0	13.296	10	8.80	15	25.00	Pass
375	3752	05:56	14	13.296	10	8.55	15	39.00	Pass
376	3753	05:31	16	13.317	10	7.95	12	38.00	Pass
377	3754	05:27	18	13.267	10	7.50	10	38.00	Pass
378	3755	06:20	12	14.270	8	7.85	10	30.00	Pass
379	3756	05:39	16	13.314	10	8.70	15	41.00	Pass
380	3757	05:31	16	12.374	12	8.80	15	43.00	Pass
381	3758	06:17	12	13.064	10	8.15	12	34.00	Pass
382	3759	06:23	12	14.270	8	8.17	12	32.00	Pass
383	3760	06:02	14	13.287	10	7.96	12	36.00	Pass
384	3761	07:16	5	13.787	8	7.74	10	23.00	Fail
385	3762	05:34	16	12.803	10	8.35	12	38.00	Pass
386	3763	06:01	14	14.054	8	7.25	8	30.00	Pass
387	3764	06:33	10	15.353	6	6.65	6	22.00	Fail
388	3765	05:36	16	12.630	10	8.45	12	38.00	Pass
389	3766	05:34	16	13.587	8	8.50	15	39.00	Pass
390	3767	06:07	14	14.070	8	7.65	10	32.00	Pass
391	3768	05:17	18	12.804	10	8.77	15	43.00	Pass
392	3769	06:14	12	14.150	8	8.78	15	35.00	Pass
393	3770	06:59	8	13.807	8	8.55	15	31.00	Pass
394	3771	05:41	16	13.330	10	8.48	12	38.00	Pass
395	3772	05:23	18	13.270	10	8.13	12	40.00	Pass
396	3773	01:47	0	17.520	0	5.29	4	4.00	Fail
397	3774	06:23	12	15.257	6	6.51	6	24.00	Fail
398	3775	06:02	0	15.257	6	6.75	8	14.00	Fail
399	3776	06:19	12	13.507	8	7.34	10	30.00	Pass
400	3777	06:17	12	14.020	8	8.08	12	32.00	Pass
401	3778	06:02	14	13.270	10	9.29	15	39.00	Pass
402	3779	05:39	16	13.770	8	8.26	12	36.00	Pass
403	3780	05:24	18	12.760	10	8.30	12	40.00	Pass
404	3781	05:26	18	12.760	10	8.94	15	43.00	Pass
405	3782	06:00	14	13.507	8	7.85	10	32.00	Pass
406	3783	07:42	0	15.007	6	7.84	10	16.00	Fail
407	3784	02:45	0	12.520	10	9.20	15	25.00	Pass
408	3785	05:57	0	17.007	1	4.83	3	4.00	Fail
409	3786	06:28	12	14.756	6	7.71	10	28.00	Pass
410	3787	05:25	18	12.740	10	8.55	15	43.00	Pass
411	3788	05:55	14	13.006	10	8.66	15	39.00	Pass

412	3789	05:33	16	12.520	10	8.17	12	38.00	Pass
413	3790	05:16	18	12.270	12	7.72	10	40.00	Pass
414	3791	05:20	18	12.257	12	8.68	15	45.00	Pass
415	3792	05:12	18	13.240	10	7.40	10	38.00	Pass
416	3793	06:26	0	15.010	6	6.49	6	12.00	Fail
417	3794	06:57	8	15.523	4	6.21	6	18.00	Fail
418	3795	05:33	16	12.750	10	7.29	8	34.00	Pass
419	3796	06:39	10	12.500	12	8.68	15	37.00	Pass
420	3797	07:03	8	16.243	4	5.98	5	17.00	Fail
421	3798	08:53	0	16.257	4	5.75	5	9.00	Fail
422	3799	06:05	14	12.510	10	7.92	12	36.00	Pass
423	3800	07:18	5	13.243	10	7.65	10	25.00	Pass
424	3801	05:29	18	13.284	10	8.05	12	40.00	Pass
425	3802	05:25	18	13.534	8	6.66	6	32.00	Pass
426	3803	05:25	18	12.774	10	8.67	15	43.00	Pass
427	3804	06:27	0	17.100	1	7.19	8	9.00	Fail
428	3805	05:22	18	12.850	10	8.06	12	40.00	Pass
429	3806	06:23	12	13.023	10	8.00	12	34.00	Pass
430	3807	05:59	14	13.784	8	8.05	12	34.00	Pass
431	3808	05:23	18	11.800	12	8.17	12	42.00	Pass
432	3809	05:53	14	15.050	6	8.71	15	35.00	Pass
433	3810	05:22	18	13.537	8	7.55	10	36.00	Pass
434	3811	05:16	18	12.770	10	8.97	15	43.00	Pass
435	3812	06:38	10	13.020	10	8.25	12	32.00	Pass
436	3813	01:36	0	14.860	6	8.53	15	21.00	Fail
437	3814	05:53	14	12.276	12	8.64	15	41.00	Pass
438	3815	02:00	0	17.033	1	8.32	12	13.00	Fail
439	3816	04:57	0	16.030	4	5.86	5	9.00	Fail
440	3817	06:22	12	15.040	6	8.55	15	33.00	Pass
441	3818	01:43	0	17.523	0	5.79	5	5.00	Fail
442	3819	07:01	8	14.306	8	8.32	12	28.00	Pass
443	3820	05:56	14	13.323	10	8.26	12	36.00	Pass
444	3821	06:34	10	15.510	4	7.17	8	22.00	Fail
445	3822	06:02	14	13.257	10	7.85	10	34.00	Pass
446	3823	06:26	12	13.290	10	9.30	15	37.00	Pass
447	3824	05:32	16	13.024	10	8.20	12	38.00	Pass
448	3825	05:56	14	14.034	8	7.70	10	32.00	Pass
449	3826	06:14	12	13.307	10	8.90	15	37.00	Pass

450	3827	05:04	20	12.803	10	8.90	15	45.00	Pass
451	3828	06:15	12	14.037	8	9.40	15	35.00	Pass
452	3829	05:16	0	16.790	1	4.90	4	5.00	Fail
453	3830	05:31	16	13.537	8	7.91	12	36.00	Pass
454	3831	06:13	12	13.597	8	8.14	12	32.00	Pass
455	3832	05:43	16	14.317	8	6.91	8	32.00	Pass
456	3833	07:23	5	15.050	6	8.10	12	23.00	Fail
457	3834	05:40	16	13.304	10	8.18	12	38.00	Pass
458	3835	05:48	16	14.040	8	7.63	10	34.00	Pass
459	3836	07:16	5	16.054	4	6.72	8	17.00	Fail
460	3837	06:13	12	15.280	6	7.81	10	28.00	Pass
461	3838	05:47	16	14.010	8	8.51	15	39.00	Pass
462	3839	05:47	16	13.270	10	8.53	15	41.00	Pass
463	3840	05:48	16	12.513	10	8.70	15	41.00	Pass
464	3841	05:42	16	13.030	10	8.69	15	41.00	Pass
465	3842	05:28	18	11.763	12	7.85	10	40.00	Pass
466	3843	03:08	0	14.507	6	7.60	10	16.00	Fail
467	3844	05:51	0	14.257	8	7.95	12	20.00	Fail
468	3845	06:02	14	13.257	10	8.32	12	36.00	Pass
469	3846	06:30	12	13.770	8	8.18	12	32.00	Pass
470	3847	06:32	10	14.504	6	8.46	12	28.00	Pass
471	3848	05:26	18	13.333	10	8.92	15	43.00	Pass
472	3849	06:03	14	13.330	10	7.64	10	34.00	Pass
473	3850	05:26	18	13.533	8	7.57	10	36.00	Pass
474	3851	06:10	14	14.817	6	8.02	12	32.00	Pass
475	3852	05:18	18	12.253	12	8.70	15	45.00	Pass
476	3853	05:52	14	13.503	8	8.35	12	34.00	Pass
477	3854	05:36	16	13.256	10	7.67	10	36.00	Pass
478	3855	07:07	8	14.327	8	8.35	12	28.00	Pass
479	3856	05:20	18	13.026	10	8.68	15	43.00	Pass
480	3857	07:32	0	16.030	4	6.60	6	10.00	Fail
481	3858	07:50	0	16.374	4	4.77	3	7.00	Fail
482	3859	05:58	14	13.524	8	8.51	15	37.00	Pass
483	3860	05:43	16	14.777	6	7.30	10	32.00	Pass
484	3861	05:50	16	13.270	10	8.20	12	38.00	Pass
485	3862	05:36	16	14.270	8	8.32	12	36.00	Pass
486	3863	03:18	0	13.770	8	8.52	15	23.00	Fail
487	3864	06:20	12	14.020	8	8.31	12	32.00	Pass

488	3865	05:36	16	14.537	6	8.20	12	34.00	Pass
489	3866	04:33	0	13.537	8	7.43	10	18.00	Fail
490	3867	05:12	0	15.527	4	6.80	8	12.00	Fail
491	3868	06:52	8	13.760	8	8.84	15	31.00	Pass
492	3869	06:14	12	13.510	8	8.00	12	32.00	Pass
493	3870	04:49	0	15.520	4	8.44	12	16.00	Fail
494	3871	05:47	0	13.507	8	7.60	10	18.00	Fail
495	3872	06:39	10	15.774	4	7.36	10	24.00	Fail
496	3873	05:30	18	14.110	8	7.48	10	36.00	Pass
497	3874	06:22	12	14.830	6	8.29	12	30.00	Pass
498	3875	05:30	18	13.370	10	8.01	12	40.00	Pass
499	3876	05:29	18	13.813	8	8.60	15	41.00	Pass
500	3877	06:04	14	14.266	8	8.58	15	37.00	Pass
501	3878	07:01	8	15.754	4	6.18	6	18.00	Fail
502	3879	01:30	0	16.006	4	7.17	8	12.00	Fail
503	3880	01:21	0	15.506	4	6.14	6	10.00	Fail
504	3881	05:32	16	13.007	10	8.35	12	38.00	Pass
505	3882	06:52	8	13.277	10	8.67	15	33.00	Pass
506	3883	05:40	16	13.056	10	8.23	12	38.00	Pass
507	3884	00	0	14.056	8	8.33	12	20.00	Fail
508	3885	01:38	0	19.100	0	6.27	6	6.00	Fail
509	3886	05:41	16	12.820	10	9.12	15	41.00	Pass
510	3887	06:00	14	13.273	10	8.23	12	36.00	Pass
511	3888	05:50	16	13.863	8	8.14	12	36.00	Pass
512	3889	07:32	0	14.570	6	8.66	15	21.00	Fail
513	3890	07:18	5	15.820	4	7.41	10	19.00	Fail
514	3891	05:35	16	13.273	10	8.47	12	38.00	Pass
515	3892	05:29	18	13.273	10	8.53	15	43.00	Pass
516	3893	05:22	18	12.380	12	9.16	15	45.00	Pass
517	3894	00	0	15.160	6	7.02	8	14.00	Fail
518	3895	04:03	0	18.283	0	7.0	8	8.00	Fail
519	3896	05:42	16	12.267	12	9.03	15	43.00	Pass
520	3897	05:24	18	13.034	10	7.62	10	38.00	Pass
521	3898	06:08	14	12.770	10	8.50	15	39.00	Pass
522	3899	01:30	0	13.770	8	8.42	12	20.00	Fail
523	3900	06:42	10	14.347	8	7.65	10	28.00	Pass
524	3901	06:19	12	13.317	10	8.20	12	34.00	Pass
525	3902	06:49	10	15.597	4	7.51	10	24.00	Fail

526	3903	00	0	14.760	6	7.62	10	16.00	Fail
527	3904	05:38	16	13.760	8	8.11	12	36.00	Pass
528	3905	06:43	10	14.027	8	9.48	15	33.00	Pass
529	3906	07:16	5	15.773	4	7.00	8	17.00	Fail
530	3907	05:48	16	13.773	8	7.45	10	34.00	Pass
531	3908	05:31	16	13.773	8	8.37	12	36.00	Pass
532	3909	08:21	0	15.264	6	7.65	10	16.00	Fail
533	3910	06:55	8	14.003	8	8.54	15	31.00	Pass
534	3911	05:52	0	16.530	1	5.10	4	5.00	Fail
535	3912	05:42	16	13.263	10	8.89	15	41.00	Pass
536	3913	06:02	14	14.077	8	8.46	12	34.00	Pass
537	3914	01:33	0	14.747	6	6.87	8	14.00	Fail
538	3915	06:24	12	14.757	6	9.19	15	33.00	Pass
539	3916	01:58	0	19.020	0	5.59	5	5.00	Fail
540	3917	07:25	5	15.290	6	6.17	6	17.00	Fail
541	3918	05:58	14	14.513	6	7.48	10	30.00	Pass
542	3919	06:45	10	14.263	8	6.48	6	24.00	Fail
543	3920	06:01	14	12.244	12	9.02	15	41.00	Pass
544	3921	05:07	20	13.510	8	8.70	15	43.00	Pass
545	3922	05:53	14	13.043	10	8.53	15	39.00	Pass
546	3923	05:14	0	14.760	6	8.55	15	21.00	Fail
547	3924	07:03	8	15.016	6	6.39	6	20.00	Fail
548	3925	05:52	14	13.766	8	8.29	12	34.00	Pass
549	3926	05:18	18	13.264	10	8.40	12	40.00	Pass
550	3927	08:02	0	17.803	0	4.25	2	2.00	Fail
551	3928	05:54	14	13.040	10	8.88	15	39.00	Pass
552	3929	05:25	18	14.024	8	8.38	12	38.00	Pass
553	3930	05:46	16	13.070	10	8.73	15	41.00	Pass
554	3931	05:43	16	13.334	10	7.73	10	36.00	Pass
555	3932	05:40	16	12.836	10	8.84	15	41.00	Pass
556	3933	05:46	16	13.524	8	7.43	10	34.00	Pass
557	3934	06:21	12	15.010	6	7.65	10	28.00	Pass
558	3935	06:15	12	12.770	10	8.74	15	37.00	Pass
559	3936	06:50	10	13.010	10	7.75	10	30.00	Pass
560	3937	05:50	16	13.557	8	8.27	12	36.00	Pass
561	3938	05:36	16	12.820	10	8.14	12	38.00	Pass
562	3939	04:22	0	16.770	1	5.90	5	6.00	Fail
563	3940	05:43	16	12.750	10	8.90	15	41.00	Pass

564	3941	06:56	8	14.017	8	7.94	12	28.00	Pass
565	3942	05:24	18	13.506	8	8.48	12	38.00	Pass
566	3943	06:07	0	15.006	6	7.30	10	16.00	Fail
567	3944	06:25	12	15.256	6	7.22	8	26.00	Pass
568	3945	05:24	18	13.010	10	7.87	10	38.00	Pass
569	3946	05:27	18	13.510	8	7.07	8	34.00	Pass
570	3947	05:34	16	13.273	10	8.54	15	41.00	Pass
571	3948	07:47	0	16.620	1	6.32	6	7.00	Fail
572	3949	06:39	10	14.340	8	8.28	12	30.00	Pass
573	3950	06:43	10	16.060	4	8.09	12	26.00	Pass
574	3951	06:24	12	13.523	8	8.13	12	32.00	Pass
575	3952	00	0	25.293	0	6.41	6	6.00	Fail
576	3953	07:07	0	16.540	1	8.05	12	13.00	Fail
577	3954	05:57	0	14.510	6	8.07	12	18.00	Fail
578	3955	06:03	0	15.010	6	7.15	8	14.00	Fail
579	3956	06:06	14	14.010	8	7.85	10	32.00	Pass
580	3957	05:19	18	13.364	10	7.43	10	38.00	Pass
581	3958	05:32	16	12.270	12	9.98	15	43.00	Pass
582	3959	05:19	18	13.036	10	7.96	12	40.00	Pass
583	3960	05:42	16	14.507	6	8.65	15	37.00	Pass
584	3961	07:11	5	14.007	8	7.80	10	23.00	Fail
585	3962	06:26	12	14.257	8	6.15	6	26.00	Pass
586	3963	05:59	14	13.576	8	7.52	10	32.00	Pass
587	3964	05:32	16	13.263	10	8.57	15	41.00	Pass
588	3965	06:21	12	13.763	8	7.83	10	30.00	Pass
589	3966	06:04	14	12.766	10	9.38	15	39.00	Pass
590	3967	05:36	16	14.020	8	7.60	10	34.00	Pass
591	3968	06:31	10	13.766	8	8.64	15	33.00	Pass
592	3969	05:27	18	13.274	10	8.88	15	43.00	Pass
593	3970	05:51	14	13.757	8	7.57	10	32.00	Pass
594	3971	00	0	15.510	4	8.70	15	19.00	Fail
595	3972	06:28	12	14.017	8	6.74	8	28.00	Pass
596	3973	05:22	18	13.267	10	8.00	12	40.00	Pass
597	3974	05:31	16	13.017	10	8.16	12	38.00	Pass
598	3975	05:38	16	13.254	10	8.60	15	41.00	Pass
599	3976	06:07	14	14.020	8	7.17	8	30.00	Pass
600	3977	05:47	16	14.254	8	8.93	15	39.00	Pass
601	3978	07:37	0	16.277	4	5.22	4	8.00	Fail

602	3979	07:26	5	15.523	4	5.47	4	13.00	Fail
603	3980	06:32	10	13.773	8	6.72	8	26.00	Pass
604	3981	06:56	8	12.820	10	11.08	15	33.00	Pass
605	3982	07:09	8	15.770	4	7.72	10	22.00	Fail
606	3983	05:50	16	13.770	8	8.44	12	36.00	Pass
607	3984	03:44	0	16.510	1	5.81	5	6.00	Fail
608	3985	06:00	14	15.256	6	6.40	6	26.00	Pass
609	3986	05:56	14	14.256	8	7.99	12	34.00	Pass
610	3987	06:15	12	13.767	8	7.01	8	28.00	Pass
611	3988	06:02	14	13.267	10	8.66	15	39.00	Pass
612	3989	06:42	10	16.007	4	8.31	12	26.00	Pass
613	3990	05:44	16	14.274	8	7.18	8	32.00	Pass
614	3991	05:53	14	13.757	8	7.04	8	30.00	Pass
615	3992	03:27	0	15.274	6	6.56	6	12.00	Fail
616	3993	05:36	16	13.520	8	8.73	15	39.00	Pass
617	3994	06:15	12	15.003	6	5.50	5	23.00	Fail
618	3995	05:28	18	12.770	10	8.09	12	40.00	Pass
619	3996	06:22	12	13.997	8	8.04	12	32.00	Pass
620	3997	05:26	18	13.780	8	8.43	12	38.00	Pass
621	3998	06:33	10	14.530	6	5.87	5	21.00	Fail
622	3999	05:27	18	12.277	12	8.52	15	45.00	Pass
623	4000	05:57	0	15.763	4	7.57	10	14.00	Fail
624	4001	07:34	0	16.013	4	5.97	5	9.00	Fail
625	4002	08:55	0	16.527	1	6.24	6	7.00	Fail
626	4003	07:24	5	16.307	4	6.15	6	15.00	Fail
627	4004	07:48	0	14.540	6	8.05	12	18.00	Fail
628	4005	06:10	14	13.513	8	7.80	10	32.00	Pass
629	4006	02:07	0	16.013	4	6.94	8	12.00	Fail
630	4007	07:24	5	16.513	1	7.35	10	16.00	Fail
631	4008	02:12	0	16.527	1	8.52	15	16.00	Fail
632	4009	05:36	16	14.016	8	8.60	15	39.00	Pass
633	4010	05:42	16	13.276	10	8.18	12	38.00	Pass
634	4011	06:02	14	13.764	8	8.20	12	34.00	Pass
635	4012	02:05	0	14.546	6	5.88	5	11.00	Fail
636	4013	05:32	16	13.764	8	8.53	15	39.00	Pass
637	4014	01:52	0	14.267	8	6.47	6	14.00	Fail
638	4015	00	0	16.517	1	6.80	8	9.00	Fail
639	4016	05:27	18	13.034	10	8.40	12	40.00	Pass

640	4017	06:52	8	14.800	6	6.85	8	22.00	Fail
641	4018	03:37	0	12.796	10	9.15	15	25.00	Pass
642	4019	05:29	18	12.796	10	8.50	15	43.00	Pass
643	4020	01:36	0	17.534	0	6.30	6	6.00	Fail
644	4021	06:06	14	13.533	8	8.58	15	37.00	Pass
645	4022	06:13	12	13.800	8	7.83	10	30.00	Pass
646	4023	05:30	18	13.273	10	9.17	15	43.00	Pass
647	4024	05:45	16	12.536	10	8.57	15	41.00	Pass
648	4025	05:30	18	14.293	8	7.15	8	34.00	Pass