

THE COMMISSIONER OF POLICE PIMPRI CHINCHWAD
POLICE CONSTABLE RECRUITMENT - 2021
OUTDOOR MARKS OF CANDIDATES
Total Record Count for Constable is 642

Sr No	Chest No	Run 1600 Mtr (In Minutes)	Run 1600 Mtr Marks	Running 100 Mtr (In Seconds)	Running 100 Mtr Marks	Shot put (In Meters)	Shot put Marks	Ground Total	Optical Result
1	4026	06:11	12	14.600	6	8.44	12	30.00	Pass
2	4027	06:26	12	14.543	6	8.58	15	33.00	Pass
3	4028	05:47	16	13.760	8	8.57	15	39.00	Pass
4	4029	05:55	14	12.760	10	8.63	15	39.00	Pass
5	4030	06:19	12	15.027	6	7.60	10	28.00	Pass
6	4031	05:42	16	12.010	12	8.82	15	43.00	Pass
7	4032	06:19	12	13.260	10	8.84	15	37.00	Pass
8	4033	04:28	0	16.013	4	7.41	10	14.00	Fail
9	4034	06:44	10	14.044	8	8.90	15	33.00	Pass
10	4035	05:34	16	12.527	10	9.15	15	41.00	Pass
11	4036	07:16	5	14.257	8	7.93	12	25.00	Pass
12	4037	05:36	16	13.580	8	7.71	10	34.00	Pass
13	4038	05:24	18	13.386	10	7.55	10	38.00	Pass
14	4039	05:49	16	14.784	6	6.53	6	28.00	Pass
15	4040	06:17	12	13.136	10	8.32	12	34.00	Pass
16	4041	05:11	18	13.017	10	8.51	15	43.00	Pass
17	4042	05:27	18	13.770	8	7.38	10	36.00	Pass
18	4043	05:48	16	14.020	8	8.29	12	36.00	Pass
19	4044	08:14	0	14.260	8	6.69	6	14.00	Fail
20	4045	06:35	10	13.773	8	8.83	15	33.00	Pass
21	4046	06:27	12	14.277	8	9.18	15	35.00	Pass
22	4047	06:01	14	13.370	10	8.92	15	39.00	Pass
23	4048	06:04	14	13.047	10	8.79	15	39.00	Pass
24	4049	06:52	8	13.873	8	8.39	12	28.00	Pass
25	4050	05:48	16	14.520	6	7.26	8	30.00	Pass
26	4051	05:27	18	13.014	10	8.27	12	40.00	Pass
27	4052	06:56	8	14.020	8	6.81	8	24.00	Fail
28	4053	05:44	16	13.267	10	8.28	12	38.00	Pass
29	4054	05:46	16	12.770	10	8.40	12	38.00	Pass
30	4055	05:20	18	12.267	12	9.12	15	45.00	Pass
31	4056	06:38	10	14.800	6	6.17	6	22.00	Fail

32	4057	05:32	16	13.524	8	7.21	8	32.00	Pass
33	4058	05:20	18	13.274	10	8.18	12	40.00	Pass
34	4059	06:15	12	14.254	8	7.04	8	28.00	Pass
35	4060	05:41	16	13.264	10	8.05	12	38.00	Pass
36	4061	06:38	10	13.500	10	7.86	10	30.00	Pass
37	4062	06:00	14	14.063	8	8.43	12	34.00	Pass
38	4063	06:04	14	14.020	8	8.40	12	34.00	Pass
39	4064	05:49	16	12.556	10	7.87	10	36.00	Pass
40	4065	05:39	16	13.003	10	8.57	15	41.00	Pass
41	4066	08:11	0	15.516	4	6.15	6	10.00	Fail
42	4067	06:10	14	13.016	10	8.04	12	36.00	Pass
43	4068	06:15	12	12.780	10	8.47	12	34.00	Pass
44	4069	05:57	14	12.780	10	8.60	15	39.00	Pass
45	4070	08:01	0	12.530	10	8.24	12	22.00	Fail
46	4071	05:27	18	13.074	10	9.02	15	43.00	Pass
47	4072	05:46	16	13.320	10	8.63	15	41.00	Pass
48	4073	05:52	14	13.023	10	8.56	15	39.00	Pass
49	4074	09:11	0	16.584	1	7.20	8	9.00	Fail
50	4075	06:27	12	13.337	10	8.95	15	37.00	Pass
51	4076	06:17	12	13.287	10	8.88	15	37.00	Pass
52	4077	05:22	18	12.777	10	8.86	15	43.00	Pass
53	4078	01:35	0	15.523	4	8.13	12	16.00	Fail
54	4079	05:32	16	14.030	8	7.48	10	34.00	Pass
55	4080	05:37	16	13.274	10	8.12	12	38.00	Pass
56	4081	07:39	0	15.300	6	7.68	10	16.00	Fail
57	4082	07:40	0	15.017	6	7.24	8	14.00	Fail
58	4083	05:47	16	13.527	8	8.41	12	36.00	Pass
59	4084	05:48	16	14.017	8	7.90	12	36.00	Pass
60	4085	06:22	12	14.267	8	8.47	12	32.00	Pass
61	4086	05:20	18	12.280	12	7.78	10	40.00	Pass
62	4087	05:20	18	12.780	10	7.70	10	38.00	Pass
63	4088	05:28	18	12.780	10	6.92	8	36.00	Pass
64	4089	06:13	0	14.270	8	7.96	12	20.00	Fail
65	4090	05:59	14	14.557	6	7.59	10	30.00	Pass
66	4091	05:34	16	13.047	10	8.54	15	41.00	Pass
67	4092	05:53	14	12.094	12	8.57	15	41.00	Pass
68	4093	01:37	0	13.773	8	8.90	15	23.00	Fail
69	4094	01:36	0	12.860	10	9.02	15	25.00	Pass

70	4095	07:08	8	12.760	10	8.66	15	33.00	Pass
71	4096	06:13	12	14.016	8	7.03	8	28.00	Pass
72	4097	06:18	12	14.550	6	6.85	8	26.00	Pass
73	4098	06:10	14	13.017	10	9.30	15	39.00	Pass
74	4099	05:35	16	13.070	10	8.75	15	41.00	Pass
75	4100	05:35	16	12.610	10	8.58	15	41.00	Pass
76	4101	06:21	12	14.537	6	7.57	10	28.00	Pass
77	4102	05:28	18	12.260	12	8.79	15	45.00	Pass
78	4103	05:31	16	12.276	12	9.01	15	43.00	Pass
79	4104	05:58	14	14.754	6	7.26	8	28.00	Pass
80	4105	06:13	12	12.527	10	8.72	15	37.00	Pass
81	4106	05:54	14	13.294	10	8.05	12	36.00	Pass
82	4107	05:24	0	14.276	8	6.65	6	14.00	Fail
83	4108	06:38	10	14.276	8	8.00	12	30.00	Pass
84	4109	05:27	0	13.520	8	8.70	15	23.00	Fail
85	4110	05:46	16	14.034	8	6.75	8	32.00	Pass
86	4111	05:32	16	13.280	10	7.30	10	36.00	Pass
87	4112	05:17	18	13.030	10	7.75	10	38.00	Pass
88	4113	05:24	18	12.790	10	8.38	12	40.00	Pass
89	4114	06:10	14	14.530	6	8.05	12	32.00	Pass
90	4115	06:31	10	13.764	8	7.70	10	28.00	Pass
91	4116	05:29	18	13.776	8	7.60	10	36.00	Pass
92	4117	05:40	16	14.276	8	8.56	15	39.00	Pass
93	4118	05:35	16	13.023	10	8.65	15	41.00	Pass
94	4119	05:33	16	13.746	8	8.29	12	36.00	Pass
95	4120	05:45	16	13.360	10	8.45	12	38.00	Pass
96	4121	05:50	16	14.010	8	8.69	15	39.00	Pass
97	4122	06:06	14	13.783	8	8.54	15	37.00	Pass
98	4123	01:42	0	16.517	1	7.51	10	11.00	Fail
99	4124	05:35	16	13.537	8	7.75	10	34.00	Pass
100	4125	05:32	16	13.770	8	9.02	15	39.00	Pass
101	4126	01:33	0	15.523	4	6.76	8	12.00	Fail
102	4127	05:25	18	13.517	8	7.57	10	36.00	Pass
103	4128	05:50	16	14.530	6	7.40	10	32.00	Pass
104	4129	05:47	16	13.777	8	8.19	12	36.00	Pass
105	4130	05:26	18	13.610	8	7.96	12	38.00	Pass
106	4131	05:24	18	13.507	8	8.47	12	38.00	Pass
107	4132	05:31	16	13.260	10	8.60	15	41.00	Pass

108	4133	05:26	18	12.263	12	8.74	15	45.00	Pass
109	4134	06:01	14	15.026	6	7.99	12	32.00	Pass
110	4135	05:13	18	13.017	10	7.75	10	38.00	Pass
111	4136	06:14	12	13.267	10	7.86	10	32.00	Pass
112	4137	00	0	13.503	8	8.59	15	23.00	Fail
113	4138	05:15	18	13.503	8	8.58	15	41.00	Pass
114	4139	05:36	16	14.036	8	8.37	12	36.00	Pass
115	4140	05:12	18	12.510	10	8.69	15	43.00	Pass
116	4141	05:34	16	14.254	8	6.37	6	30.00	Pass
117	4142	05:18	18	13.013	10	8.80	15	43.00	Pass
118	4143	06:07	14	12.510	10	9.32	15	39.00	Pass
119	4144	06:24	12	15.004	6	6.47	6	24.00	Fail
120	4145	05:41	16	13.770	8	8.68	15	39.00	Pass
121	4146	05:47	16	12.527	10	8.88	15	41.00	Pass
122	4147	06:06	14	15.520	4	7.65	10	28.00	Pass
123	4148	06:21	12	13.530	8	9.72	15	35.00	Pass
124	4149	00	0	14.527	6	7.82	10	16.00	Fail
125	4150	06:08	14	13.790	8	9.12	15	37.00	Pass
126	4151	06:23	12	15.267	6	8.65	15	33.00	Pass
127	4152	06:41	10	14.004	8	7.25	8	26.00	Pass
128	4153	05:59	14	12.763	10	8.75	15	39.00	Pass
129	4154	05:51	14	12.510	10	8.28	12	36.00	Pass
130	4155	05:41	16	13.516	8	8.51	15	39.00	Pass
131	4156	05:20	18	12.840	10	9.13	15	43.00	Pass
132	4157	05:50	16	13.766	8	7.48	10	34.00	Pass
133	4158	05:19	18	14.020	8	8.43	12	38.00	Pass
134	4159	05:28	18	13.520	8	6.70	8	34.00	Pass
135	4160	05:30	18	13.287	10	8.29	12	40.00	Pass
136	4161	05:21	18	12.773	10	9.05	15	43.00	Pass
137	4162	06:13	12	14.517	6	8.39	12	30.00	Pass
138	4163	01:42	0	17.774	0	6.22	6	6.00	Fail
139	4164	05:39	16	13.554	8	7.84	10	34.00	Pass
140	4165	05:22	18	14.023	8	7.83	10	36.00	Pass
141	4166	05:13	18	12.530	10	7.78	10	38.00	Pass
142	4167	05:45	16	13.280	10	8.84	15	41.00	Pass
143	4168	05:53	14	15.020	6	6.82	8	28.00	Pass
144	4169	06:01	14	12.527	10	8.50	15	39.00	Pass
145	4170	05:49	16	13.247	10	8.79	15	41.00	Pass

146	4171	05:32	16	13.044	10	8.68	15	41.00	Pass
147	4172	05:31	16	13.757	8	8.20	12	36.00	Pass
148	4173	05:32	16	13.010	10	8.59	15	41.00	Pass
149	4174	05:42	16	13.017	10	8.54	15	41.00	Pass
150	4175	05:15	18	13.026	10	8.12	12	40.00	Pass
151	4176	06:34	10	15.007	6	6.80	8	24.00	Fail
152	4177	06:03	14	12.240	12	9.10	15	41.00	Pass
153	4178	05:25	18	13.517	8	8.08	12	38.00	Pass
154	4179	05:56	14	15.280	6	6.62	6	26.00	Pass
155	4180	06:31	10	13.417	10	7.52	10	30.00	Pass
156	4181	06:50	0	14.277	8	7.12	8	16.00	Fail
157	4182	06:31	10	13.006	10	7.66	10	30.00	Pass
158	4183	05:21	18	12.753	10	8.70	15	43.00	Pass
159	4184	05:43	16	14.077	8	7.60	10	34.00	Pass
160	4185	06:00	14	12.567	10	7.87	10	34.00	Pass
161	4186	05:46	16	12.780	10	9.02	15	41.00	Pass
162	4187	05:15	18	12.810	10	8.56	15	43.00	Pass
163	4188	05:52	14	14.050	8	7.44	10	32.00	Pass
164	4189	05:42	16	12.780	10	8.15	12	38.00	Pass
165	4190	05:47	16	12.026	12	9.15	15	43.00	Pass
166	4191	05:26	18	12.266	12	9.24	15	45.00	Pass
167	4192	05:11	18	11.780	12	8.63	15	45.00	Pass
168	4193	06:24	12	14.540	6	6.18	6	24.00	Fail
169	4194	05:57	14	13.373	10	8.80	15	39.00	Pass
170	4195	05:38	16	12.887	10	8.58	15	41.00	Pass
171	4196	05:13	18	12.527	10	7.96	12	40.00	Pass
172	4197	05:26	18	12.840	10	8.92	15	43.00	Pass
173	4198	06:46	10	14.067	8	8.88	15	33.00	Pass
174	4199	06:03	14	13.530	8	7.86	10	32.00	Pass
175	4200	05:36	16	13.760	8	8.25	12	36.00	Pass
176	4201	05:28	18	13.257	10	8.52	15	43.00	Pass
177	4202	05:36	16	13.013	10	8.64	15	41.00	Pass
178	4203	05:48	16	13.267	10	8.52	15	41.00	Pass
179	4204	06:02	14	12.520	10	8.65	15	39.00	Pass
180	4205	05:09	20	13.017	10	7.59	10	40.00	Pass
181	4206	05:18	18	12.534	10	8.39	12	40.00	Pass
182	4207	05:14	18	13.540	8	7.43	10	36.00	Pass
183	4208	06:22	12	13.017	10	8.65	15	37.00	Pass

184	4209	06:02	14	13.767	8	7.96	12	34.00	Pass
185	4210	05:56	14	13.513	8	8.55	15	37.00	Pass
186	4211	05:31	16	14.017	8	8.87	15	39.00	Pass
187	4212	05:29	18	12.257	12	9.55	15	45.00	Pass
188	4213	06:31	10	15.777	4	7.31	10	24.00	Fail
189	4214	05:37	16	14.267	8	7.75	10	34.00	Pass
190	4215	05:26	18	12.563	10	9.00	15	43.00	Pass
191	4216	05:51	14	13.550	8	7.76	10	32.00	Pass
192	4217	05:53	14	14.817	6	7.74	10	30.00	Pass
193	4218	07:11	5	15.783	4	7.91	12	21.00	Fail
194	4219	05:39	16	13.554	8	7.47	10	34.00	Pass
195	4220	05:34	16	14.040	8	6.81	8	32.00	Pass
196	4221	06:47	10	16.017	4	6.21	6	20.00	Fail
197	4222	05:43	16	13.017	10	8.77	15	41.00	Pass
198	4223	05:47	16	13.286	10	8.89	15	41.00	Pass
199	4224	05:54	14	14.014	8	8.60	15	37.00	Pass
200	4225	05:42	16	14.283	8	8.14	12	36.00	Pass
201	4226	05:34	16	13.010	10	8.44	12	38.00	Pass
202	4227	05:19	18	13.013	10	9.50	15	43.00	Pass
203	4228	05:08	20	12.760	10	8.32	12	42.00	Pass
204	4229	06:35	10	14.270	8	8.11	12	30.00	Pass
205	4230	05:36	16	13.016	10	8.54	15	41.00	Pass
206	4231	05:31	16	13.774	8	8.51	15	39.00	Pass
207	4232	05:26	18	14.020	8	8.81	15	41.00	Pass
208	4233	05:57	14	11.764	12	9.40	15	41.00	Pass
209	4234	05:53	14	12.527	10	8.90	15	39.00	Pass
210	4235	06:48	0	17.000	1	4.70	3	4.00	Fail
211	4236	05:43	16	13.014	10	7.90	12	38.00	Pass
212	4237	06:10	14	13.264	10	8.85	15	39.00	Pass
213	4238	06:02	14	14.000	8	8.65	15	37.00	Pass
214	4239	06:26	12	13.767	8	8.75	15	35.00	Pass
215	4240	07:57	0	15.497	6	7.10	8	14.00	Fail
216	4241	05:57	14	11.757	12	9.87	15	41.00	Pass
217	4242	05:51	14	12.753	10	7.67	10	34.00	Pass
218	4243	06:41	10	13.760	8	8.70	15	33.00	Pass
219	4244	06:13	12	13.760	8	7.34	10	30.00	Pass
220	4245	05:47	16	13.533	8	7.78	10	34.00	Pass
221	4246	06:00	14	14.760	6	7.14	8	28.00	Pass

222	4247	05:32	16	13.523	8	7.88	10	34.00	Pass
223	4248	05:28	18	13.026	10	7.70	10	38.00	Pass
224	4249	06:28	12	14.257	8	8.61	15	35.00	Pass
225	4250	06:41	10	14.023	8	7.25	8	26.00	Pass
226	4251	06:17	12	14.280	8	8.22	12	32.00	Pass
227	4252	06:53	8	14.280	8	8.03	12	28.00	Pass
228	4253	05:52	14	13.530	8	8.82	15	37.00	Pass
229	4254	05:27	18	14.013	8	7.41	10	36.00	Pass
230	4255	05:45	16	13.780	8	7.26	8	32.00	Pass
231	4256	05:52	14	13.264	10	7.34	10	34.00	Pass
232	4257	05:31	16	14.023	8	8.43	12	36.00	Pass
233	4258	05:49	0	16.020	4	7.78	10	14.00	Fail
234	4259	05:12	18	12.520	10	8.18	12	40.00	Pass
235	4260	05:27	18	13.270	10	8.24	12	40.00	Pass
236	4261	07:37	0	15.024	6	6.75	8	14.00	Fail
237	4262	06:17	12	13.784	8	8.07	12	32.00	Pass
238	4263	01:38	0	17.773	0	5.34	4	4.00	Fail
239	4264	05:47	16	13.773	8	8.88	15	39.00	Pass
240	4265	05:47	16	11.794	12	8.81	15	43.00	Pass
241	4266	05:28	18	13.027	10	8.53	15	43.00	Pass
242	4267	06:07	14	14.267	8	6.40	6	28.00	Pass
243	4268	07:04	8	14.017	8	8.80	15	31.00	Pass
244	4269	05:29	18	13.260	10	9.23	15	43.00	Pass
245	4270	05:54	14	13.527	8	7.98	12	34.00	Pass
246	4271	05:34	16	12.777	10	8.54	15	41.00	Pass
247	4272	06:04	14	14.767	6	7.60	10	30.00	Pass
248	4273	05:25	18	13.260	10	8.68	15	43.00	Pass
249	4274	05:36	16	13.010	10	8.95	15	41.00	Pass
250	4275	05:25	18	13.020	10	9.08	15	43.00	Pass
251	4276	05:20	18	12.017	12	8.20	12	42.00	Pass
252	4277	05:40	16	13.523	8	7.94	12	36.00	Pass
253	4278	05:20	18	12.267	12	8.80	15	45.00	Pass
254	4279	05:11	18	12.517	10	8.47	12	40.00	Pass
255	4280	07:34	0	17.520	0	7.30	10	10.00	Fail
256	4281	06:02	14	12.776	10	9.14	15	39.00	Pass
257	4282	01:54	0	16.023	4	7.25	8	12.00	Fail
258	4283	02:01	0	13.763	8	9.16	15	23.00	Fail
259	4284	05:07	20	12.760	10	8.80	15	45.00	Pass

260	4285	05:34	16	12.274	12	8.87	15	43.00	Pass
261	4286	05:23	18	12.024	12	8.66	15	45.00	Pass
262	4287	05:42	16	13.776	8	7.90	12	36.00	Pass
263	4288	06:40	10	12.510	10	8.61	15	35.00	Pass
264	4289	06:52	8	13.526	8	8.03	12	28.00	Pass
265	4290	06:04	14	14.767	6	8.04	12	32.00	Pass
266	4291	07:22	5	15.783	4	8.19	12	21.00	Fail
267	4292	05:46	16	12.790	10	7.96	12	38.00	Pass
268	4293	06:13	12	13.760	8	8.10	12	32.00	Pass
269	4294	06:16	12	14.013	8	7.52	10	30.00	Pass
270	4295	05:21	18	12.523	10	9.92	15	43.00	Pass
271	4296	05:53	14	13.530	8	7.84	10	32.00	Pass
272	4297	05:29	18	14.594	6	7.56	10	34.00	Pass
273	4298	05:48	16	13.260	10	8.58	15	41.00	Pass
274	4299	06:20	12	14.280	8	8.43	12	32.00	Pass
275	4300	05:46	16	13.023	10	8.18	12	38.00	Pass
276	4301	05:51	14	13.023	10	8.30	12	36.00	Pass
277	4302	05:54	14	13.533	8	0.0	0	22.00	Fail
278	4303	07:21	5	14.770	6	7.58	10	21.00	Fail
279	4304	05:09	20	13.296	10	8.30	12	42.00	Pass
280	4305	05:11	18	12.520	10	8.46	12	40.00	Pass
281	4306	05:34	16	13.507	8	7.57	10	34.00	Pass
282	4307	05:47	16	12.506	10	8.14	12	38.00	Pass
283	4308	06:33	10	13.010	10	9.25	15	35.00	Pass
284	4309	06:01	14	13.260	10	8.92	15	39.00	Pass
285	4310	03:14	0	14.763	6	8.00	12	18.00	Fail
286	4311	06:35	10	14.020	8	8.32	12	30.00	Pass
287	4312	05:21	18	13.023	10	8.53	15	43.00	Pass
288	4313	06:44	10	14.766	6	7.82	10	26.00	Pass
289	4314	05:13	18	12.270	12	8.68	15	45.00	Pass
290	4315	05:26	18	12.504	10	8.66	15	43.00	Pass
291	4316	06:04	14	13.773	8	7.71	10	32.00	Pass
292	4317	06:36	10	13.496	10	8.47	12	32.00	Pass
293	4318	05:44	16	13.246	10	7.99	12	38.00	Pass
294	4319	06:23	12	14.774	6	9.09	15	33.00	Pass
295	4320	05:48	16	13.257	10	6.90	8	34.00	Pass
296	4321	05:29	18	13.010	10	8.54	15	43.00	Pass
297	4322	05:46	16	14.010	8	7.80	10	34.00	Pass

298	4323	05:26	18	12.270	12	8.91	15	45.00	Pass
299	4324	05:24	18	13.743	8	8.06	12	38.00	Pass
300	4325	05:26	18	13.023	10	9.20	15	43.00	Pass
301	4326	05:36	16	12.513	10	8.50	15	41.00	Pass
302	4327	07:03	0	14.510	6	8.12	12	18.00	Fail
303	4328	05:31	16	13.000	10	8.66	15	41.00	Pass
304	4329	05:40	16	13.290	10	7.83	10	36.00	Pass
305	4330	06:04	14	13.750	8	8.87	15	37.00	Pass
306	4331	05:47	16	12.803	10	9.27	15	41.00	Pass
307	4332	05:49	16	14.004	8	7.89	10	34.00	Pass
308	4333	06:48	10	13.260	10	8.79	15	35.00	Pass
309	4334	06:11	12	13.010	10	8.57	15	37.00	Pass
310	4335	05:26	18	13.010	10	7.36	10	38.00	Pass
311	4336	01:43	0	16.514	1	7.53	10	11.00	Fail
312	4337	05:31	16	12.527	10	8.59	15	41.00	Pass
313	4338	05:24	18	13.260	10	8.70	15	43.00	Pass
314	4339	05:55	14	14.516	6	7.56	10	30.00	Pass
315	4340	06:05	14	13.763	8	9.06	15	37.00	Pass
316	4341	06:05	14	13.797	8	7.94	12	34.00	Pass
317	4342	06:05	14	15.260	6	7.84	10	30.00	Pass
318	4343	00	0	15.650	4	8.30	12	16.00	Fail
319	4344	05:48	16	13.553	8	7.87	10	34.00	Pass
320	4345	05:40	16	13.773	8	8.80	15	39.00	Pass
321	4346	05:52	14	14.040	8	8.40	12	34.00	Pass
322	4347	06:09	14	13.010	10	8.28	12	36.00	Pass
323	4348	05:17	18	13.526	8	8.52	15	41.00	Pass
324	4349	07:46	0	16.760	1	7.40	10	11.00	Fail
325	4350	05:39	16	13.507	8	8.50	15	39.00	Pass
326	4351	05:45	16	14.764	6	6.87	8	30.00	Pass
327	4352	05:58	14	13.257	10	6.31	6	30.00	Pass
328	4353	06:29	12	16.036	4	7.05	8	24.00	Fail
329	4354	06:27	12	14.010	8	6.60	6	26.00	Pass
330	4355	05:11	18	12.007	12	8.18	12	42.00	Pass
331	4356	05:37	16	12.526	10	8.17	12	38.00	Pass
332	4357	05:31	16	12.780	10	8.13	12	38.00	Pass
333	4358	05:32	16	13.767	8	7.29	8	32.00	Pass
334	4359	06:18	12	13.607	8	8.47	12	32.00	Pass
335	4360	05:16	18	12.837	10	8.47	12	40.00	Pass

336	4361	05:18	18	12.777	10	7.30	10	38.00	Pass
337	4362	05:49	16	12.767	10	9.01	15	41.00	Pass
338	4363	05:38	16	12.773	10	8.80	15	41.00	Pass
339	4364	05:43	0	13.027	10	9.15	15	25.00	Pass
340	4365	05:31	16	12.020	12	8.73	15	43.00	Pass
341	4366	05:46	16	12.520	10	8.10	12	38.00	Pass
342	4367	05:48	16	13.040	10	8.23	12	38.00	Pass
343	4368	00	0	13.544	8	8.48	12	20.00	Fail
344	4369	05:47	16	13.293	10	8.56	15	41.00	Pass
345	4370	05:16	0	15.300	6	5.72	5	11.00	Fail
346	4371	07:24	5	13.040	10	8.28	12	27.00	Pass
347	4372	05:23	18	12.807	10	9.11	15	43.00	Pass
348	4373	05:31	16	13.593	8	8.14	12	36.00	Pass
349	4374	05:40	0	14.043	8	7.17	8	16.00	Fail
350	4375	06:21	12	13.290	10	7.99	12	34.00	Pass
351	4376	05:30	18	12.803	10	8.78	15	43.00	Pass
352	4377	06:00	14	14.010	8	7.75	10	32.00	Pass
353	4378	01:32	0	16.317	4	6.38	6	10.00	Fail
354	4379	05:34	16	12.756	10	8.70	15	41.00	Pass
355	4380	05:04	0	12.000	12	8.19	12	24.00	Fail
356	4381	05:39	16	12.750	10	8.37	12	38.00	Pass
357	4382	00	0	13.740	8	8.70	15	23.00	Fail
358	4383	03:05	0	14.250	8	7.74	10	18.00	Fail
359	4384	05:30	18	13.247	10	8.39	12	40.00	Pass
360	4385	05:28	18	12.743	10	8.19	12	40.00	Pass
361	4386	05:24	0	13.514	8	8.72	15	23.00	Fail
362	4387	03:29	0	14.066	8	8.36	12	20.00	Fail
363	4388	05:09	20	12.013	12	8.82	15	47.00	Pass
364	4389	05:40	16	12.764	10	9.15	15	41.00	Pass
365	4390	05:11	18	13.014	10	7.29	8	36.00	Pass
366	4391	05:42	16	13.026	10	8.52	15	41.00	Pass
367	4392	05:20	18	12.756	10	7.42	10	38.00	Pass
368	4393	05:56	14	13.010	10	8.36	12	36.00	Pass
369	4394	06:18	12	14.517	6	6.42	6	24.00	Fail
370	4395	05:34	16	13.513	8	7.30	10	34.00	Pass
371	4396	05:42	16	12.257	12	8.37	12	40.00	Pass
372	4397	05:37	16	13.267	10	7.92	12	38.00	Pass
373	4398	07:00	0	17.763	0	5.53	5	5.00	Fail

374	4399	06:31	10	14.246	8	7.58	10	28.00	Pass
375	4400	06:14	12	13.740	8	8.27	12	32.00	Pass
376	4401	05:53	14	14.010	8	7.60	10	32.00	Pass
377	4402	07:13	5	13.510	8	6.54	6	19.00	Fail
378	4403	05:59	14	12.780	10	8.58	15	39.00	Pass
379	4404	05:53	14	13.276	10	8.53	15	39.00	Pass
380	4405	05:32	16	14.523	6	7.52	10	32.00	Pass
381	4406	05:31	16	13.757	8	7.97	12	36.00	Pass
382	4407	05:49	16	13.027	10	8.49	12	38.00	Pass
383	4408	06:13	12	13.280	10	8.05	12	34.00	Pass
384	4409	06:07	14	13.577	8	8.20	12	34.00	Pass
385	4410	05:55	14	13.274	10	8.51	15	39.00	Pass
386	4411	05:26	18	13.274	10	8.17	12	40.00	Pass
387	4412	05:19	18	14.517	6	7.05	8	32.00	Pass
388	4413	07:02	8	15.270	6	8.22	12	26.00	Pass
389	4414	00	0	16.777	1	8.53	15	16.00	Fail
390	4415	01:47	0	16.037	4	5.84	5	9.00	Fail
391	4416	06:02	14	13.757	8	7.78	10	32.00	Pass
392	4417	06:00	14	12.257	12	8.41	12	38.00	Pass
393	4418	05:21	18	12.776	10	8.89	15	43.00	Pass
394	4419	02:51	0	13.510	8	8.59	15	23.00	Fail
395	4420	05:26	18	11.513	12	8.16	12	42.00	Pass
396	4421	05:47	16	13.027	10	8.50	15	41.00	Pass
397	4422	05:46	16	13.523	8	8.73	15	39.00	Pass
398	4423	05:48	16	13.273	10	8.24	12	38.00	Pass
399	4424	08:17	0	13.760	8	7.85	10	18.00	Fail
400	4425	05:30	18	12.003	12	8.90	15	45.00	Pass
401	4426	05:55	14	14.513	6	6.30	6	26.00	Pass
402	4427	05:09	20	13.543	8	8.60	15	43.00	Pass
403	4428	07:19	0	13.023	10	8.86	15	25.00	Pass
404	4429	06:56	8	16.256	4	8.10	12	24.00	Fail
405	4430	06:59	8	12.506	10	8.68	15	33.00	Pass
406	4431	05:29	0	16.514	1	6.32	6	7.00	Fail
407	4432	06:22	12	14.017	8	8.00	12	32.00	Pass
408	4433	05:58	14	13.267	10	8.18	12	36.00	Pass
409	4434	05:59	14	13.023	10	8.68	15	39.00	Pass
410	4435	05:48	16	12.523	10	8.87	15	41.00	Pass
411	4436	06:08	14	14.763	6	8.80	15	35.00	Pass

412	4437	01:32	0	15.774	4	0.0	0	4.00	Fail
413	4438	05:34	16	12.270	12	9.74	15	43.00	Pass
414	4439	07:56	0	13.764	8	7.07	8	16.00	Fail
415	4440	06:24	12	14.277	8	7.74	10	30.00	Pass
416	4441	05:58	14	14.027	8	8.05	12	34.00	Pass
417	4442	06:08	14	14.027	8	6.86	8	30.00	Pass
418	4443	07:32	0	15.270	6	7.79	10	16.00	Fail
419	4444	05:37	16	12.270	12	9.27	15	43.00	Pass
420	4445	05:06	20	12.270	12	7.69	10	42.00	Pass
421	4446	06:07	14	12.777	10	7.70	10	34.00	Pass
422	4447	05:30	18	14.030	8	8.05	12	38.00	Pass
423	4448	05:37	16	11.787	12	7.63	10	38.00	Pass
424	4449	05:28	18	12.264	12	8.41	12	42.00	Pass
425	4450	05:09	20	12.784	10	8.10	12	42.00	Pass
426	4451	01:50	0	17.003	1	5.43	4	5.00	Fail
427	4452	06:04	14	11.500	15	9.77	15	44.00	Pass
428	4453	05:29	0	15.516	4	5.70	5	9.00	Fail
429	4454	05:26	18	12.503	10	9.06	15	43.00	Pass
430	4455	06:54	8	15.263	6	7.88	10	24.00	Fail
431	4456	05:25	18	13.007	10	7.97	12	40.00	Pass
432	4457	06:31	0	18.260	0	5.60	5	5.00	Fail
433	4458	06:10	14	13.510	8	7.84	10	32.00	Pass
434	4459	06:54	8	12.510	10	8.70	15	33.00	Pass
435	4460	05:49	16	13.007	10	8.38	12	38.00	Pass
436	4461	05:28	18	12.754	10	9.10	15	43.00	Pass
437	4462	05:05	20	13.507	8	7.82	10	38.00	Pass
438	4463	06:47	10	16.270	4	6.19	6	20.00	Fail
439	4464	05:44	16	12.757	10	9.11	15	41.00	Pass
440	4465	05:14	18	12.273	12	8.55	15	45.00	Pass
441	4466	05:32	16	12.776	10	8.98	15	41.00	Pass
442	4467	02:15	0	16.523	1	5.80	5	6.00	Fail
443	4468	06:03	14	13.760	8	7.54	10	32.00	Pass
444	4469	05:31	16	12.033	12	8.22	12	40.00	Pass
445	4470	05:35	16	13.020	10	8.06	12	38.00	Pass
446	4471	05:22	18	13.033	10	8.50	15	43.00	Pass
447	4472	05:26	18	12.530	10	8.90	15	43.00	Pass
448	4473	05:45	16	12.514	10	8.90	15	41.00	Pass
449	4474	01:40	0	17.510	0	4.79	3	3.00	Fail

450	4475	05:53	14	13.760	8	8.67	15	37.00	Pass
451	4476	05:55	14	13.504	8	8.71	15	37.00	Pass
452	4477	05:26	18	13.250	10	8.73	15	43.00	Pass
453	4478	05:21	18	13.503	8	8.35	12	38.00	Pass
454	4479	00	0	18.010	0	8.31	12	12.00	Fail
455	4480	03:20	0	14.504	6	9.28	15	21.00	Fail
456	4481	01:30	0	15.303	6	5.46	4	10.00	Fail
457	4482	07:02	8	13.757	8	7.72	10	26.00	Pass
458	4483	05:54	14	13.257	10	8.40	12	36.00	Pass
459	4484	06:06	14	13.257	10	8.81	15	39.00	Pass
460	4485	06:02	14	12.773	10	8.52	15	39.00	Pass
461	4486	05:57	14	13.544	8	7.46	10	32.00	Pass
462	4487	05:53	14	13.510	8	8.09	12	34.00	Pass
463	4488	06:10	14	14.280	8	8.03	12	34.00	Pass
464	4489	06:22	12	13.523	8	8.72	15	35.00	Pass
465	4490	07:42	0	15.520	4	6.14	6	10.00	Fail
466	4491	06:20	12	13.277	10	8.74	15	37.00	Pass
467	4492	06:00	14	13.777	8	8.57	15	37.00	Pass
468	4493	05:54	14	13.527	8	8.52	15	37.00	Pass
469	4494	04:19	0	15.863	4	6.13	6	10.00	Fail
470	4495	06:01	14	13.273	10	8.74	15	39.00	Pass
471	4496	06:03	14	13.773	8	6.99	8	30.00	Pass
472	4497	05:32	16	13.033	10	8.64	15	41.00	Pass
473	4498	05:44	0	15.817	4	6.60	6	10.00	Fail
474	4499	06:02	14	13.507	8	7.88	10	32.00	Pass
475	4500	06:53	8	14.280	8	7.40	10	26.00	Pass
476	4501	05:28	18	13.257	10	7.98	12	40.00	Pass
477	4502	09:27	0	16.774	1	6.62	6	7.00	Fail
478	4503	05:42	16	12.773	10	8.80	15	41.00	Pass
479	4504	06:58	8	15.076	6	5.50	5	19.00	Fail
480	4505	00	0	14.576	6	6.77	8	14.00	Fail
481	4506	08:14	0	15.513	4	7.60	10	14.00	Fail
482	4507	05:48	16	15.044	6	8.55	15	37.00	Pass
483	4508	05:38	16	13.016	10	8.25	12	38.00	Pass
484	4509	05:37	16	14.280	8	8.56	15	39.00	Pass
485	4510	05:57	14	12.774	10	8.64	15	39.00	Pass
486	4511	05:35	16	13.024	10	8.80	15	41.00	Pass
487	4512	05:58	14	13.567	8	7.74	10	32.00	Pass

488	4513	05:58	14	14.330	8	8.42	12	34.00	Pass
489	4514	05:44	16	14.314	8	8.58	15	39.00	Pass
490	4515	02:03	0	16.260	4	7.49	10	14.00	Fail
491	4516	05:24	18	13.010	10	8.41	12	40.00	Pass
492	4517	05:36	16	12.274	12	8.38	12	40.00	Pass
493	4518	06:11	12	14.760	6	8.05	12	30.00	Pass
494	4519	00	0	15.027	6	9.58	15	21.00	Fail
495	4520	01:27	0	15.263	6	8.83	15	21.00	Fail
496	4521	05:49	16	14.543	6	8.42	12	34.00	Pass
497	4522	06:04	14	14.044	8	8.21	12	34.00	Pass
498	4523	05:45	16	13.290	10	8.52	15	41.00	Pass
499	4524	06:09	14	14.010	8	6.60	6	28.00	Pass
500	4525	06:04	14	12.520	10	8.35	12	36.00	Pass
501	4526	05:49	16	12.520	10	8.74	15	41.00	Pass
502	4527	05:53	14	14.520	6	8.76	15	35.00	Pass
503	4528	05:24	18	12.777	10	8.25	12	40.00	Pass
504	4529	05:56	14	13.530	8	7.95	12	34.00	Pass
505	4530	08:24	0	14.550	6	8.17	12	18.00	Fail
506	4531	05:45	16	13.797	8	8.34	12	36.00	Pass
507	4532	06:22	12	13.310	10	9.01	15	37.00	Pass
508	4533	05:51	14	13.520	8	8.58	15	37.00	Pass
509	4534	05:04	20	12.760	10	8.47	12	42.00	Pass
510	4535	05:55	14	12.510	10	8.32	12	36.00	Pass
511	4536	07:02	8	15.773	4	8.35	12	24.00	Fail
512	4537	03:12	0	15.270	6	8.54	15	21.00	Fail
513	4538	05:56	14	12.273	12	8.89	15	41.00	Pass
514	4539	06:06	14	12.257	12	8.63	15	41.00	Pass
515	4540	03:16	0	15.743	4	6.84	8	12.00	Fail
516	4541	05:09	20	12.510	10	8.40	12	42.00	Pass
517	4542	05:28	18	12.003	12	8.80	15	45.00	Pass
518	4543	05:21	18	12.753	10	8.29	12	40.00	Pass
519	4544	05:36	16	13.007	10	8.82	15	41.00	Pass
520	4545	08:42	0	15.504	4	6.70	8	12.00	Fail
521	4546	01:58	0	18.753	0	7.09	8	8.00	Fail
522	4547	05:39	16	13.260	10	8.62	15	41.00	Pass
523	4548	03:16	0	13.017	10	8.10	12	22.00	Fail
524	4549	02:41	0	13.760	8	8.60	15	23.00	Fail
525	4550	06:08	14	13.760	8	7.58	10	32.00	Pass

526	4551	04:39	0	14.750	6	8.76	15	21.00	Fail
527	4552	04:14	0	16.510	1	5.49	4	5.00	Fail
528	4553	05:42	16	13.517	8	8.07	12	36.00	Pass
529	4554	05:56	14	14.770	6	7.20	8	28.00	Pass
530	4555	05:35	16	12.510	10	9.10	15	41.00	Pass
531	4556	05:43	16	14.516	6	8.52	15	37.00	Pass
532	4557	02:15	0	14.787	6	8.24	12	18.00	Fail
533	4558	05:13	18	12.764	10	8.08	12	40.00	Pass
534	4559	08:13	0	15.000	6	8.05	12	18.00	Fail
535	4560	05:48	16	13.007	10	8.57	15	41.00	Pass
536	4561	05:54	14	12.760	10	7.80	10	34.00	Pass
537	4562	05:33	16	12.507	10	7.40	10	36.00	Pass
538	4563	02:00	0	14.267	8	7.61	10	18.00	Fail
539	4564	05:40	16	13.267	10	8.72	15	41.00	Pass
540	4565	05:20	18	12.496	12	8.25	12	42.00	Pass
541	4566	04:35	0	14.514	6	7.78	10	16.00	Fail
542	4567	08:03	0	14.264	8	7.89	10	18.00	Fail
543	4568	05:24	18	13.256	10	7.13	8	36.00	Pass
544	4569	02:01	0	16.780	1	6.92	8	9.00	Fail
545	4570	05:27	18	13.027	10	8.62	15	43.00	Pass
546	4571	06:58	8	14.280	8	9.45	15	31.00	Pass
547	4572	06:42	10	14.770	6	7.85	10	26.00	Pass
548	4573	06:06	14	13.280	10	7.22	8	32.00	Pass
549	4574	05:13	18	12.527	10	7.42	10	38.00	Pass
550	4575	05:42	16	13.090	10	8.62	15	41.00	Pass
551	4576	06:21	12	12.603	10	8.30	12	34.00	Pass
552	4577	01:57	0	15.333	6	7.56	10	16.00	Fail
553	4578	01:50	0	16.003	4	7.52	10	14.00	Fail
554	4579	06:55	8	14.513	6	7.55	10	24.00	Fail
555	4580	05:43	16	13.257	10	7.63	10	36.00	Pass
556	4581	05:21	18	12.993	10	7.54	10	38.00	Pass
557	4582	05:19	0	15.000	6	6.85	8	14.00	Fail
558	4583	06:24	12	14.777	6	6.94	8	26.00	Pass
559	4584	01:47	0	15.010	6	7.82	10	16.00	Fail
560	4585	06:43	10	13.767	8	8.53	15	33.00	Pass
561	4586	05:34	16	12.497	12	8.68	15	43.00	Pass
562	4587	06:20	12	13.250	10	7.68	10	32.00	Pass
563	4588	03:43	0	15.760	4	7.85	10	14.00	Fail

564	4589	05:42	16	12.496	12	8.88	15	43.00	Pass
565	4590	05:41	16	13.527	8	8.46	12	36.00	Pass
566	4591	01:37	0	15.004	6	6.35	6	12.00	Fail
567	4592	06:15	0	15.037	6	5.31	4	10.00	Fail
568	4593	06:05	14	12.533	10	9.02	15	39.00	Pass
569	4594	01:34	0	15.566	4	8.50	15	19.00	Fail
570	4595	05:50	16	13.777	8	8.61	15	39.00	Pass
571	4596	05:49	16	13.780	8	8.60	15	39.00	Pass
572	4597	06:29	12	12.854	10	7.93	12	34.00	Pass
573	4598	05:25	18	12.543	10	8.33	12	40.00	Pass
574	4599	05:11	0	14.546	6	4.99	4	10.00	Fail
575	4600	01:33	0	15.553	4	7.26	8	12.00	Fail
576	4601	06:37	10	13.793	8	8.34	12	30.00	Pass
577	4602	05:21	18	12.507	10	8.38	12	40.00	Pass
578	4603	05:44	0	14.263	8	7.46	10	18.00	Fail
579	4604	06:32	10	15.767	4	8.14	12	26.00	Pass
580	4605	06:28	12	12.524	10	8.74	15	37.00	Pass
581	4606	06:12	12	13.520	8	8.45	12	32.00	Pass
582	4607	06:33	10	13.513	8	8.84	15	33.00	Pass
583	4608	05:46	16	13.274	10	8.33	12	38.00	Pass
584	4609	05:33	16	12.506	10	8.63	15	41.00	Pass
585	4610	05:50	16	13.277	10	7.56	10	36.00	Pass
586	4611	05:59	14	13.793	8	7.72	10	32.00	Pass
587	4612	06:34	10	14.534	6	8.65	15	31.00	Pass
588	4613	05:40	16	11.784	12	8.34	12	40.00	Pass
589	4614	07:03	8	14.283	8	9.64	15	31.00	Pass
590	4615	05:56	14	14.030	8	8.55	15	37.00	Pass
591	4616	07:34	0	14.786	6	7.85	10	16.00	Fail
592	4617	00	0	14.543	6	7.45	10	16.00	Fail
593	4618	06:48	10	14.543	6	9.05	15	31.00	Pass
594	4619	00	0	14.793	6	8.08	12	18.00	Fail
595	4620	05:31	16	13.753	8	7.70	10	34.00	Pass
596	4621	06:41	10	13.516	8	8.55	15	33.00	Pass
597	4622	05:32	16	12.494	12	8.80	15	43.00	Pass
598	4623	05:47	16	12.520	10	8.90	15	41.00	Pass
599	4624	07:58	0	17.040	1	7.08	8	9.00	Fail
600	4625	06:33	10	14.014	8	8.41	12	30.00	Pass
601	4626	06:13	12	13.497	10	8.70	15	37.00	Pass

602	4627	01:28	0	14.504	6	8.52	15	21.00	Fail
603	4628	01:24	0	14.513	6	8.67	15	21.00	Fail
604	4629	06:40	10	15.077	6	8.56	15	31.00	Pass
605	4630	05:48	16	14.310	8	8.05	12	36.00	Pass
606	4631	03:46	0	17.040	1	6.53	6	7.00	Fail
607	4632	05:34	16	13.540	8	8.13	12	36.00	Pass
608	4633	06:11	12	14.793	6	7.18	8	26.00	Pass
609	4634	09:30	0	13.790	8	8.26	12	20.00	Fail
610	4635	07:38	0	14.786	6	6.90	8	14.00	Fail
611	4636	06:13	12	14.533	6	6.62	6	24.00	Fail
612	4637	03:12	0	16.276	4	5.70	5	9.00	Fail
613	4638	05:45	16	13.764	8	7.91	12	36.00	Pass
614	4639	05:44	16	14.267	8	7.69	10	34.00	Pass
615	4640	06:06	14	14.267	8	6.62	6	28.00	Pass
616	4641	06:45	10	14.516	6	8.12	12	28.00	Pass
617	4642	06:20	12	14.010	8	7.65	10	30.00	Pass
618	4643	05:38	16	13.510	8	7.55	10	34.00	Pass
619	4644	06:03	14	14.524	6	6.60	6	26.00	Pass
620	4645	06:00	14	13.250	10	7.05	8	32.00	Pass
621	4646	02:28	0	17.257	1	6.25	6	7.00	Fail
622	4647	06:05	14	14.027	8	8.24	12	34.00	Pass
623	4648	09:22	0	16.050	4	8.01	12	16.00	Fail
624	4649	05:26	18	12.270	12	8.94	15	45.00	Pass
625	4650	07:08	8	14.766	6	8.34	12	26.00	Pass
626	4651	05:43	16	13.006	10	8.84	15	41.00	Pass
627	4652	05:30	18	13.524	8	8.80	15	41.00	Pass
628	4653	07:19	5	14.790	6	8.39	12	23.00	Fail
629	4654	05:44	16	13.283	10	7.76	10	36.00	Pass
630	4655	06:07	14	13.026	10	8.62	15	39.00	Pass
631	4656	06:17	12	14.110	8	8.75	15	35.00	Pass
632	4657	05:42	16	13.777	8	8.30	12	36.00	Pass
633	4658	06:38	0	17.047	1	5.95	5	6.00	Fail
634	4659	09:00	0	15.283	6	5.85	5	11.00	Fail
635	4660	02:40	0	17.780	0	5.68	5	5.00	Fail
636	4661	06:05	14	14.280	8	8.66	15	37.00	Pass
637	4662	05:51	14	14.293	8	7.47	10	32.00	Pass
638	4663	05:32	16	13.806	8	8.55	15	39.00	Pass
639	4664	05:40	16	12.304	12	8.57	15	43.00	Pass

640	4665	05:27	18	12.513	10	8.05	12	40.00	Pass
641	4666	06:24	12	14.770	6	8.11	12	30.00	Pass
642	4667	05:58	14	12.260	12	8.45	12	38.00	Pass