

THE COMMISSIONER OF POLICE PIMPRI CHINCHWAD
POLICE CONSTABLE RECRUITMENT - 2021
OUTDOOR MARKS OF CANDIDATES
Total Record Count for Constable is 663

Sr No	Chest No	Run 1600 Mtr (In Minutes)	Run 1600 Mtr Marks	Running 100 Mtr (In Seconds)	Running 100 Mtr Marks	Shot put (In Meters)	Shot put Marks	Ground Total	Optical Result
1	4668	05:36	16	13.263	10	8.54	15	41.00	Pass
2	4669	05:58	14	14.013	8	6.48	6	28.00	Pass
3	4670	05:48	16	14.266	8	7.13	8	32.00	Pass
4	4671	05:32	16	12.260	12	8.56	15	43.00	Pass
5	4672	05:39	16	13.010	10	8.48	12	38.00	Pass
6	4673	05:38	16	14.263	8	8.23	12	36.00	Pass
7	4674	06:07	14	14.784	6	6.88	8	28.00	Pass
8	4675	06:42	10	15.020	6	7.17	8	24.00	Fail
9	4676	01:21	0	13.763	8	7.94	12	20.00	Fail
10	4677	06:46	10	15.530	4	6.94	8	22.00	Fail
11	4678	05:53	14	14.544	6	8.04	12	32.00	Pass
12	4679	05:57	14	13.794	8	8.27	12	34.00	Pass
13	4680	05:48	16	12.270	12	8.47	12	40.00	Pass
14	4681	06:06	14	12.536	10	8.66	15	39.00	Pass
15	4682	05:28	18	12.770	10	8.87	15	43.00	Pass
16	4683	05:30	18	13.517	8	8.35	12	38.00	Pass
17	4684	06:59	8	14.514	6	7.90	12	26.00	Pass
18	4685	05:44	16	13.264	10	8.84	15	41.00	Pass
19	4686	05:47	16	13.310	10	8.51	15	41.00	Pass
20	4687	05:42	16	13.763	8	8.24	12	36.00	Pass
21	4688	05:34	16	13.043	10	8.92	15	41.00	Pass
22	4689	06:19	12	13.817	8	8.42	12	32.00	Pass
23	4690	05:44	16	13.800	8	8.30	12	36.00	Pass
24	4691	05:56	14	13.800	8	7.88	10	32.00	Pass
25	4692	06:21	12	13.250	10	8.74	15	37.00	Pass
26	4693	05:25	18	12.280	12	7.22	8	38.00	Pass
27	4694	06:11	12	14.250	8	7.53	10	30.00	Pass
28	4695	05:32	16	13.520	8	6.84	8	32.00	Pass
29	4696	05:45	16	12.270	12	8.64	15	43.00	Pass
30	4697	07:02	8	14.066	8	8.05	12	28.00	Pass
31	4698	05:46	16	13.266	10	7.77	10	36.00	Pass

32	4699	07:19	5	14.017	8	8.42	12	25.00	Pass
33	4700	06:13	0	13.020	10	8.52	15	25.00	Pass
34	4701	05:30	18	12.744	10	8.88	15	43.00	Pass
35	4702	05:31	16	12.744	10	9.35	15	41.00	Pass
36	4703	06:02	14	13.026	10	8.56	15	39.00	Pass
37	4704	06:17	12	14.014	8	8.90	15	35.00	Pass
38	4705	06:10	14	13.576	8	8.70	15	37.00	Pass
39	4706	05:29	0	16.813	1	6.80	8	9.00	Fail
40	4707	05:22	18	14.520	6	7.54	10	34.00	Pass
41	4708	05:14	18	12.520	10	8.61	15	43.00	Pass
42	4709	06:20	12	14.066	8	8.51	15	35.00	Pass
43	4710	06:03	14	13.247	10	7.48	10	34.00	Pass
44	4712	05:54	14	13.747	8	7.66	10	32.00	Pass
45	4713	05:18	18	13.267	10	8.67	15	43.00	Pass
46	4714	05:46	16	14.017	8	7.68	10	34.00	Pass
47	4715	06:38	10	14.800	6	8.80	15	31.00	Pass
48	4716	05:55	14	14.017	8	7.61	10	32.00	Pass
49	4717	05:48	16	14.517	6	8.15	12	34.00	Pass
50	4718	06:06	14	14.030	8	8.73	15	37.00	Pass
51	4719	03:51	0	16.514	1	5.39	4	5.00	Fail
52	4720	05:29	18	12.753	10	8.55	15	43.00	Pass
53	4721	05:27	18	12.774	10	8.61	15	43.00	Pass
54	4722	06:07	14	13.490	10	8.77	15	39.00	Pass
55	4723	05:42	16	13.536	8	8.00	12	36.00	Pass
56	4724	05:48	16	13.240	10	9.51	15	41.00	Pass
57	4725	05:25	18	12.544	10	8.27	12	40.00	Pass
58	4726	05:52	14	13.044	10	9.25	15	39.00	Pass
59	4727	06:28	12	14.014	8	8.06	12	32.00	Pass
60	4728	05:50	16	14.010	8	7.92	12	36.00	Pass
61	4729	05:30	18	12.256	12	9.42	15	45.00	Pass
62	4730	05:49	16	13.760	8	7.98	12	36.00	Pass
63	4731	05:41	16	13.033	10	7.57	10	36.00	Pass
64	4732	06:23	12	13.520	8	8.33	12	32.00	Pass
65	4733	05:58	14	15.020	6	6.34	6	26.00	Pass
66	4734	05:46	16	14.283	8	7.94	12	36.00	Pass
67	4735	05:13	18	12.764	10	7.68	10	38.00	Pass
68	4736	05:16	18	13.530	8	7.12	8	34.00	Pass
69	4737	06:09	14	13.513	8	6.85	8	30.00	Pass

70	4738	05:59	14	14.766	6	6.98	8	28.00	Pass
71	4739	05:49	16	13.263	10	9.20	15	41.00	Pass
72	4740	05:29	18	13.260	10	8.26	12	40.00	Pass
73	4741	05:28	18	13.510	8	7.16	8	34.00	Pass
74	4742	05:43	16	13.273	10	8.03	12	38.00	Pass
75	4743	06:10	14	14.013	8	8.20	12	34.00	Pass
76	4744	06:54	8	13.763	8	9.40	15	31.00	Pass
77	4745	05:34	16	13.013	10	8.75	15	41.00	Pass
78	4746	05:40	16	12.760	10	9.30	15	41.00	Pass
79	4747	05:43	16	14.277	8	7.95	12	36.00	Pass
80	4748	05:55	14	13.513	8	8.17	12	34.00	Pass
81	4749	05:34	16	13.526	8	9.02	15	39.00	Pass
82	4750	05:36	16	14.026	8	8.65	15	39.00	Pass
83	4751	05:20	18	13.276	10	8.80	15	43.00	Pass
84	4752	05:29	18	12.767	10	9.71	15	43.00	Pass
85	4753	05:24	18	12.283	12	9.53	15	45.00	Pass
86	4754	06:10	14	14.273	8	8.69	15	37.00	Pass
87	4755	05:48	16	14.024	8	8.46	12	36.00	Pass
88	4756	06:21	12	13.270	10	6.92	8	30.00	Pass
89	4757	06:08	14	13.270	10	9.00	15	39.00	Pass
90	4758	06:01	14	13.277	10	8.70	15	39.00	Pass
91	4759	09:01	0	15.560	4	6.81	8	12.00	Fail
92	4760	03:39	0	16.013	4	6.13	6	10.00	Fail
93	4761	06:01	14	15.296	6	7.87	10	30.00	Pass
94	4762	05:51	14	13.546	8	8.78	15	37.00	Pass
95	4763	05:14	18	13.516	8	7.72	10	36.00	Pass
96	4764	05:52	14	14.267	8	7.52	10	32.00	Pass
97	4765	06:29	12	14.520	6	8.92	15	33.00	Pass
98	4766	05:22	18	13.267	10	8.70	15	43.00	Pass
99	4767	06:05	14	14.007	8	8.19	12	34.00	Pass
100	4768	05:16	18	12.530	10	8.52	15	43.00	Pass
101	4769	05:32	0	18.263	0	6.77	8	8.00	Fail
102	4770	05:47	16	13.027	10	7.15	8	34.00	Pass
103	4771	05:35	16	13.760	8	8.04	12	36.00	Pass
104	4772	05:48	16	13.026	10	8.99	15	41.00	Pass
105	4773	05:32	16	13.270	10	8.72	15	41.00	Pass
106	4774	05:58	14	14.523	6	7.90	12	32.00	Pass
107	4775	05:47	16	13.770	8	8.56	15	39.00	Pass

108	4776	06:39	10	14.100	8	8.36	12	30.00	Pass
109	4777	05:46	16	13.550	8	8.13	12	36.00	Pass
110	4778	06:11	12	14.020	8	8.21	12	32.00	Pass
111	4779	06:29	12	13.290	10	8.98	15	37.00	Pass
112	4780	06:54	8	14.820	6	7.28	8	22.00	Fail
113	4781	05:23	18	12.710	10	8.53	15	43.00	Pass
114	4782	05:16	18	12.787	10	8.75	15	43.00	Pass
115	4783	05:17	18	13.300	10	7.99	12	40.00	Pass
116	4784	05:33	16	13.773	8	8.38	12	36.00	Pass
117	4785	05:44	16	13.824	8	8.57	15	39.00	Pass
118	4786	03:20	0	15.873	4	6.23	6	10.00	Fail
119	4787	05:43	16	13.777	8	8.04	12	36.00	Pass
120	4788	05:39	16	14.030	8	8.55	15	39.00	Pass
121	4789	06:35	10	14.783	6	8.27	12	28.00	Pass
122	4790	05:18	18	13.310	10	0	0	28.00	Pass
123	4791	05:45	16	12.520	10	9.00	15	41.00	Pass
124	4792	05:12	18	13.257	10	8.68	15	43.00	Pass
125	4793	05:44	16	14.007	8	7.96	12	36.00	Pass
126	4794	06:25	12	12.810	10	8.51	15	37.00	Pass
127	4795	05:50	16	13.560	8	7.89	10	34.00	Pass
128	4796	05:53	14	13.793	8	8.87	15	37.00	Pass
129	4797	05:30	18	13.007	10	8.04	12	40.00	Pass
130	4798	00	0	13.023	10	8.04	12	22.00	Fail
131	4799	06:04	14	12.773	10	9.30	15	39.00	Pass
132	4800	05:44	16	13.766	8	8.40	12	36.00	Pass
133	4801	05:45	16	12.263	12	8.46	12	40.00	Pass
134	4802	05:54	14	14.773	6	7.34	10	30.00	Pass
135	4803	05:40	16	12.503	10	7.86	10	36.00	Pass
136	4804	05:33	16	12.770	10	8.77	15	41.00	Pass
137	4805	06:25	12	13.843	8	7.80	10	30.00	Pass
138	4806	05:52	14	13.263	10	7.92	12	36.00	Pass
139	4807	05:31	16	12.513	10	7.89	10	36.00	Pass
140	4808	05:48	16	13.763	8	8.77	15	39.00	Pass
141	4809	06:36	10	14.760	6	7.50	10	26.00	Pass
142	4810	05:27	18	13.010	10	8.75	15	43.00	Pass
143	4811	05:27	18	13.760	8	8.51	15	41.00	Pass
144	4812	03:32	0	13.814	8	8.30	12	20.00	Fail
145	4813	06:43	10	14.330	8	7.96	12	30.00	Pass

146	4814	05:52	14	14.296	8	8.50	15	37.00	Pass
147	4815	05:27	18	13.027	10	9.24	15	43.00	Pass
148	4816	05:54	14	12.617	10	9.16	15	39.00	Pass
149	4817	05:27	18	13.337	10	8.69	15	43.00	Pass
150	4818	05:35	16	12.773	10	8.51	15	41.00	Pass
151	4819	05:59	14	14.273	8	8.50	15	37.00	Pass
152	4820	06:45	10	15.007	6	7.10	8	24.00	Fail
153	4821	05:52	14	13.024	10	8.58	15	39.00	Pass
154	4822	05:46	16	13.584	8	7.82	10	34.00	Pass
155	4823	05:05	20	12.520	10	8.70	15	45.00	Pass
156	4824	03:11	0	14.760	6	7.93	12	18.00	Fail
157	4825	05:58	14	13.277	10	8.22	12	36.00	Pass
158	4826	05:14	18	12.024	12	8.69	15	45.00	Pass
159	4827	05:17	18	12.760	10	8.55	15	43.00	Pass
160	4828	05:25	18	13.526	8	7.76	10	36.00	Pass
161	4829	05:48	16	13.260	10	8.52	15	41.00	Pass
162	4830	06:07	14	14.996	6	8.50	15	35.00	Pass
163	4831	06:00	14	13.257	10	8.25	12	36.00	Pass
164	4832	06:08	14	12.760	10	8.30	12	36.00	Pass
165	4833	06:32	10	15.026	6	6.30	6	22.00	Fail
166	4834	05:36	16	13.494	10	8.33	12	38.00	Pass
167	4835	01:44	0	20.263	0	5.73	5	5.00	Fail
168	4836	06:06	14	15.000	6	8.64	15	35.00	Pass
169	4837	06:16	12	14.266	8	8.25	12	32.00	Pass
170	4838	05:36	16	13.766	8	7.46	10	34.00	Pass
171	4839	05:29	18	13.273	10	7.41	10	38.00	Pass
172	4840	07:33	0	16.023	4	7.55	10	14.00	Fail
173	4841	05:33	16	14.023	8	7.70	10	34.00	Pass
174	4842	05:22	18	13.590	8	7.41	10	36.00	Pass
175	4843	06:12	12	14.246	8	8.13	12	32.00	Pass
176	4844	05:19	18	12.763	10	8.24	12	40.00	Pass
177	4845	05:44	16	12.507	10	8.20	12	38.00	Pass
178	4846	06:03	14	13.007	10	8.96	15	39.00	Pass
179	4847	06:01	14	12.757	10	7.34	10	34.00	Pass
180	4848	06:12	12	12.540	10	8.58	15	37.00	Pass
181	4849	05:49	16	14.040	8	8.54	15	39.00	Pass
182	4850	05:58	14	14.010	8	7.52	10	32.00	Pass
183	4851	05:08	20	12.510	10	8.35	12	42.00	Pass

184	4852	05:40	16	13.260	10	8.17	12	38.00	Pass
185	4853	06:52	8	15.760	4	7.65	10	22.00	Fail
186	4854	05:26	18	13.036	10	8.60	15	43.00	Pass
187	4855	05:31	16	14.023	8	8.56	15	39.00	Pass
188	4856	06:03	14	12.267	12	8.93	15	41.00	Pass
189	4857	05:43	16	12.527	10	8.64	15	41.00	Pass
190	4858	06:31	10	14.007	8	8.51	15	33.00	Pass
191	4859	05:55	14	13.260	10	9.40	15	39.00	Pass
192	4860	05:34	16	12.760	10	8.65	15	41.00	Pass
193	4861	01:40	0	15.260	6	8.37	12	18.00	Fail
194	4862	05:55	14	15.777	4	7.27	8	26.00	Pass
195	4863	06:00	14	14.510	6	8.62	15	35.00	Pass
196	4864	05:27	18	12.757	10	8.20	12	40.00	Pass
197	4865	05:26	18	12.757	10	7.82	10	38.00	Pass
198	4866	05:58	14	14.510	6	7.52	10	30.00	Pass
199	4867	06:05	14	12.510	10	8.60	15	39.00	Pass
200	4868	06:05	14	12.760	10	8.52	15	39.00	Pass
201	4869	05:51	14	13.514	8	8.00	12	34.00	Pass
202	4870	07:27	5	13.514	8	8.80	15	28.00	Pass
203	4871	05:50	16	13.484	10	8.55	15	41.00	Pass
204	4872	06:00	14	14.023	8	8.75	15	37.00	Pass
205	4873	07:39	0	16.257	4	7.55	10	14.00	Fail
206	4874	06:46	10	14.507	6	8.52	15	31.00	Pass
207	4875	05:42	16	12.877	10	8.61	15	41.00	Pass
208	4876	05:43	16	14.083	8	8.22	12	36.00	Pass
209	4877	06:03	14	12.503	10	8.84	15	39.00	Pass
210	4878	06:01	14	13.263	10	8.51	15	39.00	Pass
211	4879	01:30	0	14.814	6	8.08	12	18.00	Fail
212	4880	05:36	16	12.513	10	9.07	15	41.00	Pass
213	4881	05:38	16	13.013	10	8.42	12	38.00	Pass
214	4882	05:40	16	13.013	10	8.45	12	38.00	Pass
215	4883	06:01	14	12.013	12	9.38	15	41.00	Pass
216	4884	06:02	14	12.557	10	8.90	15	39.00	Pass
217	4885	05:40	16	13.763	8	8.75	15	39.00	Pass
218	4886	05:26	18	13.260	10	9.10	15	43.00	Pass
219	4887	06:39	10	13.610	8	8.88	15	33.00	Pass
220	4888	07:12	5	15.270	6	7.17	8	19.00	Fail
221	4889	05:43	16	13.016	10	8.73	15	41.00	Pass

222	4890	05:31	16	12.796	10	8.53	15	41.00	Pass
223	4891	06:00	14	14.300	8	7.81	10	32.00	Pass
224	4892	06:35	10	15.510	4	8.28	12	26.00	Pass
225	4893	06:19	0	18.063	0	5.91	5	5.00	Fail
226	4894	05:51	14	13.024	10	8.12	12	36.00	Pass
227	4895	05:44	16	13.810	8	7.46	10	34.00	Pass
228	4896	06:10	14	13.037	10	8.38	12	36.00	Pass
229	4897	05:31	16	13.270	10	8.61	15	41.00	Pass
230	4898	05:33	16	13.007	10	9.06	15	41.00	Pass
231	4899	05:41	16	13.570	8	8.59	15	39.00	Pass
232	4900	06:12	12	13.304	10	8.72	15	37.00	Pass
233	4901	06:39	10	14.070	8	7.11	8	26.00	Pass
234	4902	05:46	16	12.527	10	7.91	12	38.00	Pass
235	4903	05:37	16	12.294	12	8.19	12	40.00	Pass
236	4904	05:36	16	12.074	12	8.33	12	40.00	Pass
237	4905	05:51	14	13.513	8	8.01	12	34.00	Pass
238	4906	07:10	8	14.543	6	8.02	12	26.00	Pass
239	4907	05:52	14	14.013	8	8.34	12	34.00	Pass
240	4908	05:26	18	13.264	10	8.87	15	43.00	Pass
241	4909	05:50	16	13.514	8	7.44	10	34.00	Pass
242	4910	05:31	16	12.014	12	8.71	15	43.00	Pass
243	4911	06:02	14	13.277	10	8.68	15	39.00	Pass
244	4912	05:54	14	13.277	10	8.55	15	39.00	Pass
245	4913	05:24	18	12.276	12	8.33	12	42.00	Pass
246	4914	03:01	0	12.530	10	8.54	15	25.00	Pass
247	4915	05:10	20	12.013	12	7.74	10	42.00	Pass
248	4916	05:47	16	14.766	6	6.57	6	28.00	Pass
249	4917	05:38	16	13.013	10	8.29	12	38.00	Pass
250	4918	07:07	8	15.300	6	8.93	15	29.00	Pass
251	4919	06:34	10	13.280	10	8.80	15	35.00	Pass
252	4920	05:29	18	13.760	8	8.59	15	41.00	Pass
253	4921	02:58	0	13.527	8	7.53	10	18.00	Fail
254	4922	05:54	14	14.057	8	8.80	15	37.00	Pass
255	4923	06:37	10	14.020	8	8.54	15	33.00	Pass
256	4924	05:20	18	12.520	10	8.66	15	43.00	Pass
257	4925	05:25	18	13.020	10	8.50	15	43.00	Pass
258	4926	06:27	12	13.773	8	8.59	15	35.00	Pass
259	4927	05:23	18	13.020	10	7.61	10	38.00	Pass

260	4928	06:06	14	14.507	6	7.59	10	30.00	Pass
261	4929	05:22	18	12.007	12	9.02	15	45.00	Pass
262	4930	06:34	10	14.006	8	8.38	12	30.00	Pass
263	4931	06:12	12	13.256	10	8.84	15	37.00	Pass
264	4932	05:59	14	13.273	10	9.08	15	39.00	Pass
265	4933	05:23	18	13.023	10	7.86	10	38.00	Pass
266	4934	05:22	18	13.007	10	8.50	15	43.00	Pass
267	4935	05:17	18	12.527	10	8.68	15	43.00	Pass
268	4936	05:36	16	13.764	8	0	0	24.00	Fail
269	4937	06:58	8	15.767	4	6.78	8	20.00	Fail
270	4938	07:10	8	15.010	6	8.71	15	29.00	Pass
271	4939	06:44	10	14.027	8	7.83	10	28.00	Pass
272	4940	05:51	14	13.006	10	7.95	12	36.00	Pass
273	4941	06:43	10	14.510	6	7.05	8	24.00	Fail
274	4942	05:46	16	13.007	10	8.77	15	41.00	Pass
275	4943	06:01	14	13.757	8	8.96	15	37.00	Pass
276	4944	01:38	0	14.763	6	6.63	6	12.00	Fail
277	4945	02:49	0	13.510	8	8.16	12	20.00	Fail
278	4946	05:32	16	12.510	10	8.52	15	41.00	Pass
279	4947	05:19	18	13.263	10	7.52	10	38.00	Pass
280	4948	05:03	20	12.763	10	8.82	15	45.00	Pass
281	4949	05:26	18	14.016	8	7.91	12	38.00	Pass
282	4950	06:02	14	13.760	8	8.57	15	37.00	Pass
283	4951	06:06	14	13.010	10	8.62	15	39.00	Pass
284	4952	06:38	10	13.260	10	8.27	12	32.00	Pass
285	4953	05:18	18	13.510	8	7.55	10	36.00	Pass
286	4954	06:25	12	12.774	10	8.55	15	37.00	Pass
287	4955	03:54	0	15.277	6	7.54	10	16.00	Fail
288	4956	06:45	10	15.543	4	6.47	6	20.00	Fail
289	4957	05:49	16	13.044	10	9.15	15	41.00	Pass
290	4958	03:53	0	14.027	8	8.09	12	20.00	Fail
291	4959	02:54	0	13.517	8	8.53	15	23.00	Fail
292	4960	06:40	10	13.520	8	9.29	15	33.00	Pass
293	4961	05:31	16	13.017	10	9.32	15	41.00	Pass
294	4962	06:12	12	14.773	6	8.60	15	33.00	Pass
295	4963	05:33	16	13.023	10	8.60	15	41.00	Pass
296	4964	05:32	16	13.273	10	8.45	12	38.00	Pass
297	4965	06:01	14	13.990	8	8.68	15	37.00	Pass

298	4966	05:12	18	13.257	10	8.11	12	40.00	Pass
299	4967	06:31	10	12.990	10	8.65	15	35.00	Pass
300	4968	05:35	16	12.520	10	8.69	15	41.00	Pass
301	4969	05:47	16	14.024	8	7.18	8	32.00	Pass
302	4970	04:01	0	18.767	0	7.29	8	8.00	Fail
303	4971	06:06	14	13.007	10	8.50	15	39.00	Pass
304	4972	05:53	14	12.507	10	8.66	15	39.00	Pass
305	4973	06:48	10	13.023	10	8.60	15	35.00	Pass
306	4974	06:14	12	12.497	12	8.93	15	39.00	Pass
307	4975	06:15	12	13.517	8	8.80	15	35.00	Pass
308	4976	03:37	0	14.767	6	7.72	10	16.00	Fail
309	4977	05:19	18	13.524	8	8.58	15	41.00	Pass
310	4978	04:13	0	17.764	0	6.45	6	6.00	Fail
311	4979	06:06	14	13.524	8	8.46	12	34.00	Pass
312	4980	06:41	10	14.013	8	7.77	10	28.00	Pass
313	4981	05:34	16	12.257	12	8.05	12	40.00	Pass
314	4982	05:44	16	13.777	8	9.03	15	39.00	Pass
315	4983	06:06	14	12.770	10	8.91	15	39.00	Pass
316	4984	05:51	14	13.527	8	8.62	15	37.00	Pass
317	4985	05:35	16	12.507	10	8.54	15	41.00	Pass
318	4986	05:54	14	14.270	8	8.25	12	34.00	Pass
319	4987	06:21	12	15.787	4	6.96	8	24.00	Fail
320	4988	06:08	14	13.520	8	8.80	15	37.00	Pass
321	4989	05:27	18	12.490	12	8.56	15	45.00	Pass
322	4990	06:14	12	14.506	6	7.53	10	28.00	Pass
323	4991	05:45	16	13.256	10	8.81	15	41.00	Pass
324	4992	05:20	18	12.264	12	8.85	15	45.00	Pass
325	4993	05:31	16	13.264	10	8.23	12	38.00	Pass
326	4994	06:28	12	14.764	6	7.64	10	28.00	Pass
327	4995	05:32	16	13.030	10	7.78	10	36.00	Pass
328	4996	05:41	16	13.060	10	8.64	15	41.00	Pass
329	4997	05:52	14	14.280	8	8.33	12	34.00	Pass
330	4998	05:55	14	13.773	8	8.04	12	34.00	Pass
331	4999	05:35	16	13.773	8	7.57	10	34.00	Pass
332	5000	05:42	16	12.517	10	9.76	15	41.00	Pass
333	5001	05:41	16	12.787	10	8.90	15	41.00	Pass
334	5002	05:53	14	13.800	8	6.87	8	30.00	Pass
335	5003	05:28	18	13.284	10	8.25	12	40.00	Pass

336	5004	06:09	14	13.263	10	8.41	12	36.00	Pass
337	5005	03:19	0	13.530	8	8.52	15	23.00	Fail
338	5006	06:13	12	15.547	4	6.82	8	24.00	Fail
339	5007	05:22	18	13.527	8	7.95	12	38.00	Pass
340	5008	05:28	18	12.777	10	8.60	15	43.00	Pass
341	5009	05:22	18	12.777	10	8.00	12	40.00	Pass
342	5010	01:35	0	16.023	4	6.39	6	10.00	Fail
343	5011	01:42	0	16.824	1	6.35	6	7.00	Fail
344	5012	05:51	14	13.530	8	9.03	15	37.00	Pass
345	5013	05:07	20	12.516	10	8.75	15	45.00	Pass
346	5014	07:14	5	17.004	1	6.70	8	14.00	Fail
347	5015	05:40	16	13.284	10	8.51	15	41.00	Pass
348	5016	05:33	16	12.017	12	8.86	15	43.00	Pass
349	5017	07:52	0	14.267	8	8.29	12	20.00	Fail
350	5018	00	0	13.766	8	8.66	15	23.00	Fail
351	5019	06:33	10	16.023	4	7.11	8	22.00	Fail
352	5020	05:37	16	13.257	10	8.77	15	41.00	Pass
353	5021	05:26	18	12.503	10	7.91	12	40.00	Pass
354	5022	06:17	12	12.527	10	9.62	15	37.00	Pass
355	5023	06:05	14	13.273	10	7.77	10	34.00	Pass
356	5024	06:07	14	13.523	8	8.87	15	37.00	Pass
357	5025	05:52	0	15.007	6	8.62	15	21.00	Fail
358	5026	05:27	18	13.257	10	8.13	12	40.00	Pass
359	5027	05:42	16	12.267	12	8.54	15	43.00	Pass
360	5028	06:04	14	15.057	6	7.83	10	30.00	Pass
361	5029	06:27	12	13.760	8	8.55	15	35.00	Pass
362	5030	05:32	16	13.307	10	8.15	12	38.00	Pass
363	5031	05:49	16	13.010	10	8.80	15	41.00	Pass
364	5032	06:18	12	15.510	4	7.33	10	26.00	Pass
365	5033	05:52	14	13.760	8	8.29	12	34.00	Pass
366	5034	07:53	0	14.023	8	9.20	15	23.00	Fail
367	5035	02:51	0	13.020	10	8.77	15	25.00	Pass
368	5036	06:13	12	13.523	8	8.67	15	35.00	Pass
369	5037	01:31	0	15.540	4	8.56	15	19.00	Fail
370	5038	05:54	14	13.304	10	7.90	12	36.00	Pass
371	5039	03:59	0	15.803	4	7.39	10	14.00	Fail
372	5040	01:47	0	14.540	6	7.16	8	14.00	Fail
373	5041	06:48	10	15.307	6	7.71	10	26.00	Pass

374	5042	06:19	12	13.540	8	8.16	12	32.00	Pass
375	5043	04:57	0	14.057	8	7.04	8	16.00	Fail
376	5044	05:52	14	12.803	10	8.15	12	36.00	Pass
377	5045	06:03	14	12.803	10	8.36	12	36.00	Pass
378	5046	05:36	16	11.803	12	8.86	15	43.00	Pass
379	5047	05:30	18	13.790	8	7.94	12	38.00	Pass
380	5048	05:27	18	12.337	12	8.12	12	42.00	Pass
381	5049	05:45	16	13.760	8	8.40	12	36.00	Pass
382	5050	06:12	12	14.760	6	7.34	10	28.00	Pass
383	5051	05:29	18	13.510	8	8.55	15	41.00	Pass
384	5052	05:26	18	13.023	10	9.32	15	43.00	Pass
385	5053	05:25	18	14.356	8	8.33	12	38.00	Pass
386	5054	04:05	0	17.293	1	5.93	5	6.00	Fail
387	5055	06:18	12	14.570	6	7.48	10	28.00	Pass
388	5056	05:54	14	12.776	10	8.64	15	39.00	Pass
389	5057	05:50	16	14.276	8	8.86	15	39.00	Pass
390	5058	05:12	18	12.567	10	8.48	12	40.00	Pass
391	5059	07:00	8	14.270	8	8.73	15	31.00	Pass
392	5060	06:42	10	14.270	8	6.51	6	24.00	Fail
393	5061	00	0	14.557	6	8.31	12	18.00	Fail
394	5062	06:12	12	13.307	10	8.67	15	37.00	Pass
395	5063	05:30	18	13.557	8	7.62	10	36.00	Pass
396	5064	00	0	13.000	10	0	0	10.00	Fail
397	5065	05:40	16	13.583	8	6.89	8	32.00	Pass
398	5066	06:05	14	13.510	8	7.68	10	32.00	Pass
399	5067	05:27	18	12.826	10	8.34	12	40.00	Pass
400	5068	05:38	16	12.280	12	8.26	12	40.00	Pass
401	5069	06:27	12	14.270	8	8.27	12	32.00	Pass
402	5070	00	0	15.253	6	8.35	12	18.00	Fail
403	5071	06:18	12	13.023	10	8.55	15	37.00	Pass
404	5072	06:45	10	13.023	10	8.36	12	32.00	Pass
405	5073	05:46	16	13.320	10	8.49	12	38.00	Pass
406	5074	03:18	0	15.006	6	7.08	8	14.00	Fail
407	5075	05:44	16	14.273	8	8.17	12	36.00	Pass
408	5076	05:58	14	14.006	8	7.92	12	34.00	Pass
409	5077	06:30	12	15.040	6	7.32	10	28.00	Pass
410	5078	05:20	18	13.256	10	8.66	15	43.00	Pass
411	5079	05:50	16	13.773	8	8.04	12	36.00	Pass

412	5080	07:18	0	17.510	0	5.75	5	5.00	Fail
413	5081	05:27	18	12.773	10	8.86	15	43.00	Pass
414	5082	05:42	16	12.757	10	8.17	12	38.00	Pass
415	5083	06:06	14	13.270	10	8.80	15	39.00	Pass
416	5084	05:17	18	13.020	10	7.96	12	40.00	Pass
417	5085	05:47	16	12.773	10	8.96	15	41.00	Pass
418	5086	05:18	18	13.023	10	8.14	12	40.00	Pass
419	5087	05:41	16	11.523	12	8.75	15	43.00	Pass
420	5088	05:43	16	11.787	12	8.52	15	43.00	Pass
421	5089	05:44	16	13.260	10	8.50	15	41.00	Pass
422	5090	06:32	10	13.760	8	8.63	15	33.00	Pass
423	5091	05:47	16	14.773	6	8.07	12	34.00	Pass
424	5092	05:36	16	12.830	10	8.70	15	41.00	Pass
425	5093	05:46	16	12.820	10	9.00	15	41.00	Pass
426	5094	05:39	16	12.273	12	9.20	15	43.00	Pass
427	5095	05:51	14	13.023	10	7.36	10	34.00	Pass
428	5096	05:50	16	13.023	10	8.21	12	38.00	Pass
429	5097	05:55	14	13.523	8	8.22	12	34.00	Pass
430	5098	06:40	10	12.773	10	8.70	15	35.00	Pass
431	5099	05:50	16	13.773	8	7.70	10	34.00	Pass
432	5100	05:55	14	12.524	10	8.42	12	36.00	Pass
433	5101	06:06	14	13.524	8	8.59	15	37.00	Pass
434	5102	07:28	5	14.274	8	8.58	15	28.00	Pass
435	5103	06:12	12	13.037	10	8.78	15	37.00	Pass
436	5104	06:53	8	14.023	8	8.51	15	31.00	Pass
437	5105	05:23	18	13.037	10	8.30	12	40.00	Pass
438	5106	05:29	18	13.030	10	8.46	12	40.00	Pass
439	5107	05:56	14	13.770	8	7.33	10	32.00	Pass
440	5108	06:08	14	13.830	8	8.73	15	37.00	Pass
441	5109	07:59	0	13.750	8	8.27	12	20.00	Fail
442	5110	05:43	16	14.000	8	8.24	12	36.00	Pass
443	5111	06:45	10	14.267	8	7.36	10	28.00	Pass
444	5112	05:34	16	12.510	10	8.35	12	38.00	Pass
445	5113	05:28	18	13.273	10	8.52	15	43.00	Pass
446	5114	07:18	5	18.997	0	8.62	15	20.00	Fail
447	5115	05:33	16	13.510	8	8.57	15	39.00	Pass
448	5116	06:42	10	14.506	6	7.15	8	24.00	Fail
449	5117	06:41	10	13.760	8	8.04	12	30.00	Pass

450	5118	05:49	16	13.086	10	8.64	15	41.00	Pass
451	5119	06:12	12	14.320	8	6.74	8	28.00	Pass
452	5120	07:55	0	16.557	1	7.63	10	11.00	Fail
453	5121	05:42	16	14.530	6	7.80	10	32.00	Pass
454	5122	05:49	16	12.793	10	8.50	15	41.00	Pass
455	5123	05:25	18	13.033	10	8.64	15	43.00	Pass
456	5124	06:44	10	13.277	10	7.68	10	30.00	Pass
457	5125	05:53	14	14.277	8	8.13	12	34.00	Pass
458	5126	06:15	12	15.280	6	6.53	6	24.00	Fail
459	5127	06:48	10	14.786	6	8.45	12	28.00	Pass
460	5128	06:34	10	14.790	6	8.26	12	28.00	Pass
461	5129	07:23	5	15.540	4	5.97	5	14.00	Fail
462	5130	07:34	0	18.523	0	6.25	6	6.00	Fail
463	5131	05:21	18	12.303	12	7.80	10	40.00	Pass
464	5132	06:10	14	13.257	10	8.68	15	39.00	Pass
465	5133	05:33	16	13.260	10	8.70	15	41.00	Pass
466	5134	06:31	10	13.510	8	8.80	15	33.00	Pass
467	5135	05:24	18	13.527	8	8.53	15	41.00	Pass
468	5136	05:53	14	12.270	12	8.52	15	41.00	Pass
469	5137	05:51	14	13.770	8	8.37	12	34.00	Pass
470	5138	05:51	14	13.503	8	8.45	12	34.00	Pass
471	5139	05:42	16	13.273	10	7.72	10	36.00	Pass
472	5140	05:26	18	12.773	10	8.87	15	43.00	Pass
473	5141	05:50	16	13.273	10	8.46	12	38.00	Pass
474	5142	06:27	12	14.024	8	8.25	12	32.00	Pass
475	5143	05:40	0	14.774	6	7.64	10	16.00	Fail
476	5144	07:01	8	14.274	8	8.23	12	28.00	Pass
477	5145	05:21	18	13.803	8	8.08	12	38.00	Pass
478	5146	05:43	16	13.023	10	8.79	15	41.00	Pass
479	5147	05:49	16	13.757	8	7.91	12	36.00	Pass
480	5148	06:37	10	13.784	8	8.89	15	33.00	Pass
481	5149	05:51	14	13.537	8	8.35	12	34.00	Pass
482	5150	06:02	14	13.770	8	8.55	15	37.00	Pass
483	5151	06:31	10	14.273	8	7.90	12	30.00	Pass
484	5152	06:22	12	15.006	6	8.54	15	33.00	Pass
485	5153	06:37	10	13.520	8	8.51	15	33.00	Pass
486	5154	05:09	20	12.553	10	8.55	15	45.00	Pass
487	5155	05:26	18	13.616	8	7.84	10	36.00	Pass

488	5156	05:29	18	13.350	10	7.47	10	38.00	Pass
489	5157	06:11	12	13.524	8	8.66	15	35.00	Pass
490	5158	06:05	14	14.537	6	9.13	15	35.00	Pass
491	5159	05:34	16	12.537	10	7.77	10	36.00	Pass
492	5160	06:13	12	12.553	10	7.64	10	32.00	Pass
493	5161	05:46	16	13.053	10	8.19	12	38.00	Pass
494	5162	05:29	18	12.553	10	8.57	15	43.00	Pass
495	5163	05:52	14	13.507	8	8.42	12	34.00	Pass
496	5164	06:23	12	14.506	6	7.15	8	26.00	Pass
497	5165	05:35	16	13.520	8	8.35	12	36.00	Pass
498	5166	06:10	14	14.537	6	8.34	12	32.00	Pass
499	5167	03:08	0	14.773	6	8.07	12	18.00	Fail
500	5168	06:08	14	13.773	8	7.93	12	34.00	Pass
501	5169	05:06	20	12.760	10	8.40	12	42.00	Pass
502	5170	05:46	16	13.514	8	8.40	12	36.00	Pass
503	5171	05:45	16	13.764	8	7.62	10	34.00	Pass
504	5172	06:18	12	13.037	10	9.72	15	37.00	Pass
505	5173	06:28	12	14.067	8	7.42	10	30.00	Pass
506	5174	05:07	20	12.287	12	8.73	15	47.00	Pass
507	5175	05:46	16	12.797	10	8.60	15	41.00	Pass
508	5176	05:32	16	13.284	10	8.31	12	38.00	Pass
509	5177	06:06	14	14.534	6	7.30	10	30.00	Pass
510	5178	05:44	16	14.043	8	8.54	15	39.00	Pass
511	5179	05:50	16	12.806	10	7.48	10	36.00	Pass
512	5180	05:18	18	12.793	10	8.53	15	43.00	Pass
513	5181	05:38	16	12.767	10	0	0	26.00	Pass
514	5182	06:28	12	13.000	10	8.40	12	34.00	Pass
515	5183	06:05	14	13.263	10	8.52	15	39.00	Pass
516	5184	05:57	14	13.514	8	8.67	15	37.00	Pass
517	5185	06:40	10	14.514	6	7.01	8	24.00	Fail
518	5186	05:20	0	14.264	8	8.57	15	23.00	Fail
519	5187	03:33	0	15.507	4	8.43	12	16.00	Fail
520	5188	07:00	0	14.773	6	9.31	15	21.00	Fail
521	5189	05:38	0	15.007	6	6.95	8	14.00	Fail
522	5190	06:04	14	13.777	8	8.41	12	34.00	Pass
523	5191	05:51	14	13.027	10	9.10	15	39.00	Pass
524	5192	05:41	16	13.277	10	7.89	10	36.00	Pass
525	5193	05:31	16	13.273	10	8.01	12	38.00	Pass

526	5194	05:36	16	13.523	8	8.69	15	39.00	Pass
527	5195	05:12	18	13.023	10	8.42	12	40.00	Pass
528	5196	05:18	0	15.006	6	8.38	12	18.00	Fail
529	5197	05:33	16	13.023	10	8.27	12	38.00	Pass
530	5198	05:32	16	13.003	10	8.60	15	41.00	Pass
531	5199	03:35	0	13.520	8	6.95	8	16.00	Fail
532	5200	06:18	12	13.083	10	9.11	15	37.00	Pass
533	5201	05:13	18	12.523	10	7.91	12	40.00	Pass
534	5202	06:44	10	15.027	6	8.44	12	28.00	Pass
535	5203	06:23	12	15.780	4	7.10	8	24.00	Fail
536	5204	05:55	14	15.027	6	8.14	12	32.00	Pass
537	5205	06:34	10	13.547	8	8.69	15	33.00	Pass
538	5206	05:52	14	13.513	8	8.98	15	37.00	Pass
539	5207	01:54	0	17.784	0	4.97	4	4.00	Fail
540	5208	05:59	14	13.774	8	8.00	12	34.00	Pass
541	5209	02:25	0	17.510	0	6.71	8	8.00	Fail
542	5210	01:46	0	16.743	1	6.89	8	9.00	Fail
543	5211	01:47	0	16.510	1	6.19	6	7.00	Fail
544	5212	06:51	8	14.524	6	8.41	12	26.00	Pass
545	5213	05:51	14	14.023	8	8.00	12	34.00	Pass
546	5214	06:22	12	15.513	4	8.80	15	31.00	Pass
547	5215	05:54	14	14.276	8	8.69	15	37.00	Pass
548	5216	05:36	16	14.010	8	8.56	15	39.00	Pass
549	5217	05:48	16	13.773	8	8.88	15	39.00	Pass
550	5218	05:26	18	12.503	10	8.40	12	40.00	Pass
551	5219	06:48	10	15.040	6	7.55	10	26.00	Pass
552	5220	07:27	5	14.267	8	8.93	15	28.00	Pass
553	5221	05:24	18	13.017	10	8.30	12	40.00	Pass
554	5222	08:31	0	17.020	1	6.02	5	6.00	Fail
555	5223	03:22	0	14.760	6	7.91	12	18.00	Fail
556	5224	06:56	8	13.790	8	8.66	15	31.00	Pass
557	5225	06:42	10	14.276	8	6.04	5	23.00	Fail
558	5226	06:28	12	16.254	4	7.30	10	26.00	Pass
559	5227	06:24	0	13.530	8	9.05	15	23.00	Fail
560	5228	05:42	16	13.530	8	8.56	15	39.00	Pass
561	5229	05:24	18	13.277	10	8.76	15	43.00	Pass
562	5230	05:32	16	13.027	10	8.42	12	38.00	Pass
563	5231	06:40	10	14.277	8	7.72	10	28.00	Pass

564	5232	03:09	0	14.267	8	8.20	12	20.00	Fail
565	5233	03:06	0	14.517	6	7.33	10	16.00	Fail
566	5234	01:43	0	17.753	0	6.15	6	6.00	Fail
567	5235	05:51	14	13.277	10	7.97	12	36.00	Pass
568	5236	06:07	14	14.027	8	7.80	10	32.00	Pass
569	5237	08:38	0	15.267	6	8.10	12	18.00	Fail
570	5238	06:38	10	13.757	8	9.12	15	33.00	Pass
571	5239	06:21	12	14.773	6	7.75	10	28.00	Pass
572	5240	05:37	16	13.757	8	8.14	12	36.00	Pass
573	5241	07:55	0	15.023	6	8.30	12	18.00	Fail
574	5242	05:39	16	14.273	8	7.12	8	32.00	Pass
575	5243	05:36	16	13.523	8	8.50	15	39.00	Pass
576	5244	06:08	14	13.276	10	7.70	10	34.00	Pass
577	5245	05:37	16	12.526	10	9.33	15	41.00	Pass
578	5246	06:04	14	13.026	10	8.27	12	36.00	Pass
579	5247	05:58	14	14.043	8	8.57	15	37.00	Pass
580	5248	00	0	12.543	10	8.93	15	25.00	Pass
581	5249	07:29	5	14.793	6	7.92	12	23.00	Fail
582	5250	05:47	16	13.260	10	8.85	15	41.00	Pass
583	5251	05:30	18	12.757	10	8.92	15	43.00	Pass
584	5252	01:38	0	14.007	8	7.43	10	18.00	Fail
585	5253	05:44	16	12.850	10	8.51	15	41.00	Pass
586	5254	06:07	14	15.290	6	6.83	8	28.00	Pass
587	5255	06:00	14	13.540	8	7.68	10	32.00	Pass
588	5256	05:52	14	13.506	8	7.82	10	32.00	Pass
589	5257	05:24	18	13.256	10	8.51	15	43.00	Pass
590	5258	05:52	14	12.006	12	9.05	15	41.00	Pass
591	5259	01:38	0	12.760	10	8.92	15	25.00	Pass
592	5260	01:29	0	13.527	8	8.50	15	23.00	Fail
593	5261	05:50	16	12.777	10	8.63	15	41.00	Pass
594	5262	05:44	16	13.357	10	8.65	15	41.00	Pass
595	5263	06:16	12	14.390	8	8.00	12	32.00	Pass
596	5264	01:55	0	14.640	6	8.28	12	18.00	Fail
597	5265	05:44	16	12.820	10	7.80	10	36.00	Pass
598	5266	06:01	14	14.054	8	9.02	15	37.00	Pass
599	5267	01:29	0	15.853	4	8.27	12	16.00	Fail
600	5268	06:03	14	12.616	10	7.90	12	36.00	Pass
601	5269	05:40	16	12.803	10	8.52	15	41.00	Pass

602	5270	07:05	8	15.384	6	7.21	8	22.00	Fail
603	5271	08:02	0	16.014	4	7.71	10	14.00	Fail
604	5272	05:36	16	13.010	10	8.52	15	41.00	Pass
605	5273	06:15	12	13.010	10	8.25	12	34.00	Pass
606	5274	01:35	0	14.513	6	7.57	10	16.00	Fail
607	5275	05:58	14	13.010	10	8.70	15	39.00	Pass
608	5276	06:33	10	13.010	10	7.92	12	32.00	Pass
609	5277	05:49	16	14.274	8	7.92	12	36.00	Pass
610	5278	06:11	0	14.510	6	8.19	12	18.00	Fail
611	5279	01:37	0	14.024	8	8.34	12	20.00	Fail
612	5280	06:30	12	13.537	8	9.95	15	35.00	Pass
613	5281	06:26	12	14.524	6	6.75	8	26.00	Pass
614	5282	05:54	14	13.287	10	8.60	15	39.00	Pass
615	5283	06:03	14	12.740	10	8.70	15	39.00	Pass
616	5284	01:35	0	15.776	4	7.85	10	14.00	Fail
617	5285	05:46	16	13.507	8	7.97	12	36.00	Pass
618	5286	07:58	0	15.273	6	7.32	10	16.00	Fail
619	5287	06:15	12	14.023	8	7.85	10	30.00	Pass
620	5288	05:30	18	12.287	12	8.58	15	45.00	Pass
621	5289	06:13	12	14.263	8	8.25	12	32.00	Pass
622	5290	03:55	0	17.763	0	4.63	3	3.00	Fail
623	5291	05:53	14	12.510	10	8.73	15	39.00	Pass
624	5292	05:33	16	13.760	8	7.90	12	36.00	Pass
625	5293	03:31	0	14.010	8	7.72	10	18.00	Fail
626	5294	06:34	10	13.006	10	8.53	15	35.00	Pass
627	5295	03:21	0	14.293	8	7.95	12	20.00	Fail
628	5296	05:51	14	12.306	12	8.59	15	41.00	Pass
629	5297	09:33	0	17.767	0	6.18	6	6.00	Fail
630	5298	06:27	0	16.497	4	7.02	8	12.00	Fail
631	5299	05:34	16	13.763	8	8.59	15	39.00	Pass
632	5300	05:49	16	13.247	10	8.21	12	38.00	Pass
633	5301	06:07	14	13.020	10	8.34	12	36.00	Pass
634	5302	03:17	0	13.507	8	8.65	15	23.00	Fail
635	5303	06:06	0	15.260	6	7.43	10	16.00	Fail
636	5304	05:54	14	13.763	8	8.42	12	34.00	Pass
637	5305	05:54	14	13.013	10	8.04	12	36.00	Pass
638	5306	01:44	0	17.013	1	6.27	6	7.00	Fail
639	5307	06:31	10	15.313	6	8.64	15	31.00	Pass

640	5308	06:03	14	13.324	10	8.60	15	39.00	Pass
641	5309	05:57	14	14.057	8	7.45	10	32.00	Pass
642	5310	03:03	0	18.267	0	6.70	8	8.00	Fail
643	5311	02:09	0	16.560	1	7.37	10	11.00	Fail
644	5312	05:36	16	13.013	10	8.44	12	38.00	Pass
645	5313	05:41	16	14.010	8	8.61	15	39.00	Pass
646	5314	06:09	0	16.263	4	5.73	5	9.00	Fail
647	5315	01:50	0	14.010	8	8.70	15	23.00	Fail
648	5316	06:45	10	14.513	6	7.43	10	26.00	Pass
649	5317	01:41	0	18.546	0	4.96	4	4.00	Fail
650	5318	06:15	12	12.540	10	9.21	15	37.00	Pass
651	5319	05:48	16	14.780	6	8.10	12	34.00	Pass
652	5320	06:57	8	14.013	8	8.42	12	28.00	Pass
653	5321	05:52	14	13.760	8	8.73	15	37.00	Pass
654	5322	06:16	0	18.517	0	6.74	8	8.00	Fail
655	5323	05:38	16	14.010	8	8.88	15	39.00	Pass
656	5324	02:51	0	16.014	4	6.70	8	12.00	Fail
657	5325	02:52	0	14.510	6	8.90	15	21.00	Fail
658	5326	05:58	14	14.527	6	8.41	12	32.00	Pass
659	5327	05:14	0	17.030	1	6.48	6	7.00	Fail
660	5328	05:16	18	11.773	12	8.85	15	45.00	Pass
661	5329	02:51	0	14.523	6	7.21	8	14.00	Fail
662	5330	00	0	14.530	6	7.82	10	16.00	Fail
663	5331	00	0	13.496	10	8.51	15	25.00	Pass