

THE COMMISSIONER OF POLICE PIMPRI CHINCHWAD
POLICE CONSTABLE RECRUITMENT - 2021
OUTDOOR MARKS OF CANDIDATES
Total Record Count for Constable is 644

Sr No	Chest No	Run 1600 Mtr (In Minutes)	Run 1600 Mtr Marks	Running 100 Mtr (In Seconds)	Running 100 Mtr Marks	Shot put (In Meters)	Shot put Marks	Ground Total	Optical Result
1	5332	05:34	16	13.754	8	8.35	12	36.00	Pass
2	5333	05:46	16	12.583	10	8.70	15	41.00	Pass
3	5334	05:45	16	13.380	10	8.52	15	41.00	Pass
4	5335	05:56	14	15.050	6	7.51	10	30.00	Pass
5	5336	06:33	10	13.797	8	8.34	12	30.00	Pass
6	5337	05:38	16	13.797	8	8.53	15	39.00	Pass
7	5338	05:26	18	12.564	10	8.08	12	40.00	Pass
8	5339	05:52	14	12.330	12	10.15	15	41.00	Pass
9	5340	05:27	18	13.536	8	7.59	10	36.00	Pass
10	5341	05:44	16	12.813	10	8.39	12	38.00	Pass
11	5342	06:13	12	14.020	8	7.60	10	30.00	Pass
12	5343	07:47	0	15.784	4	8.41	12	16.00	Fail
13	5344	00	0	13.520	8	7.60	10	18.00	Fail
14	5345	05:18	18	12.300	12	7.55	10	40.00	Pass
15	5346	05:44	16	12.800	10	6.85	8	34.00	Pass
16	5347	05:39	16	12.986	10	8.34	12	38.00	Pass
17	5348	06:29	12	13.470	10	8.73	15	37.00	Pass
18	5349	06:15	12	12.954	10	8.55	15	37.00	Pass
19	5350	05:56	14	13.230	10	8.05	12	36.00	Pass
20	5351	05:41	16	13.497	10	8.61	15	41.00	Pass
21	5352	06:21	12	14.370	8	8.18	12	32.00	Pass
22	5353	05:48	16	13.030	10	8.50	15	41.00	Pass
23	5354	05:41	16	12.297	12	9.30	15	43.00	Pass
24	5355	05:31	16	13.030	10	8.80	15	41.00	Pass
25	5356	05:37	16	13.257	10	8.90	15	41.00	Pass
26	5357	05:33	16	13.503	8	8.00	12	36.00	Pass
27	5358	01:52	0	16.764	1	6.90	8	9.00	Fail
28	5359	06:34	10	14.760	6	7.77	10	26.00	Pass
29	5360	06:58	8	14.730	6	5.79	5	19.00	Fail
30	5361	06:16	12	13.773	8	9.10	15	35.00	Pass
31	5362	05:31	16	13.517	8	8.21	12	36.00	Pass

32	5363	05:29	18	13.017	10	8.37	12	40.00	Pass
33	5364	06:12	12	13.267	10	8.62	15	37.00	Pass
34	5365	05:45	16	13.523	8	7.61	10	34.00	Pass
35	5366	06:27	12	15.010	6	7.06	8	26.00	Pass
36	5367	06:22	12	13.256	10	8.77	15	37.00	Pass
37	5368	05:29	18	13.013	10	7.82	10	38.00	Pass
38	5369	06:27	12	13.060	10	8.26	12	34.00	Pass
39	5370	06:16	0	15.764	4	5.84	5	9.00	Fail
40	5371	06:49	10	13.490	10	8.05	12	32.00	Pass
41	5372	05:33	16	13.736	8	8.79	15	39.00	Pass
42	5373	05:45	16	13.263	10	7.50	10	36.00	Pass
43	5374	05:45	16	13.510	8	8.56	15	39.00	Pass
44	5375	05:43	16	12.780	10	8.67	15	41.00	Pass
45	5376	05:41	16	15.280	6	6.72	8	30.00	Pass
46	5377	07:45	0	14.510	6	6.67	6	12.00	Fail
47	5378	06:52	8	15.750	4	7.31	10	22.00	Fail
48	5379	05:45	16	14.480	8	8.54	15	39.00	Pass
49	5380	05:37	16	13.793	8	7.84	10	34.00	Pass
50	5381	05:43	16	14.513	6	7.52	10	32.00	Pass
51	5382	05:17	18	12.027	12	7.77	10	40.00	Pass
52	5383	05:33	0	14.560	6	5.95	5	11.00	Fail
53	5384	06:07	14	15.270	6	8.55	15	35.00	Pass
54	5385	06:02	14	13.544	8	7.70	10	32.00	Pass
55	5386	05:49	16	13.594	8	8.40	12	36.00	Pass
56	5387	07:09	8	13.523	8	8.38	12	28.00	Pass
57	5388	05:51	14	13.856	8	7.45	10	32.00	Pass
58	5389	01:36	0	16.527	1	7.13	8	9.00	Fail
59	5390	06:26	12	14.774	6	7.51	10	28.00	Pass
60	5391	05:53	14	12.790	10	8.83	15	39.00	Pass
61	5392	05:55	14	15.017	6	8.48	12	32.00	Pass
62	5393	05:37	16	13.533	8	7.72	10	34.00	Pass
63	5394	06:30	12	14.533	6	7.36	10	28.00	Pass
64	5395	05:49	16	12.720	10	8.74	15	41.00	Pass
65	5396	05:52	14	13.460	10	8.21	12	36.00	Pass
66	5397	05:34	16	13.273	10	8.62	15	41.00	Pass
67	5398	05:43	16	14.013	8	7.89	10	34.00	Pass
68	5399	06:25	12	13.776	8	9.40	15	35.00	Pass
69	5400	05:33	16	13.496	10	8.45	12	38.00	Pass

70	5401	05:53	14	13.286	10	8.53	15	39.00	Pass
71	5402	06:46	10	13.613	8	8.09	12	30.00	Pass
72	5403	05:47	16	14.270	8	8.72	15	39.00	Pass
73	5404	05:33	16	13.253	10	8.55	15	41.00	Pass
74	5405	05:22	18	13.253	10	8.21	12	40.00	Pass
75	5406	01:37	0	13.523	8	8.85	15	23.00	Fail
76	5407	05:57	14	13.523	8	8.18	12	34.00	Pass
77	5408	02:23	0	16.760	1	8.09	12	13.00	Fail
78	5409	05:46	16	13.773	8	8.23	12	36.00	Pass
79	5410	05:55	14	13.767	8	8.45	12	34.00	Pass
80	5411	03:24	0	14.030	8	8.59	15	23.00	Fail
81	5412	05:49	16	14.030	8	8.43	12	36.00	Pass
82	5413	05:54	14	12.794	10	9.05	15	39.00	Pass
83	5414	05:58	14	13.010	10	8.75	15	39.00	Pass
84	5415	06:05	14	14.290	8	8.22	12	34.00	Pass
85	5416	01:34	0	15.546	4	6.55	6	10.00	Fail
86	5417	05:19	18	12.044	12	8.38	12	42.00	Pass
87	5418	06:05	14	13.527	8	8.58	15	37.00	Pass
88	5419	05:51	14	13.027	10	8.35	12	36.00	Pass
89	5420	05:38	16	13.030	10	8.70	15	41.00	Pass
90	5421	05:46	16	13.280	10	8.08	12	38.00	Pass
91	5422	05:48	16	13.520	8	7.18	8	32.00	Pass
92	5423	06:22	12	12.863	10	8.50	15	37.00	Pass
93	5424	00	0	15.770	4	00	0	4.00	Fail
94	5425	07:25	5	13.267	10	8.60	15	30.00	Pass
95	5426	06:54	8	14.543	6	8.09	12	26.00	Pass
96	5427	06:19	0	17.030	1	4.02	2	3.00	Fail
97	5428	06:34	10	14.254	8	7.81	10	28.00	Pass
98	5429	06:22	12	13.000	10	8.52	15	37.00	Pass
99	5430	06:35	10	14.017	8	8.19	12	30.00	Pass
100	5431	05:47	16	14.290	8	7.56	10	34.00	Pass
101	5432	05:51	14	12.774	10	8.75	15	39.00	Pass
102	5433	06:18	12	13.020	10	7.82	10	32.00	Pass
103	5434	05:53	14	13.030	10	9.09	15	39.00	Pass
104	5435	05:30	18	13.253	10	8.38	12	40.00	Pass
105	5436	05:46	16	13.530	8	8.17	12	36.00	Pass
106	5437	05:46	16	13.260	10	9.07	15	41.00	Pass
107	5438	06:00	14	13.260	10	8.81	15	39.00	Pass

108	5439	05:55	14	13.527	8	8.65	15	37.00	Pass
109	5440	05:55	14	13.770	8	7.61	10	32.00	Pass
110	5441	06:15	0	12.536	10	8.69	15	25.00	Pass
111	5442	06:52	8	13.517	8	8.46	12	28.00	Pass
112	5443	06:55	8	14.523	6	6.78	8	22.00	Fail
113	5444	05:25	18	13.270	10	8.56	15	43.00	Pass
114	5445	05:56	14	14.757	6	7.62	10	30.00	Pass
115	5446	05:25	18	12.773	10	8.42	12	40.00	Pass
116	5447	01:37	0	13.506	8	8.23	12	20.00	Fail
117	5448	05:44	16	14.777	6	8.10	12	34.00	Pass
118	5449	06:18	12	13.050	10	8.03	12	34.00	Pass
119	5450	05:11	18	13.263	10	8.70	15	43.00	Pass
120	5451	07:13	5	14.263	8	9.38	15	28.00	Pass
121	5452	05:36	16	13.777	8	8.26	12	36.00	Pass
122	5453	06:41	10	13.500	10	8.23	12	32.00	Pass
123	5454	05:42	16	14.027	8	8.54	15	39.00	Pass
124	5455	05:56	14	14.496	8	7.04	8	30.00	Pass
125	5456	05:44	16	14.496	8	6.84	8	32.00	Pass
126	5457	06:36	10	14.510	6	9.05	15	31.00	Pass
127	5458	05:38	16	13.514	8	8.03	12	36.00	Pass
128	5459	08:09	0	16.284	4	6.82	8	12.00	Fail
129	5460	06:01	14	14.267	8	8.10	12	34.00	Pass
130	5461	05:38	16	12.016	12	9.44	15	43.00	Pass
131	5462	05:46	16	13.037	10	8.21	12	38.00	Pass
132	5463	05:59	14	14.257	8	7.59	10	32.00	Pass
133	5464	06:18	12	12.780	10	8.64	15	37.00	Pass
134	5465	05:37	16	13.780	8	6.50	6	30.00	Pass
135	5466	05:45	16	13.264	10	7.62	10	36.00	Pass
136	5467	05:18	18	12.790	10	8.40	12	40.00	Pass
137	5468	08:01	0	15.546	4	8.46	12	16.00	Fail
138	5469	05:57	14	13.587	8	8.30	12	34.00	Pass
139	5470	05:50	16	12.003	12	8.60	15	43.00	Pass
140	5471	06:58	8	15.124	6	8.95	15	29.00	Pass
141	5472	06:13	12	13.256	10	8.51	15	37.00	Pass
142	5473	06:32	10	13.237	10	8.36	12	32.00	Pass
143	5474	05:41	16	14.240	8	7.43	10	34.00	Pass
144	5475	06:07	14	13.990	8	8.69	15	37.00	Pass
145	5476	05:45	16	13.017	10	9.05	15	41.00	Pass

146	5477	05:49	16	13.280	10	8.52	15	41.00	Pass
147	5478	05:40	16	12.813	10	8.50	15	41.00	Pass
148	5479	05:49	16	14.006	8	7.79	10	34.00	Pass
149	5480	06:12	12	13.037	10	7.92	12	34.00	Pass
150	5481	05:46	16	12.537	10	8.54	15	41.00	Pass
151	5482	05:50	16	13.756	8	8.58	15	39.00	Pass
152	5483	05:35	16	14.006	8	8.67	15	39.00	Pass
153	5484	05:44	16	13.520	8	7.99	12	36.00	Pass
154	5485	06:03	14	14.274	8	8.35	12	34.00	Pass
155	5486	05:48	16	13.007	10	8.46	12	38.00	Pass
156	5487	05:38	16	13.757	8	9.46	15	39.00	Pass
157	5488	08:42	0	14.033	8	8.52	15	23.00	Fail
158	5489	06:43	10	14.500	8	6.73	8	26.00	Pass
159	5490	05:31	16	13.517	8	8.50	15	39.00	Pass
160	5491	05:55	14	13.027	10	9.24	15	39.00	Pass
161	5492	05:43	16	12.527	10	9.18	15	41.00	Pass
162	5493	05:28	18	12.277	12	8.85	15	45.00	Pass
163	5494	06:29	12	14.264	8	7.43	10	30.00	Pass
164	5495	06:05	0	14.060	8	9.05	15	23.00	Fail
165	5496	05:47	16	13.513	8	8.70	15	39.00	Pass
166	5497	05:21	18	13.310	10	8.51	15	43.00	Pass
167	5498	06:35	10	14.564	6	0.0	0	16.00	Fail
168	5499	05:50	16	13.297	10	8.74	15	41.00	Pass
169	5500	05:49	16	13.860	8	8.96	15	39.00	Pass
170	5501	06:32	10	14.267	8	8.37	12	30.00	Pass
171	5502	06:54	8	14.077	8	8.52	15	31.00	Pass
172	5503	05:23	18	13.533	8	8.80	15	41.00	Pass
173	5504	06:46	10	14.533	6	7.90	12	28.00	Pass
174	5505	06:15	12	13.783	8	8.52	15	35.00	Pass
175	5506	05:54	14	13.313	10	8.80	15	39.00	Pass
176	5507	07:03	8	14.317	8	8.10	12	28.00	Pass
177	5508	00	0	13.047	10	8.68	15	25.00	Pass
178	5509	06:01	14	13.483	10	9.35	15	39.00	Pass
179	5510	06:33	10	14.780	6	7.20	8	24.00	Fail
180	5511	06:23	12	14.484	8	7.96	12	32.00	Pass
181	5512	03:14	0	14.030	8	8.84	15	23.00	Fail
182	5513	06:12	0	13.064	10	8.97	15	25.00	Pass
183	5514	05:54	14	13.064	10	8.50	15	39.00	Pass

184	5515	03:16	0	14.756	6	9.07	15	21.00	Fail
185	5516	05:49	16	14.290	8	8.96	15	39.00	Pass
186	5517	06:55	8	15.290	6	7.35	10	24.00	Fail
187	5518	07:49	0	16.043	4	6.36	6	10.00	Fail
188	5519	05:51	14	14.540	6	7.73	10	30.00	Pass
189	5520	06:16	12	14.027	8	8.57	15	35.00	Pass
190	5521	05:41	16	14.743	6	7.64	10	32.00	Pass
191	5522	00	0	13.760	8	0	0	8.00	Fail
192	5523	06:41	10	15.747	4	8.56	15	29.00	Pass
193	5524	05:58	14	13.013	10	7.50	10	34.00	Pass
194	5525	06:19	12	15.506	4	7.97	12	28.00	Pass
195	5526	05:53	14	13.004	10	7.79	10	34.00	Pass
196	5527	06:21	12	14.517	6	7.61	10	28.00	Pass
197	5528	06:22	12	13.753	8	8.59	15	35.00	Pass
198	5529	05:34	16	12.530	10	8.13	12	38.00	Pass
199	5530	06:02	14	13.247	10	9.02	15	39.00	Pass
200	5531	06:02	14	14.340	8	7.34	10	32.00	Pass
201	5532	05:13	18	12.527	10	7.81	10	38.00	Pass
202	5533	06:04	14	13.540	8	8.76	15	37.00	Pass
203	5534	06:18	12	13.273	10	8.08	12	34.00	Pass
204	5535	05:31	16	12.303	12	8.75	15	43.00	Pass
205	5536	05:59	14	12.280	12	9.02	15	41.00	Pass
206	5537	05:56	14	13.517	8	7.75	10	32.00	Pass
207	5538	05:46	16	12.530	10	8.45	12	38.00	Pass
208	5539	05:49	16	14.790	6	8.66	15	37.00	Pass
209	5540	06:13	12	14.573	6	7.82	10	28.00	Pass
210	5541	06:05	0	14.556	6	8.70	15	21.00	Fail
211	5542	06:11	12	13.993	8	8.38	12	32.00	Pass
212	5543	05:38	16	14.010	8	6.57	6	30.00	Pass
213	5544	06:53	8	15.524	4	7.30	10	22.00	Fail
214	5545	05:32	16	13.766	8	9.45	15	39.00	Pass
215	5546	06:16	12	14.533	6	7.46	10	28.00	Pass
216	5547	05:34	16	14.020	8	8.61	15	39.00	Pass
217	5548	05:29	18	12.767	10	8.99	15	43.00	Pass
218	5549	06:06	14	12.517	10	8.61	15	39.00	Pass
219	5550	05:37	16	14.004	8	8.75	15	39.00	Pass
220	5551	05:21	18	12.774	10	8.96	15	43.00	Pass
221	5552	05:36	16	12.520	10	8.52	15	41.00	Pass

222	5553	05:53	14	13.256	10	8.60	15	39.00	Pass
223	5554	05:28	18	14.547	6	8.05	12	36.00	Pass
224	5555	06:26	12	13.533	8	8.72	15	35.00	Pass
225	5556	07:49	0	15.250	6	7.54	10	16.00	Fail
226	5557	05:40	16	13.000	10	8.56	15	41.00	Pass
227	5558	05:39	16	12.513	10	9.48	15	41.00	Pass
228	5559	06:44	10	17.490	1	7.93	12	23.00	Fail
229	5560	06:45	0	14.764	6	8.40	12	18.00	Fail
230	5561	06:04	14	13.513	8	8.68	15	37.00	Pass
231	5562	05:30	18	12.277	12	8.76	15	45.00	Pass
232	5563	05:42	16	12.023	12	8.68	15	43.00	Pass
233	5564	05:52	14	13.244	10	8.83	15	39.00	Pass
234	5565	05:40	16	13.244	10	8.69	15	41.00	Pass
235	5566	05:40	16	13.017	10	7.84	10	36.00	Pass
236	5567	06:06	14	13.277	10	8.67	15	39.00	Pass
237	5568	06:09	14	13.754	8	8.72	15	37.00	Pass
238	5569	06:17	12	14.520	6	8.15	12	30.00	Pass
239	5570	06:08	14	12.776	10	8.65	15	39.00	Pass
240	5571	05:17	18	12.490	12	8.70	15	45.00	Pass
241	5572	06:29	12	13.714	8	8.83	15	35.00	Pass
242	5573	05:27	18	13.500	10	7.80	10	38.00	Pass
243	5574	05:43	16	13.026	10	8.77	15	41.00	Pass
244	5575	05:23	18	14.023	8	8.47	12	38.00	Pass
245	5576	05:37	16	13.507	8	7.80	10	34.00	Pass
246	5577	05:21	18	12.520	10	7.50	10	38.00	Pass
247	5578	06:01	14	13.510	8	8.61	15	37.00	Pass
248	5580	06:02	14	14.010	8	8.15	12	34.00	Pass
249	5581	06:00	14	13.760	8	8.43	12	34.00	Pass
250	5582	05:51	14	13.510	8	0.0	0	22.00	Fail
251	5583	05:52	14	13.524	8	8.60	15	37.00	Pass
252	5584	06:05	14	13.517	8	7.93	12	34.00	Pass
253	5585	05:45	16	12.797	10	8.68	15	41.00	Pass
254	5586	07:02	8	14.784	6	7.92	12	26.00	Pass
255	5587	05:33	16	13.263	10	8.60	15	41.00	Pass
256	5588	06:42	10	14.750	6	8.45	12	28.00	Pass
257	5589	06:23	12	13.513	8	8.40	12	32.00	Pass
258	5590	05:43	16	13.763	8	7.71	10	34.00	Pass
259	5591	05:43	16	13.763	8	8.55	15	39.00	Pass

260	5592	06:01	14	12.773	10	8.72	15	39.00	Pass
261	5593	06:29	12	14.496	8	9.10	15	35.00	Pass
262	5594	05:29	18	12.983	10	8.04	12	40.00	Pass
263	5595	05:38	16	13.766	8	7.54	10	34.00	Pass
264	5596	06:29	12	14.247	8	8.00	12	32.00	Pass
265	5597	06:05	14	13.276	10	8.72	15	39.00	Pass
266	5598	06:05	14	13.793	8	8.08	12	34.00	Pass
267	5599	05:50	16	14.267	8	7.30	10	34.00	Pass
268	5600	05:46	16	12.767	10	8.71	15	41.00	Pass
269	5601	09:12	0	13.784	8	8.48	12	20.00	Fail
270	5602	06:30	12	15.014	6	9.44	15	33.00	Pass
271	5603	03:44	0	16.250	4	7.89	10	14.00	Fail
272	5604	06:28	12	14.524	6	7.75	10	28.00	Pass
273	5605	08:44	0	15.533	4	7.32	10	14.00	Fail
274	5606	06:09	14	15.267	6	7.08	8	28.00	Pass
275	5607	05:35	16	12.516	10	8.90	15	41.00	Pass
276	5608	05:52	14	14.493	8	7.65	10	32.00	Pass
277	5609	06:24	12	15.006	6	8.06	12	30.00	Pass
278	5610	05:50	16	13.490	10	8.64	15	41.00	Pass
279	5611	07:07	8	15.554	4	7.59	10	22.00	Fail
280	5612	05:27	18	13.530	8	8.18	12	38.00	Pass
281	5613	09:57	0	14.763	6	8.76	15	21.00	Fail
282	5614	07:03	8	15.267	6	7.10	8	22.00	Fail
283	5615	05:59	14	13.543	8	8.15	12	34.00	Pass
284	5616	09:41	0	15.784	4	6.26	6	10.00	Fail
285	5617	06:05	14	12.786	10	8.90	15	39.00	Pass
286	5618	06:00	14	12.990	10	8.09	12	36.00	Pass
287	5619	05:29	18	13.020	10	9.08	15	43.00	Pass
288	5620	05:42	16	13.526	8	8.87	15	39.00	Pass
289	5621	05:19	18	13.526	8	7.82	10	36.00	Pass
290	5622	05:48	16	13.010	10	8.49	12	38.00	Pass
291	5623	06:18	12	14.006	8	8.58	15	35.00	Pass
292	5624	05:46	16	12.527	10	8.34	12	38.00	Pass
293	5625	05:35	16	13.527	8	8.60	15	39.00	Pass
294	5626	06:23	12	15.510	4	7.23	8	24.00	Fail
295	5627	06:01	14	13.006	10	8.39	12	36.00	Pass
296	5628	06:10	14	14.527	6	7.22	8	28.00	Pass
297	5629	05:28	18	13.297	10	8.10	12	40.00	Pass

298	5630	06:17	12	13.563	8	7.69	10	30.00	Pass
299	5631	06:12	12	13.797	8	8.75	15	35.00	Pass
300	5632	03:27	0	13.986	8	8.55	15	23.00	Fail
301	5633	07:59	0	15.236	6	6.54	6	12.00	Fail
302	5634	06:15	12	15.020	6	7.75	10	28.00	Pass
303	5635	06:08	14	13.270	10	8.83	15	39.00	Pass
304	5636	06:15	12	13.770	8	8.38	12	32.00	Pass
305	5637	06:15	12	13.520	8	7.54	10	30.00	Pass
306	5638	06:00	14	12.260	12	8.36	12	38.00	Pass
307	5639	05:33	16	12.527	10	7.79	10	36.00	Pass
308	5640	05:27	18	13.010	10	8.20	12	40.00	Pass
309	5641	06:12	12	14.260	8	8.37	12	32.00	Pass
310	5642	06:28	12	14.270	8	7.67	10	30.00	Pass
311	5643	06:17	12	13.014	10	8.72	15	37.00	Pass
312	5644	05:48	16	14.007	8	8.50	15	39.00	Pass
313	5645	06:02	14	13.003	10	8.75	15	39.00	Pass
314	5646	06:12	0	14.507	6	8.75	15	21.00	Fail
315	5647	06:07	14	13.587	8	8.25	12	34.00	Pass
316	5648	06:01	14	13.523	8	8.14	12	34.00	Pass
317	5649	05:38	16	13.116	10	8.40	12	38.00	Pass
318	5650	06:03	14	13.773	8	8.85	15	37.00	Pass
319	5651	05:23	18	12.753	10	8.63	15	43.00	Pass
320	5652	05:55	14	13.523	8	8.50	15	37.00	Pass
321	5653	05:53	14	13.290	10	7.62	10	34.00	Pass
322	5654	07:04	8	13.820	8	9.00	15	31.00	Pass
323	5655	06:26	12	12.287	12	9.35	15	39.00	Pass
324	5656	06:11	12	13.496	10	9.05	15	37.00	Pass
325	5657	05:49	16	12.530	10	8.74	15	41.00	Pass
326	5658	07:30	5	13.746	8	8.00	12	25.00	Pass
327	5659	06:02	14	14.233	8	8.67	15	37.00	Pass
328	5660	06:16	12	13.233	10	8.75	15	37.00	Pass
329	5661	06:35	10	13.014	10	7.97	12	32.00	Pass
330	5662	06:25	12	14.760	6	7.86	10	28.00	Pass
331	5663	05:41	16	14.260	8	8.34	12	36.00	Pass
332	5664	05:40	16	13.510	8	8.78	15	39.00	Pass
333	5665	05:46	16	13.287	10	8.29	12	38.00	Pass
334	5666	06:16	12	14.270	8	8.53	15	35.00	Pass
335	5667	06:00	14	13.270	10	8.89	15	39.00	Pass

336	5668	06:18	12	14.517	6	8.08	12	30.00	Pass
337	5669	06:14	12	15.317	6	6.08	5	23.00	Fail
338	5670	06:00	14	13.050	10	8.45	12	36.00	Pass
339	5671	08:21	0	17.250	1	6.38	6	7.00	Fail
340	5672	05:49	16	13.753	8	6.75	8	32.00	Pass
341	5673	06:22	12	14.547	6	7.03	8	26.00	Pass
342	5674	06:21	12	12.774	10	8.15	12	34.00	Pass
343	5675	05:54	14	13.780	8	8.67	15	37.00	Pass
344	5676	00	0	15.027	6	8.62	15	21.00	Fail
345	5677	06:28	12	14.036	8	8.50	15	35.00	Pass
346	5678	00	0	14.257	8	8.50	15	23.00	Fail
347	5679	05:49	16	12.770	10	8.58	15	41.00	Pass
348	5680	06:18	12	14.280	8	7.87	10	30.00	Pass
349	5681	05:49	16	13.280	10	9.32	15	41.00	Pass
350	5682	05:33	16	12.763	10	9.15	15	41.00	Pass
351	5683	01:56	0	16.757	1	6.57	6	7.00	Fail
352	5684	05:50	16	12.023	12	8.23	12	40.00	Pass
353	5685	06:38	10	15.023	6	7.45	10	26.00	Pass
354	5686	05:49	16	12.756	10	8.87	15	41.00	Pass
355	5687	06:06	14	14.277	8	8.19	12	34.00	Pass
356	5688	05:51	14	12.756	10	7.79	10	34.00	Pass
357	5689	05:28	18	13.787	8	7.62	10	36.00	Pass
358	5690	08:02	0	18.530	0	6.45	6	6.00	Fail
359	5691	05:35	16	13.774	8	8.80	15	39.00	Pass
360	5692	05:36	16	14.023	8	8.06	12	36.00	Pass
361	5693	05:55	14	12.756	10	8.43	12	36.00	Pass
362	5694	05:45	16	13.013	10	8.75	15	41.00	Pass
363	5695	05:29	18	13.527	8	8.30	12	38.00	Pass
364	5696	05:53	14	13.510	8	7.15	8	30.00	Pass
365	5697	05:38	16	12.527	10	8.88	15	41.00	Pass
366	5698	05:40	16	13.277	10	8.86	15	41.00	Pass
367	5699	07:26	5	15.030	6	7.25	8	19.00	Fail
368	5700	06:05	0	12.760	10	8.51	15	25.00	Pass
369	5701	05:24	18	13.260	10	9.05	15	43.00	Pass
370	5702	06:06	14	13.494	10	8.07	12	36.00	Pass
371	5703	05:46	16	13.260	10	8.87	15	41.00	Pass
372	5704	05:50	16	13.004	10	8.74	15	41.00	Pass
373	5705	06:08	14	13.507	8	8.25	12	34.00	Pass

374	5706	06:41	0	14.007	8	7.80	10	18.00	Fail
375	5707	05:50	16	12.753	10	8.89	15	41.00	Pass
376	5708	07:04	8	14.014	8	6.92	8	24.00	Fail
377	5709	05:19	18	12.770	10	7.52	10	38.00	Pass
378	5710	06:18	12	12.777	10	7.86	10	32.00	Pass
379	5711	05:52	14	13.027	10	8.75	15	39.00	Pass
380	5712	05:36	16	12.764	10	8.15	12	38.00	Pass
381	5713	02:22	0	13.790	8	8.60	15	23.00	Fail
382	5714	05:22	18	13.260	10	8.25	12	40.00	Pass
383	5715	05:27	18	13.026	10	7.95	12	40.00	Pass
384	5716	05:25	18	13.230	10	8.76	15	43.00	Pass
385	5717	05:30	18	13.497	10	8.57	15	43.00	Pass
386	5718	05:46	16	13.260	10	8.63	15	41.00	Pass
387	5719	05:48	16	13.526	8	7.56	10	34.00	Pass
388	5720	05:53	14	14.793	6	6.62	6	26.00	Pass
389	5721	09:43	0	15.776	4	7.04	8	12.00	Fail
390	5722	06:14	12	15.026	6	7.65	10	28.00	Pass
391	5723	08:19	0	16.276	4	5.32	4	8.00	Fail
392	5724	05:15	0	14.277	8	8.77	15	23.00	Fail
393	5725	06:11	12	12.527	10	8.15	12	34.00	Pass
394	5726	07:30	5	14.017	8	7.30	10	23.00	Fail
395	5727	05:41	0	15.003	6	8.58	15	21.00	Fail
396	5728	05:29	18	12.290	12	8.64	15	45.00	Pass
397	5729	05:43	16	12.536	10	7.36	10	36.00	Pass
398	5730	07:02	8	13.780	8	8.65	15	31.00	Pass
399	5731	07:46	0	14.803	6	7.60	10	16.00	Fail
400	5732	05:45	16	13.033	10	7.70	10	36.00	Pass
401	5733	05:55	14	13.050	10	8.71	15	39.00	Pass
402	5734	06:43	10	13.550	8	8.95	15	33.00	Pass
403	5735	07:38	0	15.517	4	6.39	6	10.00	Fail
404	5736	06:28	12	13.784	8	8.53	15	35.00	Pass
405	5737	06:10	14	12.796	10	8.65	15	39.00	Pass
406	5738	05:56	14	13.536	8	8.39	12	34.00	Pass
407	5739	05:50	16	13.787	8	7.98	12	36.00	Pass
408	5740	05:54	14	12.280	12	8.50	15	41.00	Pass
409	5741	05:56	14	12.764	10	8.35	12	36.00	Pass
410	5742	05:28	0	15.767	4	7.10	8	12.00	Fail
411	5743	06:04	14	13.524	8	8.63	15	37.00	Pass

412	5744	05:17	18	12.790	10	7.42	10	38.00	Pass
413	5745	05:41	16	12.540	10	8.60	15	41.00	Pass
414	5746	05:27	18	12.630	10	9.05	15	43.00	Pass
415	5747	06:04	14	13.130	10	8.10	12	36.00	Pass
416	5748	06:24	12	13.630	8	7.92	12	32.00	Pass
417	5749	06:36	10	14.257	8	6.90	8	26.00	Pass
418	5750	05:23	18	14.777	6	6.56	6	30.00	Pass
419	5751	05:56	14	13.787	8	8.10	12	34.00	Pass
420	5752	06:20	12	13.780	8	7.72	10	30.00	Pass
421	5753	05:49	16	12.527	10	8.55	15	41.00	Pass
422	5754	05:31	16	12.997	10	7.62	10	36.00	Pass
423	5755	06:09	14	13.810	8	8.42	12	34.00	Pass
424	5756	05:26	18	11.813	12	8.70	15	45.00	Pass
425	5757	01:28	0	14.040	8	8.13	12	20.00	Fail
426	5758	07:20	5	13.064	10	9.54	15	30.00	Pass
427	5759	05:46	16	12.330	12	8.20	12	40.00	Pass
428	5760	05:45	16	12.763	10	7.40	10	36.00	Pass
429	5761	07:11	5	14.047	8	6.90	8	21.00	Fail
430	5762	05:52	14	13.297	10	8.25	12	36.00	Pass
431	5763	05:34	16	13.030	10	8.95	15	41.00	Pass
432	5764	06:23	12	13.757	8	8.17	12	32.00	Pass
433	5765	05:53	14	12.770	10	8.80	15	39.00	Pass
434	5766	04:37	0	12.020	12	8.84	15	27.00	Pass
435	5767	03:36	0	15.804	4	7.15	8	12.00	Fail
436	5768	03:33	0	16.017	4	6.58	6	10.00	Fail
437	5769	03:22	0	14.503	6	8.16	12	18.00	Fail
438	5770	06:03	14	12.754	10	8.21	12	36.00	Pass
439	5771	06:26	12	13.004	10	8.74	15	37.00	Pass
440	5772	06:12	12	13.520	8	8.12	12	32.00	Pass
441	5773	05:49	16	12.993	10	8.56	15	41.00	Pass
442	5774	05:43	16	13.777	8	7.84	10	34.00	Pass
443	5775	07:30	5	13.010	10	9.52	15	30.00	Pass
444	5776	05:39	16	13.997	8	8.30	12	36.00	Pass
445	5777	05:24	18	12.747	10	8.41	12	40.00	Pass
446	5778	06:17	12	14.280	8	8.11	12	32.00	Pass
447	5779	06:02	14	14.514	6	8.20	12	32.00	Pass
448	5780	05:43	16	13.764	8	8.65	15	39.00	Pass
449	5781	05:56	14	13.760	8	8.54	15	37.00	Pass

450	5782	03:26	0	16.786	1	6.98	8	9.00	Fail
451	5783	07:19	5	14.034	8	7.62	10	23.00	Fail
452	5784	05:41	16	13.530	8	8.63	15	39.00	Pass
453	5785	07:06	8	13.560	8	9.15	15	31.00	Pass
454	5786	06:15	12	13.340	10	7.67	10	32.00	Pass
455	5787	05:38	16	13.293	10	8.06	12	38.00	Pass
456	5788	07:33	0	14.297	8	8.30	12	20.00	Fail
457	5789	05:43	16	12.767	10	8.80	15	41.00	Pass
458	5790	05:34	16	13.280	10	8.80	15	41.00	Pass
459	5791	05:16	18	12.023	12	9.57	15	45.00	Pass
460	5792	06:16	12	12.523	10	7.97	12	34.00	Pass
461	5793	03:14	0	13.760	8	8.53	15	23.00	Fail
462	5794	05:38	16	12.273	12	9.24	15	43.00	Pass
463	5795	06:28	12	15.247	6	7.87	10	28.00	Pass
464	5796	06:05	14	14.027	8	8.61	15	37.00	Pass
465	5797	07:07	8	15.017	6	7.17	8	22.00	Fail
466	5798	05:43	16	13.267	10	8.08	12	38.00	Pass
467	5799	05:37	16	12.767	10	8.08	12	38.00	Pass
468	5800	07:06	8	14.810	6	8.42	12	26.00	Pass
469	5801	06:46	10	15.027	6	7.49	10	26.00	Pass
470	5802	05:54	14	13.033	10	8.51	15	39.00	Pass
471	5803	06:23	12	12.766	10	8.20	12	34.00	Pass
472	5804	05:30	18	12.766	10	8.95	15	43.00	Pass
473	5805	07:19	5	14.770	6	7.52	10	21.00	Fail
474	5806	07:37	0	15.517	4	7.33	10	14.00	Fail
475	5807	05:47	16	13.030	10	8.50	15	41.00	Pass
476	5808	06:06	14	13.030	10	8.76	15	39.00	Pass
477	5809	05:48	16	12.887	10	9.40	15	41.00	Pass
478	5810	05:43	16	13.047	10	8.10	12	38.00	Pass
479	5811	06:40	10	14.777	6	7.95	12	28.00	Pass
480	5812	06:08	14	14.263	8	7.72	10	32.00	Pass
481	5813	05:48	16	13.263	10	8.18	12	38.00	Pass
482	5814	05:09	0	15.784	4	8.06	12	16.00	Fail
483	5815	07:09	8	15.020	6	8.74	15	29.00	Pass
484	5816	05:44	16	13.034	10	8.75	15	41.00	Pass
485	5817	06:17	12	14.017	8	7.84	10	30.00	Pass
486	5818	06:01	14	14.510	6	8.28	12	32.00	Pass
487	5819	02:28	0	18.497	0	7.77	10	10.00	Fail

488	5820	00	0	15.260	6	6.86	8	14.00	Fail
489	5821	06:26	12	14.777	6	7.30	10	28.00	Pass
490	5822	06:23	12	14.277	8	7.01	8	28.00	Pass
491	5823	06:19	12	13.790	8	7.54	10	30.00	Pass
492	5824	05:52	14	14.500	8	7.66	10	32.00	Pass
493	5825	07:03	8	14.263	8	7.25	8	24.00	Fail
494	5826	06:49	10	13.030	10	8.84	15	35.00	Pass
495	5827	06:01	14	13.770	8	8.33	12	34.00	Pass
496	5828	06:50	10	15.020	6	8.05	12	28.00	Pass
497	5829	05:35	16	13.563	8	8.75	15	39.00	Pass
498	5830	06:30	12	13.533	8	8.16	12	32.00	Pass
499	5831	05:43	16	14.033	8	5.93	5	29.00	Pass
500	5832	05:56	14	14.020	8	7.66	10	32.00	Pass
501	5833	06:33	10	12.514	10	8.30	12	32.00	Pass
502	5834	05:51	14	13.764	8	7.08	8	30.00	Pass
503	5835	06:33	10	14.264	8	7.31	10	28.00	Pass
504	5836	05:56	14	14.046	8	8.60	15	37.00	Pass
505	5837	06:44	10	13.280	10	7.70	10	30.00	Pass
506	5838	05:46	16	12.797	10	10.15	15	41.00	Pass
507	5839	05:32	16	12.526	10	8.27	12	38.00	Pass
508	5840	06:27	12	14.043	8	7.72	10	30.00	Pass
509	5841	07:09	8	13.763	8	6.84	8	24.00	Fail
510	5842	05:57	14	14.006	8	8.90	15	37.00	Pass
511	5843	04:17	0	15.787	4	7.34	10	14.00	Fail
512	5844	05:38	16	12.023	12	8.86	15	43.00	Pass
513	5845	07:47	0	14.523	6	7.19	8	14.00	Fail
514	5846	05:57	14	14.297	8	8.43	12	34.00	Pass
515	5847	06:08	14	14.030	8	7.20	8	30.00	Pass
516	5848	06:06	14	14.024	8	8.80	15	37.00	Pass
517	5849	06:01	14	13.290	10	8.53	15	39.00	Pass
518	5850	00	0	13.573	8	5.97	5	13.00	Fail
519	5851	06:00	14	12.786	10	8.67	15	39.00	Pass
520	5852	07:14	5	16.743	1	6.17	6	12.00	Fail
521	5853	05:57	14	13.790	8	8.68	15	37.00	Pass
522	5854	05:22	18	13.040	10	7.40	10	38.00	Pass
523	5855	05:41	16	13.510	8	8.71	15	39.00	Pass
524	5856	06:58	8	14.310	8	6.01	5	21.00	Fail
525	5857	05:28	18	12.743	10	7.97	12	40.00	Pass

526	5858	06:33	10	15.010	6	7.95	12	28.00	Pass
527	5859	05:50	16	13.010	10	7.90	12	38.00	Pass
528	5860	05:50	16	13.013	10	8.66	15	41.00	Pass
529	5861	05:25	0	13.517	8	8.73	15	23.00	Fail
530	5862	06:51	8	15.017	6	7.64	10	24.00	Fail
531	5863	06:55	8	13.256	10	7.85	10	28.00	Pass
532	5864	05:27	18	13.020	10	7.56	10	38.00	Pass
533	5865	06:13	12	13.270	10	8.46	12	34.00	Pass
534	5866	05:25	18	13.016	10	7.85	10	38.00	Pass
535	5867	02:33	0	17.523	0	6.31	6	6.00	Fail
536	5868	05:25	18	13.250	10	8.69	15	43.00	Pass
537	5869	05:29	18	13.043	10	8.73	15	43.00	Pass
538	5870	05:36	0	15.513	4	7.94	12	16.00	Fail
539	5871	07:22	0	13.503	8	8.60	15	23.00	Fail
540	5872	05:47	16	13.096	10	9.07	15	41.00	Pass
541	5873	08:14	0	14.596	6	8.06	12	18.00	Fail
542	5874	06:28	12	13.613	8	8.37	12	32.00	Pass
543	5875	05:44	16	13.050	10	8.68	15	41.00	Pass
544	5876	06:43	10	13.034	10	8.10	12	32.00	Pass
545	5877	05:36	16	12.064	12	9.10	15	43.00	Pass
546	5878	06:17	12	13.263	10	8.78	15	37.00	Pass
547	5879	05:41	16	11.510	12	8.50	15	43.00	Pass
548	5880	05:33	16	12.777	10	8.60	15	41.00	Pass
549	5881	06:26	12	12.494	12	8.55	15	39.00	Pass
550	5882	05:58	14	12.524	10	7.80	10	34.00	Pass
551	5883	06:59	8	12.833	10	8.70	15	33.00	Pass
552	5884	07:13	5	15.277	6	7.31	10	21.00	Fail
553	5885	07:51	0	16.010	4	9.36	15	19.00	Fail
554	5886	06:20	12	13.023	10	8.95	15	37.00	Pass
555	5887	05:27	18	13.024	10	9.46	15	43.00	Pass
556	5888	05:11	18	12.024	12	8.09	12	42.00	Pass
557	5889	06:00	14	14.007	8	7.93	12	34.00	Pass
558	5890	05:39	16	13.013	10	8.25	12	38.00	Pass
559	5891	06:01	14	14.263	8	9.16	15	37.00	Pass
560	5892	06:00	14	13.013	10	7.98	12	36.00	Pass
561	5893	05:49	16	14.266	8	7.09	8	32.00	Pass
562	5894	07:42	0	14.783	6	7.96	12	18.00	Fail
563	5895	05:23	18	13.016	10	8.64	15	43.00	Pass

564	5896	07:05	8	13.260	10	6.62	6	24.00	Fail
565	5897	06:00	14	13.504	8	8.82	15	37.00	Pass
566	5898	06:16	12	14.276	8	6.70	8	28.00	Pass
567	5899	06:47	10	14.026	8	8.54	15	33.00	Pass
568	5900	06:21	12	13.793	8	8.24	12	32.00	Pass
569	5901	05:28	18	12.320	12	8.75	15	45.00	Pass
570	5902	05:31	16	13.293	10	8.14	12	38.00	Pass
571	5903	07:58	0	15.244	6	5.87	5	11.00	Fail
572	5904	05:41	16	13.273	10	7.58	10	36.00	Pass
573	5905	01:56	0	17.266	1	4.78	3	4.00	Fail
574	5906	05:52	14	13.300	10	8.26	12	36.00	Pass
575	5907	00	0	14.766	6	7.84	10	16.00	Fail
576	5908	05:30	18	13.273	10	8.18	12	40.00	Pass
577	5909	00	0	15.777	4	6.41	6	10.00	Fail
578	5910	06:02	0	15.260	6	6.34	6	12.00	Fail
579	5911	07:12	5	13.776	8	7.40	10	23.00	Fail
580	5912	06:17	12	12.760	10	9.03	15	37.00	Pass
581	5913	01:52	0	15.510	4	7.91	12	16.00	Fail
582	5914	00	0	14.520	6	8.10	12	18.00	Fail
583	5915	06:50	10	12.764	10	9.33	15	35.00	Pass
584	5916	05:40	16	12.764	10	8.00	12	38.00	Pass
585	5917	06:10	14	13.520	8	8.65	15	37.00	Pass
586	5918	05:29	18	12.534	10	7.93	12	40.00	Pass
587	5919	05:40	16	13.016	10	8.57	15	41.00	Pass
588	5920	00	0	14.000	8	6.62	6	14.00	Fail
589	5921	05:52	14	13.030	10	8.07	12	36.00	Pass
590	5922	07:00	8	14.000	8	6.75	8	24.00	Fail
591	5923	05:47	16	13.013	10	7.70	10	36.00	Pass
592	5924	06:33	10	14.030	8	8.78	15	33.00	Pass
593	5925	05:44	16	14.014	8	7.14	8	32.00	Pass
594	5926	05:16	0	15.027	6	7.30	10	16.00	Fail
595	5927	07:09	8	14.260	8	7.77	10	26.00	Pass
596	5928	06:57	8	15.510	4	7.05	8	20.00	Fail
597	5929	07:27	5	16.023	4	5.60	5	14.00	Fail
598	5930	06:23	12	14.753	6	7.47	10	28.00	Pass
599	5931	06:14	12	13.520	8	8.51	15	35.00	Pass
600	5932	07:36	0	16.767	1	5.65	5	6.00	Fail
601	5933	01:56	0	14.780	6	8.24	12	18.00	Fail

602	5934	03:29	0	15.267	6	7.17	8	14.00	Fail
603	5935	06:42	10	13.763	8	7.52	10	28.00	Pass
604	5936	06:28	12	14.297	8	7.54	10	30.00	Pass
605	5937	06:40	10	15.033	6	6.66	6	22.00	Fail
606	5938	07:26	5	15.770	4	7.94	12	21.00	Fail
607	5939	00	0	16.286	4	8.14	12	16.00	Fail
608	5940	06:13	12	14.267	8	6.86	8	28.00	Pass
609	5941	05:19	18	14.014	8	7.61	10	36.00	Pass
610	5942	06:54	8	13.530	8	8.68	15	31.00	Pass
611	5943	04:03	0	15.280	6	6.44	6	12.00	Fail
612	5944	06:07	14	13.047	10	8.30	12	36.00	Pass
613	5945	05:52	14	13.530	8	8.05	12	34.00	Pass
614	5946	05:56	14	13.780	8	8.84	15	37.00	Pass
615	5947	03:38	0	14.030	8	6.70	8	16.00	Fail
616	5948	06:32	10	13.043	10	8.20	12	32.00	Pass
617	5949	05:58	14	12.307	12	8.57	15	41.00	Pass
618	5950	05:40	16	13.543	8	8.62	15	39.00	Pass
619	5951	05:55	14	12.780	10	8.53	15	39.00	Pass
620	5952	07:00	0	16.030	4	8.00	12	16.00	Fail
621	5953	03:41	0	16.537	1	7.39	10	11.00	Fail
622	5954	03:32	0	14.050	8	8.39	12	20.00	Fail
623	5955	03:18	0	15.520	4	8.00	12	16.00	Fail
624	5956	06:03	14	12.300	12	8.65	15	41.00	Pass
625	5957	05:39	16	14.050	8	8.57	15	39.00	Pass
626	5958	04:58	0	17.550	0	5.95	5	5.00	Fail
627	5959	05:39	16	13.273	10	8.18	12	38.00	Pass
628	5960	06:42	10	14.040	8	6.98	8	26.00	Pass
629	5961	06:03	14	13.790	8	6.75	8	30.00	Pass
630	5962	06:00	14	13.257	10	8.20	12	36.00	Pass
631	5963	05:25	18	12.024	12	8.54	15	45.00	Pass
632	5964	06:01	14	13.257	10	8.09	12	36.00	Pass
633	5965	06:00	14	13.507	8	7.18	8	30.00	Pass
634	5966	05:56	14	12.773	10	7.77	10	34.00	Pass
635	5967	06:06	14	14.024	8	7.60	10	32.00	Pass
636	5968	05:42	16	11.773	12	9.01	15	43.00	Pass
637	5969	05:59	14	13.780	8	8.70	15	37.00	Pass
638	5970	06:21	12	13.763	8	6.91	8	28.00	Pass
639	5971	06:58	8	13.496	10	8.67	15	33.00	Pass

640	5972	01:45	0	14.750	6	8.33	12	18.00	Fail
641	5973	06:32	10	12.527	10	9.30	15	35.00	Pass
642	5974	05:57	14	13.264	10	8.57	15	39.00	Pass
643	5975	04:10	0	16.250	4	5.84	5	9.00	Fail
644	5976	06:03	14	13.010	10	7.59	10	34.00	Pass