

THE COMMISSIONER OF POLICE PIMPRI CHINCHWAD
POLICE CONSTABLE RECRUITMENT - 2021
OUTDOOR MARKS OF CANDIDATES
Total Record Count for Constable is 812

Sr No	Chest No	Run 1600 Mtr (In Minutes)	Run 1600 Mtr Marks	Running 100 Mtr (In Seconds)	Running 100 Mtr Marks	Shot put (In Meters)	Shot put Marks	Ground Total	Optical Result
1	6592	05:52	14	13.797	8	7.63	10	32.00	Pass
2	6593	06:27	12	13.547	8	7.67	10	30.00	Pass
3	6594	05:51	14	13.297	10	7.53	10	34.00	Pass
4	6595	01:22	0	13.016	10	8.45	12	22.00	Fail
5	6596	05:36	16	13.013	10	8.80	15	41.00	Pass
6	6597	06:03	14	13.263	10	7.33	10	34.00	Pass
7	6598	06:02	14	13.260	10	8.79	15	39.00	Pass
8	6599	07:17	5	15.260	6	6.80	8	19.00	Fail
9	6600	05:45	16	12.510	10	8.47	12	38.00	Pass
10	6601	05:34	16	12.530	10	8.57	15	41.00	Pass
11	6602	06:29	12	13.533	8	8.33	12	32.00	Pass
12	6603	01:44	0	16.290	4	7.03	8	12.00	Fail
13	6604	05:06	20	12.827	10	8.45	12	42.00	Pass
14	6605	06:24	12	13.780	8	8.73	15	35.00	Pass
15	6606	07:44	0	13.780	8	7.11	8	16.00	Fail
16	6607	06:03	14	12.790	10	8.62	15	39.00	Pass
17	6608	05:51	14	13.540	8	8.42	12	34.00	Pass
18	6609	06:33	10	14.290	8	8.74	15	33.00	Pass
19	6610	05:48	16	13.040	10	8.52	15	41.00	Pass
20	6611	05:48	16	14.323	8	8.58	15	39.00	Pass
21	6612	06:17	12	13.790	8	8.58	15	35.00	Pass
22	6613	05:23	18	14.547	6	6.73	8	32.00	Pass
23	6614	06:23	0	16.773	1	8.12	12	13.00	Fail
24	6615	05:32	16	12.777	10	9.30	15	41.00	Pass
25	6616	05:37	16	14.277	8	7.59	10	34.00	Pass
26	6617	06:13	12	13.543	8	8.74	15	35.00	Pass
27	6618	05:47	16	13.290	10	8.53	15	41.00	Pass
28	6619	06:24	12	14.770	6	5.53	5	23.00	Fail
29	6620	05:22	18	13.287	10	7.75	10	38.00	Pass
30	6621	06:45	10	16.037	4	7.15	8	22.00	Fail
31	6622	05:48	16	13.290	10	8.53	15	41.00	Pass

32	6623	05:59	14	14.044	8	8.53	15	37.00	Pass
33	6624	05:56	14	14.027	8	8.54	15	37.00	Pass
34	6625	06:06	14	14.760	6	8.62	15	35.00	Pass
35	6626	05:51	14	12.526	10	8.27	12	36.00	Pass
36	6627	05:20	18	12.526	10	8.94	15	43.00	Pass
37	6628	05:47	16	14.537	6	7.88	10	32.00	Pass
38	6629	05:47	16	13.334	10	8.48	12	38.00	Pass
39	6630	05:55	0	18.037	0	4.83	3	3.00	Fail
40	6631	06:09	14	14.057	8	8.90	15	37.00	Pass
41	6632	06:13	12	13.793	8	7.36	10	30.00	Pass
42	6633	05:06	20	13.047	10	7.45	10	40.00	Pass
43	6634	06:05	14	14.040	8	8.29	12	34.00	Pass
44	6635	06:34	10	13.527	8	8.30	12	30.00	Pass
45	6636	05:31	16	12.790	10	8.42	12	38.00	Pass
46	6637	05:58	14	14.523	6	8.20	12	32.00	Pass
47	6638	03:30	0	15.023	6	8.15	12	18.00	Fail
48	6639	05:48	16	13.040	10	8.05	12	38.00	Pass
49	6640	07:00	8	14.510	6	7.64	10	24.00	Fail
50	6641	05:30	18	13.757	8	8.95	15	41.00	Pass
51	6642	05:14	18	13.026	10	7.90	12	40.00	Pass
52	6643	05:38	16	13.514	8	8.08	12	36.00	Pass
53	6644	05:30	18	13.016	10	7.66	10	38.00	Pass
54	6645	06:31	10	15.253	6	7.31	10	26.00	Pass
55	6646	05:35	16	13.320	10	8.61	15	41.00	Pass
56	6647	05:34	16	13.320	10	7.68	10	36.00	Pass
57	6648	06:26	12	15.760	4	5.72	5	21.00	Fail
58	6649	05:24	18	13.513	8	7.08	8	34.00	Pass
59	6650	05:58	14	13.260	10	8.43	12	36.00	Pass
60	6651	05:58	14	13.027	10	8.72	15	39.00	Pass
61	6652	05:25	18	13.523	8	8.72	15	41.00	Pass
62	6653	05:19	18	13.256	10	8.50	15	43.00	Pass
63	6654	05:56	14	14.023	8	8.79	15	37.00	Pass
64	6655	07:50	0	16.250	4	5.66	5	9.00	Fail
65	6656	06:14	12	14.263	8	7.92	12	32.00	Pass
66	6657	06:00	14	13.310	10	8.55	15	39.00	Pass
67	6658	06:58	8	15.023	6	6.42	6	20.00	Fail
68	6659	05:49	16	13.023	10	8.78	15	41.00	Pass
69	6660	05:57	14	14.773	6	8.58	15	35.00	Pass

70	6661	06:27	12	14.274	8	8.65	15	35.00	Pass
71	6662	06:23	12	13.037	10	7.60	10	32.00	Pass
72	6663	06:25	12	14.020	8	8.76	15	35.00	Pass
73	6664	05:55	14	13.284	10	7.75	10	34.00	Pass
74	6665	05:40	16	14.047	8	8.00	12	36.00	Pass
75	6666	06:14	12	15.037	6	6.00	5	23.00	Fail
76	6667	06:17	12	13.543	8	8.60	15	35.00	Pass
77	6668	06:13	12	13.793	8	8.40	12	32.00	Pass
78	6669	05:36	16	13.790	8	8.45	12	36.00	Pass
79	6670	05:32	16	14.543	6	7.90	12	34.00	Pass
80	6671	07:41	0	14.793	6	8.07	12	18.00	Fail
81	6672	08:58	0	14.543	6	8.50	15	21.00	Fail
82	6673	05:37	16	13.763	8	8.60	15	39.00	Pass
83	6674	05:37	16	13.780	8	7.16	8	32.00	Pass
84	6675	05:32	16	14.094	8	8.19	12	36.00	Pass
85	6676	05:36	16	13.530	8	8.13	12	36.00	Pass
86	6677	07:20	5	15.327	6	6.40	6	17.00	Fail
87	6678	06:59	8	14.594	6	7.18	8	22.00	Fail
88	6679	06:05	14	14.016	8	8.14	12	34.00	Pass
89	6680	06:36	10	14.766	6	6.74	8	24.00	Fail
90	6681	07:21	5	15.003	6	6.02	5	16.00	Fail
91	6682	06:03	14	14.036	8	8.81	15	37.00	Pass
92	6683	06:29	12	16.027	4	7.35	10	26.00	Pass
93	6684	05:27	18	12.803	10	8.84	15	43.00	Pass
94	6685	06:30	12	14.000	8	8.30	12	32.00	Pass
95	6686	06:43	10	15.017	6	7.68	10	26.00	Pass
96	6687	05:49	16	13.767	8	8.75	15	39.00	Pass
97	6688	06:06	14	13.273	10	8.88	15	39.00	Pass
98	6689	05:43	16	13.773	8	8.52	15	39.00	Pass
99	6690	05:44	16	13.273	10	8.25	12	38.00	Pass
100	6691	05:47	0	15.030	6	6.37	6	12.00	Fail
101	6692	06:15	12	14.780	6	6.95	8	26.00	Pass
102	6693	05:41	16	13.043	10	8.52	15	41.00	Pass
103	6694	05:36	16	13.297	10	8.53	15	41.00	Pass
104	6695	05:23	18	13.280	10	8.37	12	40.00	Pass
105	6696	06:36	10	12.047	12	8.77	15	37.00	Pass
106	6697	05:18	18	13.044	10	7.32	10	38.00	Pass
107	6698	05:27	18	13.294	10	8.24	12	40.00	Pass

108	6699	05:43	16	13.294	10	8.89	15	41.00	Pass
109	6700	05:31	16	15.293	6	6.62	6	28.00	Pass
110	6701	05:16	18	13.776	8	7.22	8	34.00	Pass
111	6702	07:18	5	14.026	8	8.96	15	28.00	Pass
112	6703	05:48	16	14.806	6	7.13	8	30.00	Pass
113	6704	05:15	18	13.040	10	8.89	15	43.00	Pass
114	6705	05:47	16	14.024	8	7.97	12	36.00	Pass
115	6706	02:14	0	17.284	1	0	0	1.00	Fail
116	6707	08:16	0	16.034	4	5.41	4	8.00	Fail
117	6708	05:25	18	12.787	10	8.69	15	43.00	Pass
118	6709	06:10	14	13.270	10	8.82	15	39.00	Pass
119	6710	08:01	0	16.287	4	4.95	4	8.00	Fail
120	6711	03:36	0	15.570	4	6.65	6	10.00	Fail
121	6712	05:06	20	13.287	10	6.56	6	36.00	Pass
122	6713	05:29	18	13.037	10	8.55	15	43.00	Pass
123	6714	07:50	0	17.033	1	5.09	4	5.00	Fail
124	6715	05:45	16	14.026	8	7.91	12	36.00	Pass
125	6716	06:31	10	13.766	8	9.20	15	33.00	Pass
126	6717	04:04	0	16.530	1	8.61	15	16.00	Fail
127	6718	01:44	0	17.793	0	6.96	8	8.00	Fail
128	6719	06:06	14	13.357	10	8.88	15	39.00	Pass
129	6720	07:06	8	13.543	8	7.20	8	24.00	Fail
130	6721	06:03	14	14.036	8	7.80	10	32.00	Pass
131	6722	05:46	16	12.286	12	9.22	15	43.00	Pass
132	6723	05:36	16	12.536	10	9.10	15	41.00	Pass
133	6724	05:50	16	13.034	10	8.54	15	41.00	Pass
134	6725	07:11	5	14.534	6	8.12	12	23.00	Fail
135	6726	05:54	14	13.784	8	7.54	10	32.00	Pass
136	6727	05:47	16	12.770	10	8.75	15	41.00	Pass
137	6728	05:46	16	12.740	10	8.50	15	41.00	Pass
138	6729	05:53	14	13.760	8	7.66	10	32.00	Pass
139	6730	08:40	0	16.267	4	8.13	12	16.00	Fail
140	6731	05:53	14	13.750	8	7.75	10	32.00	Pass
141	6732	05:31	16	13.750	8	8.04	12	36.00	Pass
142	6733	06:22	12	13.260	10	8.20	12	34.00	Pass
143	6734	05:54	14	13.260	10	7.30	10	34.00	Pass
144	6735	05:58	14	13.260	10	7.59	10	34.00	Pass
145	6736	06:14	12	13.790	8	8.64	15	35.00	Pass

146	6737	06:11	12	14.303	8	8.56	15	35.00	Pass
147	6738	06:46	10	14.790	6	7.24	8	24.00	Fail
148	6739	05:32	16	12.803	10	8.69	15	41.00	Pass
149	6740	05:32	16	12.553	10	8.79	15	41.00	Pass
150	6741	05:47	16	12.600	10	8.79	15	41.00	Pass
151	6742	06:44	10	13.556	8	7.28	8	26.00	Pass
152	6743	07:02	8	14.303	8	8.90	15	31.00	Pass
153	6744	06:57	8	15.790	4	6.68	6	18.00	Fail
154	6745	05:53	14	12.520	10	8.63	15	39.00	Pass
155	6746	07:09	8	14.476	8	7.64	10	26.00	Pass
156	6747	06:14	12	14.240	8	8.20	12	32.00	Pass
157	6748	06:02	14	13.763	8	9.06	15	37.00	Pass
158	6749	06:26	12	14.270	8	7.28	8	28.00	Pass
159	6750	05:39	16	12.520	10	8.00	12	38.00	Pass
160	6751	05:55	14	13.520	8	7.81	10	32.00	Pass
161	6752	01:24	0	14.504	6	8.06	12	18.00	Fail
162	6753	05:00	0	12.750	10	8.31	12	22.00	Fail
163	6754	05:25	18	12.287	12	8.27	12	42.00	Pass
164	6755	06:01	14	13.544	8	8.56	15	37.00	Pass
165	6756	06:03	14	12.546	10	8.32	12	36.00	Pass
166	6757	06:24	12	15.010	6	7.13	8	26.00	Pass
167	6758	06:03	14	14.760	6	8.23	12	32.00	Pass
168	6759	05:28	18	12.760	10	8.73	15	43.00	Pass
169	6760	05:53	14	13.990	8	8.40	12	34.00	Pass
170	6761	05:38	16	12.253	12	8.90	15	43.00	Pass
171	6762	05:52	14	13.990	8	8.23	12	34.00	Pass
172	6763	05:39	16	14.010	8	8.10	12	36.00	Pass
173	6764	05:47	16	12.510	10	8.75	15	41.00	Pass
174	6765	05:42	16	15.263	6	5.83	5	27.00	Pass
175	6766	05:44	16	12.253	12	8.20	12	40.00	Pass
176	6767	05:40	16	13.503	8	8.80	15	39.00	Pass
177	6768	05:31	16	12.753	10	6.39	6	32.00	Pass
178	6769	05:36	16	13.266	10	9.51	15	41.00	Pass
179	6770	05:50	16	13.033	10	8.37	12	38.00	Pass
180	6771	05:58	14	13.266	10	8.62	15	39.00	Pass
181	6772	06:40	10	14.540	6	8.13	12	28.00	Pass
182	6773	06:50	10	13.543	8	9.00	15	33.00	Pass
183	6774	05:53	14	14.040	8	7.56	10	32.00	Pass

184	6775	06:01	14	14.657	6	7.75	10	30.00	Pass
185	6776	06:15	12	14.153	8	8.54	15	35.00	Pass
186	6777	07:36	0	15.547	4	6.64	6	10.00	Fail
187	6778	06:36	10	13.793	8	8.05	12	30.00	Pass
188	6779	05:17	18	12.526	10	8.60	15	43.00	Pass
189	6780	05:51	14	14.293	8	8.00	12	34.00	Pass
190	6781	01:30	0	17.053	1	6.60	6	7.00	Fail
191	6782	07:15	5	13.294	10	8.58	15	30.00	Pass
192	6783	05:53	14	13.810	8	8.40	12	34.00	Pass
193	6784	03:32	0	14.790	6	6.96	8	14.00	Fail
194	6785	05:53	14	14.290	8	8.30	12	34.00	Pass
195	6786	05:27	18	13.290	10	8.66	15	43.00	Pass
196	6787	05:19	18	13.793	8	7.90	12	38.00	Pass
197	6788	05:16	18	12.793	10	8.50	15	43.00	Pass
198	6789	06:26	12	13.543	8	6.85	8	28.00	Pass
199	6790	06:05	14	15.254	6	7.20	8	28.00	Pass
200	6791	05:22	18	12.504	10	8.80	15	43.00	Pass
201	6792	04:43	0	18.007	0	7.43	10	10.00	Fail
202	6793	00	0	15.504	4	0	0	4.00	Fail
203	6794	06:29	12	13.500	10	8.10	12	34.00	Pass
204	6795	05:43	16	14.000	8	9.19	15	39.00	Pass
205	6796	06:17	12	14.280	8	6.97	8	28.00	Pass
206	6797	05:29	18	13.263	10	8.50	15	43.00	Pass
207	6798	06:03	14	12.496	12	8.67	15	41.00	Pass
208	6799	06:52	8	14.760	6	7.45	10	24.00	Fail
209	6800	05:55	14	13.024	10	7.55	10	34.00	Pass
210	6801	05:44	16	14.760	6	7.85	10	32.00	Pass
211	6802	03:27	0	14.520	6	7.75	10	16.00	Fail
212	6803	05:25	18	12.023	12	8.64	15	45.00	Pass
213	6804	05:49	16	14.023	8	7.16	8	32.00	Pass
214	6805	03:11	0	13.010	10	9.67	15	25.00	Pass
215	6806	05:43	16	13.273	10	8.15	12	38.00	Pass
216	6807	05:27	18	13.510	8	8.41	12	38.00	Pass
217	6808	05:28	18	13.770	8	8.72	15	41.00	Pass
218	6809	05:59	14	12.520	10	8.78	15	39.00	Pass
219	6810	05:09	20	13.787	8	7.52	10	38.00	Pass
220	6811	05:13	18	13.010	10	7.45	10	38.00	Pass
221	6812	05:45	16	14.277	8	7.86	10	34.00	Pass

222	6813	08:08	0	15.010	6	8.66	15	21.00	Fail
223	6814	05:47	16	14.023	8	8.36	12	36.00	Pass
224	6815	06:40	10	15.510	4	8.60	15	29.00	Pass
225	6816	05:11	0	15.023	6	6.27	6	12.00	Fail
226	6817	01:24	0	15.050	6	7.18	8	14.00	Fail
227	6818	01:59	0	17.300	1	6.18	6	7.00	Fail
228	6819	05:37	16	12.810	10	8.50	15	41.00	Pass
229	6820	05:30	18	13.307	10	8.40	12	40.00	Pass
230	6821	05:36	16	12.304	12	7.73	10	38.00	Pass
231	6822	06:06	14	14.040	8	8.93	15	37.00	Pass
232	6823	05:46	16	13.790	8	7.79	10	34.00	Pass
233	6824	05:28	18	13.553	8	8.60	15	41.00	Pass
234	6825	05:59	14	13.557	8	8.06	12	34.00	Pass
235	6826	05:47	16	13.803	8	6.85	8	32.00	Pass
236	6827	05:43	16	13.286	10	7.95	12	38.00	Pass
237	6828	06:55	8	13.803	8	7.91	12	28.00	Pass
238	6829	05:38	16	13.296	10	8.40	12	38.00	Pass
239	6830	06:18	12	15.300	6	8.30	12	30.00	Pass
240	6831	06:16	12	13.296	10	8.95	15	37.00	Pass
241	6832	05:36	16	13.533	8	8.15	12	36.00	Pass
242	6833	05:59	14	13.033	10	8.85	15	39.00	Pass
243	6834	06:57	8	13.033	10	7.93	12	30.00	Pass
244	6835	05:49	16	14.777	6	7.02	8	30.00	Pass
245	6836	06:05	14	14.044	8	7.73	10	32.00	Pass
246	6837	05:03	20	13.280	10	8.25	12	42.00	Pass
247	6838	05:44	16	13.787	8	8.98	15	39.00	Pass
248	6839	05:59	14	14.040	8	7.36	10	32.00	Pass
249	6840	06:06	14	13.540	8	8.27	12	34.00	Pass
250	6841	08:22	0	17.300	1	8.05	12	13.00	Fail
251	6842	05:29	18	13.307	10	8.70	15	43.00	Pass
252	6843	05:47	16	13.290	10	7.57	10	36.00	Pass
253	6844	07:24	5	15.043	6	7.62	10	21.00	Fail
254	6845	05:31	16	12.027	12	8.85	15	43.00	Pass
255	6846	05:13	18	12.036	12	8.76	15	45.00	Pass
256	6847	05:45	16	13.296	10	7.96	12	38.00	Pass
257	6848	05:57	14	13.780	8	8.25	12	34.00	Pass
258	6849	03:43	0	16.284	4	7.67	10	14.00	Fail
259	6850	06:19	12	14.043	8	6.80	8	28.00	Pass

260	6851	06:23	12	13.540	8	8.13	12	32.00	Pass
261	6852	06:43	10	13.793	8	8.50	15	33.00	Pass
262	6853	05:56	14	14.017	8	8.18	12	34.00	Pass
263	6854	06:26	12	13.513	8	8.63	15	35.00	Pass
264	6855	06:52	8	15.254	6	8.85	15	29.00	Pass
265	6856	06:09	14	13.004	10	8.67	15	39.00	Pass
266	6857	05:30	18	14.004	8	8.90	15	41.00	Pass
267	6858	05:51	14	12.754	10	8.00	12	36.00	Pass
268	6859	05:33	16	13.270	10	8.36	12	38.00	Pass
269	6860	05:42	16	13.270	10	8.12	12	38.00	Pass
270	6861	07:01	8	15.020	6	6.65	6	20.00	Fail
271	6862	05:55	14	12.787	10	7.84	10	34.00	Pass
272	6863	06:40	10	14.037	8	8.47	12	30.00	Pass
273	6864	05:56	14	12.537	10	8.62	15	39.00	Pass
274	6865	05:48	16	13.044	10	8.30	12	38.00	Pass
275	6866	07:08	8	16.060	4	7.40	10	22.00	Fail
276	6867	07:49	0	17.547	0	5.67	5	5.00	Fail
277	6868	08:03	0	15.787	4	5.70	5	9.00	Fail
278	6869	05:39	16	13.540	8	8.61	15	39.00	Pass
279	6870	05:21	18	13.040	10	8.57	15	43.00	Pass
280	6871	05:24	18	13.044	10	8.59	15	43.00	Pass
281	6872	05:19	0	15.517	4	7.42	10	14.00	Fail
282	6873	06:40	10	13.544	8	6.80	8	26.00	Pass
283	6874	05:34	16	13.763	8	8.35	12	36.00	Pass
284	6875	06:02	14	13.263	10	7.99	12	36.00	Pass
285	6876	06:10	14	14.013	8	8.64	15	37.00	Pass
286	6877	06:47	10	15.266	6	6.94	8	24.00	Fail
287	6878	05:43	16	13.513	8	8.19	12	36.00	Pass
288	6879	05:31	0	14.516	6	8.04	12	18.00	Fail
289	6880	05:42	16	13.274	10	8.59	15	41.00	Pass
290	6881	06:02	14	14.010	8	8.89	15	37.00	Pass
291	6882	05:36	16	13.760	8	7.47	10	34.00	Pass
292	6883	06:21	12	14.276	8	7.94	12	32.00	Pass
293	6884	05:23	18	13.023	10	8.76	15	43.00	Pass
294	6885	05:48	16	14.026	8	7.64	10	34.00	Pass
295	6886	05:46	16	13.007	10	8.66	15	41.00	Pass
296	6887	05:52	14	13.507	8	8.52	15	37.00	Pass
297	6888	06:03	14	13.007	10	8.38	12	36.00	Pass

298	6889	06:06	14	12.376	12	8.89	15	41.00	Pass
299	6890	05:10	20	12.533	10	8.78	15	45.00	Pass
300	6891	05:37	16	13.800	8	9.14	15	39.00	Pass
301	6892	06:00	14	14.023	8	8.22	12	34.00	Pass
302	6893	05:19	18	12.320	12	8.82	15	45.00	Pass
303	6894	05:24	18	13.773	8	7.99	12	38.00	Pass
304	6895	06:47	10	14.026	8	8.13	12	30.00	Pass
305	6896	05:29	18	13.023	10	8.07	12	40.00	Pass
306	6897	05:38	16	13.523	8	8.26	12	36.00	Pass
307	6898	06:26	12	13.523	8	8.38	12	32.00	Pass
308	6899	05:07	20	13.273	10	8.66	15	45.00	Pass
309	6900	05:53	14	15.036	6	8.62	15	35.00	Pass
310	6901	05:45	16	13.257	10	8.30	12	38.00	Pass
311	6902	01:36	0	16.510	1	6.35	6	7.00	Fail
312	6903	04:51	0	14.257	8	7.97	12	20.00	Fail
313	6904	05:45	16	14.007	8	7.11	8	32.00	Pass
314	6905	05:43	16	13.774	8	7.51	10	34.00	Pass
315	6906	06:14	12	13.507	8	8.40	12	32.00	Pass
316	6907	05:35	16	12.784	10	9.20	15	41.00	Pass
317	6908	05:34	16	12.777	10	8.50	15	41.00	Pass
318	6909	06:01	14	13.783	8	8.09	12	34.00	Pass
319	6910	05:53	14	13.520	8	8.60	15	37.00	Pass
320	6911	05:35	16	13.020	10	7.71	10	36.00	Pass
321	6912	05:54	14	13.287	10	8.74	15	39.00	Pass
322	6913	05:20	18	12.280	12	8.20	12	42.00	Pass
323	6914	06:56	8	14.530	6	6.50	6	20.00	Fail
324	6915	05:32	16	13.517	8	8.85	15	39.00	Pass
325	6916	05:34	16	13.263	10	8.57	15	41.00	Pass
326	6917	07:43	0	17.770	0	5.42	4	4.00	Fail
327	6918	07:18	5	13.264	10	8.45	12	27.00	Pass
328	6919	06:24	12	13.517	8	7.60	10	30.00	Pass
329	6920	05:57	14	12.756	10	8.87	15	39.00	Pass
330	6921	05:48	16	14.010	8	7.93	12	36.00	Pass
331	6922	05:03	20	12.753	10	7.49	10	40.00	Pass
332	6923	05:24	18	12.756	10	8.84	15	43.00	Pass
333	6924	01:38	0	16.010	4	7.76	10	14.00	Fail
334	6925	05:40	16	13.020	10	8.16	12	38.00	Pass
335	6926	06:48	10	13.037	10	9.11	15	35.00	Pass

336	6927	06:19	12	14.023	8	7.91	12	32.00	Pass
337	6928	05:38	16	12.537	10	8.53	15	41.00	Pass
338	6929	04:53	0	14.540	6	8.14	12	18.00	Fail
339	6930	06:36	10	14.040	8	8.65	15	33.00	Pass
340	6931	06:12	12	13.026	10	8.62	15	37.00	Pass
341	6932	05:45	16	12.523	10	8.88	15	41.00	Pass
342	6933	06:30	12	15.793	4	6.14	6	22.00	Fail
343	6934	06:39	10	13.037	10	9.03	15	35.00	Pass
344	6935	06:04	14	13.583	8	8.48	12	34.00	Pass
345	6936	02:51	0	12.520	10	0	0	10.00	Fail
346	6937	06:27	12	14.133	8	7.74	10	30.00	Pass
347	6938	05:54	14	13.100	10	7.83	10	34.00	Pass
348	6939	06:34	10	13.270	10	8.74	15	35.00	Pass
349	6940	06:14	12	12.804	10	8.56	15	37.00	Pass
350	6941	05:56	14	13.037	10	8.58	15	39.00	Pass
351	6942	05:34	16	13.020	10	8.28	12	38.00	Pass
352	6943	05:08	20	12.997	10	8.52	15	45.00	Pass
353	6944	06:05	14	14.750	6	9.03	15	35.00	Pass
354	6945	05:17	18	12.750	10	8.52	15	43.00	Pass
355	6947	05:51	14	13.016	10	8.86	15	39.00	Pass
356	6948	05:10	20	12.783	10	8.30	12	42.00	Pass
357	6949	05:35	16	13.023	10	8.57	15	41.00	Pass
358	6950	05:42	16	14.023	8	7.87	10	34.00	Pass
359	6951	07:12	5	13.273	10	7.74	10	25.00	Pass
360	6952	05:54	14	12.520	10	8.90	15	39.00	Pass
361	6953	06:31	10	13.503	8	8.93	15	33.00	Pass
362	6954	05:49	16	13.503	8	9.08	15	39.00	Pass
363	6955	05:50	16	12.770	10	8.90	15	41.00	Pass
364	6956	01:51	0	16.007	4	7.90	12	16.00	Fail
365	6957	06:21	12	14.270	8	7.93	12	32.00	Pass
366	6958	06:02	14	14.017	8	8.16	12	34.00	Pass
367	6959	06:08	14	14.010	8	8.74	15	37.00	Pass
368	6960	05:43	16	13.760	8	7.72	10	34.00	Pass
369	6961	01:54	0	16.790	1	6.38	6	7.00	Fail
370	6962	07:03	0	15.570	4	7.62	10	14.00	Fail
371	6963	05:37	16	12.816	10	7.89	10	36.00	Pass
372	6964	06:07	0	14.040	8	8.19	12	20.00	Fail
373	6965	05:49	16	13.053	10	8.44	12	38.00	Pass

374	6966	05:25	18	12.787	10	9.60	15	43.00	Pass
375	6967	05:55	14	13.023	10	0	0	24.00	Fail
376	6968	05:55	14	13.273	10	8.80	15	39.00	Pass
377	6969	06:48	10	14.790	6	8.75	15	31.00	Pass
378	6970	07:04	0	15.517	4	8.06	12	16.00	Fail
379	6971	06:59	8	14.763	6	8.61	15	29.00	Pass
380	6972	05:56	14	14.267	8	7.10	8	30.00	Pass
381	6973	00	0	15.016	6	0	0	6.00	Fail
382	6974	05:37	16	13.513	8	8.50	15	39.00	Pass
383	6975	05:18	18	13.047	10	8.31	12	40.00	Pass
384	6976	06:28	12	14.030	8	8.35	12	32.00	Pass
385	6977	05:32	16	13.280	10	7.77	10	36.00	Pass
386	6978	05:46	16	13.530	8	7.63	10	34.00	Pass
387	6979	07:19	5	13.280	10	9.10	15	30.00	Pass
388	6980	05:54	14	13.280	10	6.84	8	32.00	Pass
389	6981	06:10	14	12.513	10	8.19	12	36.00	Pass
390	6982	05:40	16	13.513	8	8.42	12	36.00	Pass
391	6983	06:10	14	14.263	8	7.75	10	32.00	Pass
392	6984	05:24	18	12.763	10	7.57	10	38.00	Pass
393	6985	06:42	10	15.513	4	7.79	10	24.00	Fail
394	6986	06:07	14	13.776	8	8.31	12	34.00	Pass
395	6987	06:53	8	14.276	8	8.65	15	31.00	Pass
396	6988	05:12	18	13.030	10	8.51	15	43.00	Pass
397	6989	05:51	14	14.030	8	6.61	6	28.00	Pass
398	6990	01:56	0	15.063	6	9.65	15	21.00	Fail
399	6991	05:36	16	12.304	12	9.59	15	43.00	Pass
400	6992	05:04	0	15.363	6	6.68	6	12.00	Fail
401	6993	05:53	14	13.567	8	8.48	12	34.00	Pass
402	6994	05:51	14	14.037	8	8.68	15	37.00	Pass
403	6995	01:33	0	14.554	6	7.76	10	16.00	Fail
404	6996	05:35	16	13.287	10	9.13	15	41.00	Pass
405	6997	05:32	16	12.010	12	8.52	15	43.00	Pass
406	6998	05:20	18	13.500	10	7.75	10	38.00	Pass
407	6999	05:23	18	13.500	10	8.56	15	43.00	Pass
408	7000	05:59	14	13.260	10	7.44	10	34.00	Pass
409	7001	05:48	16	12.760	10	8.64	15	41.00	Pass
410	7002	06:09	14	14.760	6	5.97	5	25.00	Pass
411	7003	06:08	14	13.506	8	7.72	10	32.00	Pass

412	7004	05:56	14	12.506	10	8.77	15	39.00	Pass
413	7006	05:39	16	13.524	8	7.94	12	36.00	Pass
414	7007	01:37	0	15.760	4	7.31	10	14.00	Fail
415	7008	06:03	14	14.524	6	7.62	10	30.00	Pass
416	7009	05:27	18	13.517	8	8.20	12	38.00	Pass
417	7010	05:23	0	16.274	4	6.29	6	10.00	Fail
418	7011	06:42	10	16.274	4	6.98	8	22.00	Fail
419	7012	01:46	0	15.774	4	6.27	6	10.00	Fail
420	7013	07:29	5	15.524	4	8.71	15	24.00	Fail
421	7014	07:43	0	14.774	6	7.64	10	16.00	Fail
422	7015	05:19	0	14.257	8	7.71	10	18.00	Fail
423	7016	05:14	18	12.523	10	8.35	12	40.00	Pass
424	7017	06:47	10	14.757	6	5.84	5	21.00	Fail
425	7018	06:44	10	15.767	4	7.70	10	24.00	Fail
426	7019	06:17	12	13.517	8	8.79	15	35.00	Pass
427	7020	06:03	14	13.783	8	8.49	12	34.00	Pass
428	7021	05:38	16	12.010	12	8.75	15	43.00	Pass
429	7022	05:31	16	12.774	10	8.25	12	38.00	Pass
430	7023	06:34	10	15.007	6	6.62	6	22.00	Fail
431	7024	07:00	8	12.800	10	8.42	12	30.00	Pass
432	7025	06:05	14	12.800	10	9.10	15	39.00	Pass
433	7026	05:55	14	13.020	10	6.94	8	32.00	Pass
434	7027	05:48	16	12.503	10	8.65	15	41.00	Pass
435	7028	05:34	16	13.770	8	8.46	12	36.00	Pass
436	7029	00	0	14.503	6	7.46	10	16.00	Fail
437	7030	00	0	17.020	1	6.27	6	7.00	Fail
438	7031	05:30	18	12.017	12	8.53	15	45.00	Pass
439	7032	06:10	14	14.017	8	7.80	10	32.00	Pass
440	7033	06:52	8	15.010	6	6.93	8	22.00	Fail
441	7034	06:17	12	13.523	8	8.87	15	35.00	Pass
442	7035	00	0	14.527	6	7.03	8	14.00	Fail
443	7036	01:38	0	12.766	10	9.10	15	25.00	Pass
444	7037	00	0	15.020	6	6.96	8	14.00	Fail
445	7038	05:40	16	13.516	8	8.52	15	39.00	Pass
446	7039	06:17	12	14.017	8	8.75	15	35.00	Pass
447	7040	06:27	12	13.280	10	8.22	12	34.00	Pass
448	7041	06:26	12	13.530	8	8.40	12	32.00	Pass
449	7042	05:48	16	13.487	10	8.73	15	41.00	Pass

450	7043	05:50	16	12.753	10	7.97	12	38.00	Pass
451	7044	01:41	0	17.737	0	6.43	6	6.00	Fail
452	7045	01:38	0	16.503	1	07.00	8	9.00	Fail
453	7046	05:45	16	13.270	10	8.52	15	41.00	Pass
454	7047	06:33	10	15.270	6	6.25	6	22.00	Fail
455	7048	07:00	8	13.517	8	8.29	12	28.00	Pass
456	7049	08:30	0	15.766	4	5.67	5	9.00	Fail
457	7050	06:14	12	13.750	8	7.48	10	30.00	Pass
458	7051	08:16	0	16.743	1	6.74	8	9.00	Fail
459	7052	06:19	12	13.243	10	8.75	15	37.00	Pass
460	7053	01:43	0	16.493	4	6.68	6	10.00	Fail
461	7054	06:21	12	13.507	8	8.19	12	32.00	Pass
462	7055	05:25	18	12.257	12	8.60	15	45.00	Pass
463	7056	06:36	10	15.743	4	7.49	10	24.00	Fail
464	7057	00	0	30.257	0	8.54	15	15.00	Fail
465	7058	06:09	14	14.757	6	6.94	8	28.00	Pass
466	7059	05:54	14	12.993	10	8.41	12	36.00	Pass
467	7060	06:10	14	14.020	8	7.75	10	32.00	Pass
468	7061	06:22	12	13.533	8	8.25	12	32.00	Pass
469	7062	06:36	10	13.520	8	8.05	12	30.00	Pass
470	7063	07:07	8	13.520	8	5.31	4	20.00	Fail
471	7064	06:24	12	14.273	8	8.13	12	32.00	Pass
472	7065	05:44	16	13.020	10	7.97	12	38.00	Pass
473	7066	07:26	5	14.523	6	9.05	15	26.00	Pass
474	7067	06:06	14	13.257	10	8.53	15	39.00	Pass
475	7068	06:57	8	15.777	4	6.81	8	20.00	Fail
476	7069	06:31	10	14.807	6	7.71	10	26.00	Pass
477	7070	04:30	0	13.524	8	0	0	8.00	Fail
478	7071	04:40	0	15.040	6	7.93	12	18.00	Fail
479	7072	07:24	5	15.337	6	7.04	8	19.00	Fail
480	7073	03:08	0	14.523	6	0	0	6.00	Fail
481	7074	07:01	8	14.033	8	6.81	8	24.00	Fail
482	7075	06:33	10	13.520	8	8.98	15	33.00	Pass
483	7076	05:43	16	12.770	10	9.20	15	41.00	Pass
484	7077	03:02	0	13.270	10	6.62	6	16.00	Fail
485	7078	00	0	13.510	8	0.0	0	8.00	Fail
486	7079	01:40	0	14.774	6	0	0	6.00	Fail
487	7080	05:11	18	13.274	10	7.69	10	38.00	Pass

488	7081	06:12	12	13.784	8	8.65	15	35.00	Pass
489	7082	05:51	14	12.767	10	8.74	15	39.00	Pass
490	7083	07:49	0	15.020	6	7.01	8	14.00	Fail
491	7084	06:09	14	11.753	12	8.86	15	41.00	Pass
492	7085	05:40	16	13.770	8	7.07	8	32.00	Pass
493	7086	05:35	16	13.270	10	8.28	12	38.00	Pass
494	7087	05:58	14	13.520	8	8.61	15	37.00	Pass
495	7088	05:38	16	14.300	8	8.09	12	36.00	Pass
496	7089	05:16	18	12.520	10	7.83	10	38.00	Pass
497	7090	05:40	16	13.274	10	8.72	15	41.00	Pass
498	7091	07:46	0	15.024	6	5.60	5	11.00	Fail
499	7092	06:12	12	12.024	12	8.82	15	39.00	Pass
500	7093	03:08	0	13.780	8	8.23	12	20.00	Fail
501	7094	05:36	16	12.530	10	8.57	15	41.00	Pass
502	7095	06:25	0	13.030	10	8.51	15	25.00	Pass
503	7096	05:29	18	12.317	12	8.90	15	45.00	Pass
504	7097	05:46	16	12.783	10	7.64	10	36.00	Pass
505	7098	06:05	14	13.880	8	7.73	10	32.00	Pass
506	7099	06:38	10	14.557	6	5.9	5	21.00	Fail
507	7100	05:48	16	11.644	12	8.79	15	43.00	Pass
508	7101	05:29	18	12.286	12	8.54	15	45.00	Pass
509	7102	06:16	12	14.023	8	7.87	10	30.00	Pass
510	7103	03:38	0	15.776	4	7.01	8	12.00	Fail
511	7104	05:14	18	13.790	8	8.25	12	38.00	Pass
512	7105	05:58	14	13.336	10	8.09	12	36.00	Pass
513	7106	06:35	10	13.260	10	9.34	15	35.00	Pass
514	7107	06:11	12	12.600	10	9.10	15	37.00	Pass
515	7108	05:22	18	12.783	10	8.74	15	43.00	Pass
516	7109	06:04	14	13.017	10	8.93	15	39.00	Pass
517	7110	06:09	14	13.517	8	8.34	12	34.00	Pass
518	7111	06:28	12	14.517	6	9.24	15	33.00	Pass
519	7112	04:08	0	15.756	4	8.54	15	19.00	Fail
520	7113	05:52	14	13.263	10	7.33	10	34.00	Pass
521	7114	06:31	0	15.273	6	6.18	6	12.00	Fail
522	7115	05:44	16	12.787	10	8.58	15	41.00	Pass
523	7116	05:33	16	12.787	10	8.93	15	41.00	Pass
524	7117	07:16	5	16.003	4	5.77	5	14.00	Fail
525	7118	06:36	10	14.020	8	8.21	12	30.00	Pass

526	7119	06:22	12	14.503	6	8.14	12	30.00	Pass
527	7120	05:26	18	12.767	10	8.04	12	40.00	Pass
528	7121	06:22	0	15.517	4	8.00	12	16.00	Fail
529	7122	06:16	12	14.267	8	8.71	15	35.00	Pass
530	7123	05:41	16	13.536	8	8.59	15	39.00	Pass
531	7124	06:26	12	13.007	10	9.47	15	37.00	Pass
532	7125	05:41	16	13.757	8	8.05	12	36.00	Pass
533	7126	05:31	16	13.010	10	7.52	10	36.00	Pass
534	7127	05:48	16	13.010	10	8.65	15	41.00	Pass
535	7128	05:31	16	13.277	10	8.83	15	41.00	Pass
536	7129	00	0	12.530	10	7.70	10	20.00	Fail
537	7130	05:50	16	13.533	8	8.26	12	36.00	Pass
538	7131	04:14	0	13.000	10	8.27	12	22.00	Fail
539	7132	06:12	12	13.550	8	8.62	15	35.00	Pass
540	7133	05:59	14	13.050	10	7.64	10	34.00	Pass
541	7134	06:38	10	15.050	6	8.42	12	28.00	Pass
542	7135	05:55	14	13.070	10	8.62	15	39.00	Pass
543	7136	06:24	12	15.306	6	7.34	10	28.00	Pass
544	7137	05:35	16	13.306	10	8.01	12	38.00	Pass
545	7138	05:32	16	13.273	10	8.05	12	38.00	Pass
546	7139	00	0	13.537	8	8.75	15	23.00	Fail
547	7140	04:29	0	13.773	8	8.61	15	23.00	Fail
548	7141	00	0	15.510	4	6.22	6	10.00	Fail
549	7142	07:05	8	15.024	6	7.82	10	24.00	Fail
550	7143	06:33	10	15.760	4	6.91	8	22.00	Fail
551	7144	05:51	14	13.773	8	8.44	12	34.00	Pass
552	7145	01:32	0	13.787	8	7.07	8	16.00	Fail
553	7146	06:08	14	14.273	8	7.22	8	30.00	Pass
554	7147	05:46	16	13.023	10	8.54	15	41.00	Pass
555	7148	07:27	5	12.773	10	7.04	8	23.00	Fail
556	7149	05:55	14	13.273	10	8.80	15	39.00	Pass
557	7150	05:53	14	13.550	8	7.62	10	32.00	Pass
558	7151	03:07	0	18.033	0	6.10	6	6.00	Fail
559	7152	05:53	14	14.033	8	7.62	10	32.00	Pass
560	7153	06:03	14	13.050	10	9.02	15	39.00	Pass
561	7154	00	0	14.283	8	8.90	15	23.00	Fail
562	7155	06:49	10	14.033	8	7.84	10	28.00	Pass
563	7156	05:50	16	12.786	10	7.85	10	36.00	Pass

564	7157	05:56	14	13.786	8	7.50	10	32.00	Pass
565	7158	05:55	14	13.550	8	8.60	15	37.00	Pass
566	7159	05:47	16	12.520	10	9.02	15	41.00	Pass
567	7160	07:17	5	14.523	6	8.04	12	23.00	Fail
568	7161	03:31	0	15.020	6	8.05	12	18.00	Fail
569	7162	07:05	8	14.770	6	6.59	6	20.00	Fail
570	7163	00	0	18.020	0	6.43	6	6.00	Fail
571	7164	05:44	16	13.770	8	6.57	6	30.00	Pass
572	7165	06:10	14	13.270	10	8.54	15	39.00	Pass
573	7166	01:36	0	15.770	4	7.35	10	14.00	Fail
574	7167	07:40	0	15.504	4	7.40	10	14.00	Fail
575	7168	05:57	14	13.750	8	8.56	15	37.00	Pass
576	7169	06:02	14	13.057	10	8.65	15	39.00	Pass
577	7170	05:36	0	17.514	0	7.40	10	10.00	Fail
578	7171	07:40	0	14.260	8	8.85	15	23.00	Fail
579	7172	05:24	18	13.274	10	7.00	8	36.00	Pass
580	7173	05:15	18	13.260	10	8.50	15	43.00	Pass
581	7174	05:56	14	13.270	10	7.70	10	34.00	Pass
582	7175	06:41	10	14.023	8	7.22	8	26.00	Pass
583	7176	01:49	0	15.257	6	7.40	10	16.00	Fail
584	7177	06:37	10	15.293	6	8.13	12	28.00	Pass
585	7178	06:30	12	14.043	8	8.62	15	35.00	Pass
586	7179	06:33	10	14.043	8	7.35	10	28.00	Pass
587	7180	05:37	0	15.040	6	7.14	8	14.00	Fail
588	7181	06:01	14	14.040	8	7.13	8	30.00	Pass
589	7182	06:25	12	14.056	8	8.65	15	35.00	Pass
590	7183	05:19	18	12.540	10	8.66	15	43.00	Pass
591	7184	05:36	16	13.273	10	8.37	12	38.00	Pass
592	7185	06:21	12	14.290	8	7.75	10	30.00	Pass
593	7186	06:23	12	13.767	8	8.62	15	35.00	Pass
594	7187	06:21	12	14.504	6	7.72	10	28.00	Pass
595	7188	06:04	0	16.754	1	8.41	12	13.00	Fail
596	7189	05:39	16	12.767	10	8.73	15	41.00	Pass
597	7190	05:26	18	12.017	12	8.70	15	45.00	Pass
598	7191	00	0	17.003	1	5.59	5	6.00	Fail
599	7192	05:45	16	13.504	8	8.35	12	36.00	Pass
600	7193	05:18	18	13.020	10	8.45	12	40.00	Pass
601	7194	06:55	8	15.254	6	6.98	8	22.00	Fail

602	7195	01:30	0	14.014	8	8.28	12	20.00	Fail
603	7196	07:25	5	13.764	8	7.55	10	23.00	Fail
604	7197	05:29	18	13.264	10	8.60	15	43.00	Pass
605	7198	05:52	14	12.767	10	8.58	15	39.00	Pass
606	7199	05:53	14	12.013	12	8.65	15	41.00	Pass
607	7200	05:50	16	15.017	6	6.40	6	28.00	Pass
608	7201	07:57	0	16.513	1	6.10	6	7.00	Fail
609	7202	05:33	16	13.260	10	8.43	12	38.00	Pass
610	7203	04:22	0	14.007	8	8.25	12	20.00	Fail
611	7204	05:27	18	13.077	10	7.83	10	38.00	Pass
612	7205	00	0	17.756	0	5.79	5	5.00	Fail
613	7206	02:38	0	12.780	10	8.70	15	25.00	Pass
614	7207	00	0	14.770	6	7.37	10	16.00	Fail
615	7208	07:03	8	14.270	8	8.84	15	31.00	Pass
616	7209	05:47	16	13.034	10	9.25	15	41.00	Pass
617	7210	02:27	0	15.753	4	7.17	8	12.00	Fail
618	7211	05:36	16	13.270	10	7.90	12	38.00	Pass
619	7212	05:16	0	17.753	0	5.68	5	5.00	Fail
620	7213	05:48	16	12.503	10	7.80	10	36.00	Pass
621	7214	05:39	16	12.786	10	8.83	15	41.00	Pass
622	7215	06:23	12	12.503	10	9.19	15	37.00	Pass
623	7216	06:48	10	14.253	8	8.43	12	30.00	Pass
624	7217	06:03	14	13.770	8	8.02	12	34.00	Pass
625	7218	06:20	12	14.020	8	8.12	12	32.00	Pass
626	7219	04:10	0	15.504	4	7.87	10	14.00	Fail
627	7220	03:42	0	14.517	6	9.02	15	21.00	Fail
628	7221	05:38	16	13.254	10	7.55	10	36.00	Pass
629	7222	08:10	0	14.744	6	7.95	12	18.00	Fail
630	7223	06:44	10	14.007	8	8.18	12	30.00	Pass
631	7224	04:08	0	13.507	8	7.75	10	18.00	Fail
632	7225	01:46	0	16.510	1	8.27	12	13.00	Fail
633	7226	06:22	12	15.010	6	6.32	6	24.00	Fail
634	7227	05:11	18	13.010	10	9.04	15	43.00	Pass
635	7228	05:23	18	13.020	10	7.31	10	38.00	Pass
636	7229	00	0	15.774	4	8.29	12	16.00	Fail
637	7230	00	0	15.274	6	8.01	12	18.00	Fail
638	7231	06:42	10	14.764	6	6.40	6	22.00	Fail
639	7232	06:05	14	15.264	6	6.45	6	26.00	Pass

640	7233	06:15	12	13.260	10	8.15	12	34.00	Pass
641	7234	06:35	10	14.040	8	8.80	15	33.00	Pass
642	7235	08:05	0	15.540	4	8.10	12	16.00	Fail
643	7236	06:58	8	14.290	8	7.54	10	26.00	Pass
644	7237	06:38	10	13.257	10	8.89	15	35.00	Pass
645	7238	05:34	16	12.774	10	8.30	12	38.00	Pass
646	7239	07:17	5	13.787	8	7.32	10	23.00	Fail
647	7240	06:30	0	16.034	4	4.93	4	8.00	Fail
648	7241	00	0	13.547	8	7.96	12	20.00	Fail
649	7242	05:44	16	13.547	8	7.92	12	36.00	Pass
650	7243	06:27	12	13.760	8	7.87	10	30.00	Pass
651	7244	02:02	0	19.010	0	4.39	3	3.00	Fail
652	7245	06:32	10	15.260	6	6.15	6	22.00	Fail
653	7246	05:27	18	13.753	8	7.89	10	36.00	Pass
654	7247	08:38	0	16.014	4	6.08	5	9.00	Fail
655	7248	06:41	10	14.240	8	7.28	8	26.00	Pass
656	7249	00	0	13.617	8	8.36	12	20.00	Fail
657	7250	06:29	12	12.603	10	7.30	10	32.00	Pass
658	7251	06:33	10	12.760	10	8.63	15	35.00	Pass
659	7252	08:16	0	14.257	8	8.56	15	23.00	Fail
660	7253	00	0	16.040	4	8.57	15	19.00	Fail
661	7254	05:32	16	12.003	12	6.89	8	36.00	Pass
662	7255	05:51	14	13.010	10	8.28	12	36.00	Pass
663	7256	03:00	0	19.517	0	5.87	5	5.00	Fail
664	7257	05:53	14	13.276	10	8.65	15	39.00	Pass
665	7258	01:31	0	16.776	1	7.94	12	13.00	Fail
666	7259	00	0	20.760	0	7.50	10	10.00	Fail
667	7260	05:23	18	13.256	10	8.70	15	43.00	Pass
668	7261	05:48	16	14.010	8	8.54	15	39.00	Pass
669	7262	06:11	12	13.260	10	7.50	10	32.00	Pass
670	7263	06:01	14	15.043	6	8.56	15	35.00	Pass
671	7264	01:55	0	15.523	4	7.34	10	14.00	Fail
672	7265	00	0	16.257	4	8.00	12	16.00	Fail
673	7266	06:29	12	16.026	4	5.54	5	21.00	Fail
674	7267	00	0	15.013	6	9.02	15	21.00	Fail
675	8001	07:02	20	16.036	10	6.95	12	42.00	Pass
676	8002	08:11	16	16.786	10	7.03	15	41.00	Pass
677	8003	07:53	18	16.050	10	6.37	10	38.00	Pass

678	8004	06:52	20	14.287	15	8.19	15	50.00	Pass
679	8005	07:31	20	16.773	10	7.01	15	45.00	Pass
680	8006	07:09	20	14.770	15	7.62	15	50.00	Pass
681	8007	07:01	20	15.037	12	7.48	15	47.00	Pass
682	8008	07:38	20	16.037	10	5.70	8	38.00	Pass
683	8009	07:07	20	15.787	12	7.64	15	47.00	Pass
684	8010	08:12	16	19.036	4	6.47	12	32.00	Pass
685	8011	06:58	20	14.270	15	7.17	15	50.00	Pass
686	8012	06:30	20	14.536	15	6.17	10	45.00	Pass
687	8013	09:00	12	16.306	10	6.56	12	34.00	Pass
688	8014	07:08	20	15.820	12	6.15	10	42.00	Pass
689	8015	06:55	20	15.040	12	7.94	15	47.00	Pass
690	8016	08:12	16	17.800	8	6.46	12	36.00	Pass
691	8017	07:59	18	17.783	8	6.90	12	38.00	Pass
692	8018	08:21	14	16.283	10	6.80	12	36.00	Pass
693	8019	07:10	20	16.520	10	7.20	15	45.00	Pass
694	8020	07:26	20	15.316	12	8.17	15	47.00	Pass
695	8021	11:36	0	21.270	0	4.26	5	5.00	Fail
696	8022	07:07	20	15.770	12	6.93	12	44.00	Pass
697	8023	07:51	18	16.267	10	6.87	12	40.00	Pass
698	8024	09:10	10	18.003	6	7.48	15	31.00	Pass
699	8025	09:17	10	18.020	6	6.35	10	26.00	Pass
700	8026	08:11	16	15.270	12	7.21	15	43.00	Pass
701	8027	06:51	20	15.270	12	7.01	15	47.00	Pass
702	8028	08:13	16	15.800	12	6.92	12	40.00	Pass
703	8029	09:06	10	18.043	6	6.13	10	26.00	Pass
704	8030	08:32	14	16.037	10	7.04	15	39.00	Pass
705	8031	08:18	16	16.293	10	6.94	12	38.00	Pass
706	8032	09:34	8	17.546	8	7.45	15	31.00	Pass
707	8033	00	0	21.030	0	6.01	10	10.00	Fail
708	8034	06:57	20	14.043	15	7.55	15	50.00	Pass
709	8035	07:28	20	15.780	12	6.60	12	44.00	Pass
710	8036	07:26	20	17.043	8	6.52	12	40.00	Pass
711	8037	08:02	16	17.773	8	5.94	10	34.00	Pass
712	8038	08:24	14	16.260	10	7.06	15	39.00	Pass
713	8039	07:03	20	16.260	10	7.53	15	45.00	Pass
714	8040	07:10	20	15.760	12	7.58	15	47.00	Pass
715	8041	06:59	20	16.010	10	7.28	15	45.00	Pass

716	8042	07:37	20	19.527	4	6.72	12	36.00	Pass
717	8043	06:56	20	15.024	12	7.16	15	47.00	Pass
718	8044	09:26	8	14.270	15	6.93	12	35.00	Pass
719	8045	07:41	18	16.527	10	5.21	8	36.00	Pass
720	8046	06:52	20	16.040	10	6.63	12	42.00	Pass
721	8047	06:54	20	16.023	10	7.23	15	45.00	Pass
722	8048	06:19	20	15.040	12	6.93	12	44.00	Pass
723	8049	07:59	18	16.523	10	5.57	8	36.00	Pass
724	8050	08:26	14	16.023	10	6.80	12	36.00	Pass
725	8051	08:05	16	16.023	10	7.00	15	41.00	Pass
726	8052	06:37	20	16.256	10	6.90	12	42.00	Pass
727	8053	07:57	18	15.270	12	7.55	15	45.00	Pass
728	8054	07:34	20	16.020	10	6.55	12	42.00	Pass
729	8055	07:52	18	16.270	10	7.23	15	43.00	Pass
730	8056	07:06	20	16.517	10	7.95	15	45.00	Pass
731	8057	04:31	0	16.774	10	6.64	12	22.00	Fail
732	8058	06:33	20	13.766	15	7.10	15	50.00	Pass
733	8059	07:13	20	17.520	8	6.43	12	40.00	Pass
734	8060	08:13	16	15.756	12	7.03	15	43.00	Pass
735	8061	07:07	20	15.030	12	7.45	15	47.00	Pass
736	8062	02:25	0	17.034	8	7.05	15	23.00	Fail
737	8063	07:29	20	15.266	12	7.50	15	47.00	Pass
738	8064	08:31	14	16.773	10	5.86	10	34.00	Pass
739	8065	06:11	20	15.036	12	7.05	15	47.00	Pass
740	8066	07:31	20	16.290	10	7.10	15	45.00	Pass
741	8067	06:59	20	14.783	15	7.70	15	50.00	Pass
742	8068	07:02	20	15.536	12	7.33	15	47.00	Pass
743	8069	07:22	0	18.067	6	6.45	12	18.00	Fail
744	8070	07:23	20	16.770	10	6.67	12	42.00	Pass
745	8071	06:57	20	16.036	10	6.58	12	42.00	Pass
746	8072	07:17	20	15.800	12	7.80	15	47.00	Pass
747	8073	07:15	20	16.760	10	4.79	6	36.00	Pass
748	8074	07:17	20	14.770	15	7.30	15	50.00	Pass
749	8075	07:38	20	16.780	10	7.18	15	45.00	Pass
750	8076	07:12	20	16.350	10	6.64	12	42.00	Pass
751	8077	07:22	20	14.523	15	7.80	15	50.00	Pass
752	8078	07:44	18	14.773	15	7.26	15	48.00	Pass
753	8079	07:26	20	15.253	12	7.15	15	47.00	Pass

754	8080	07:02	20	15.316	12	7.08	15	47.00	Pass
755	8081	08:12	16	18.253	6	6.78	12	34.00	Pass
756	8082	00	0	16.504	10	8.31	15	25.00	Pass
757	8083	09:59	5	19.773	4	6.23	10	19.00	Fail
758	8085	08:08	16	16.513	10	7.32	15	41.00	Pass
759	8086	07:23	20	15.013	12	7.95	15	47.00	Pass
760	8087	04:33	0	18.576	6	5.73	8	14.00	Fail
761	8088	07:31	20	15.290	12	7.16	15	47.00	Pass
762	8089	07:46	18	15.260	12	6.92	12	42.00	Pass
763	8090	07:53	18	16.263	10	7.56	15	43.00	Pass
764	8091	07:36	20	15.803	12	7.43	15	47.00	Pass
765	8092	08:45	12	18.803	6	6.50	12	30.00	Pass
766	8093	07:26	20	16.286	10	6.73	12	42.00	Pass
767	8094	07:45	18	16.787	10	7.40	15	43.00	Pass
768	8095	08:04	16	17.570	8	6.45	12	36.00	Pass
769	8096	07:29	20	16.537	10	6.86	12	42.00	Pass
770	8097	06:45	20	16.054	10	7.00	15	45.00	Pass
771	8098	07:27	20	16.054	10	7.32	15	45.00	Pass
772	8099	08:15	16	16.554	10	7.36	15	41.00	Pass
773	8100	12:09	0	17.753	8	7.06	15	23.00	Fail
774	8101	06:43	20	16.516	10	7.11	15	45.00	Pass
775	8102	07:53	18	16.516	10	7.31	15	43.00	Pass
776	8103	08:17	16	17.020	8	7.11	15	39.00	Pass
777	8104	08:11	16	15.764	12	6.28	10	38.00	Pass
778	8105	07:41	18	16.034	10	6.42	12	40.00	Pass
779	8106	07:48	18	16.010	10	7.08	15	43.00	Pass
780	8107	08:25	14	17.024	8	6.28	10	32.00	Pass
781	8108	07:29	20	14.270	15	7.61	15	50.00	Pass
782	8109	06:37	20	13.260	15	7.80	15	50.00	Pass
783	8110	10:42	0	18.046	6	6.21	10	16.00	Fail
784	8111	07:54	18	15.277	12	7.06	15	45.00	Pass
785	8112	06:57	20	14.750	15	6.91	12	47.00	Pass
786	8113	08:32	14	19.007	4	7.06	15	33.00	Pass
787	8114	07:36	20	17.000	10	6.34	10	40.00	Pass
788	8115	08:41	12	18.257	6	5.36	8	26.00	Pass
789	8116	07:47	18	18.776	6	7.06	15	39.00	Pass
790	8117	08:00	18	17.743	8	5.26	8	34.00	Pass
791	8118	07:07	20	15.023	12	6.95	12	44.00	Pass

792	8119	11:00	0	17.760	8	6.48	12	20.00	Fail
793	8120	06:08	20	14.010	15	7.98	15	50.00	Pass
794	8121	07:15	20	16.264	10	7.18	15	45.00	Pass
795	8122	08:58	12	17.264	8	7.18	15	35.00	Pass
796	8123	02:16	0	19.250	4	6.24	10	14.00	Fail
797	8124	08:52	12	21.503	0	5.31	8	20.00	Fail
798	8125	06:39	20	14.263	15	7.47	15	50.00	Pass
799	8126	08:16	16	16.513	10	6.72	12	38.00	Pass
800	8127	10:25	0	19.777	4	4.20	5	9.00	Fail
801	8128	08:19	16	18.777	6	4.76	6	28.00	Pass
802	8129	06:45	20	16.777	10	7.35	15	45.00	Pass
803	8130	07:19	20	16.287	10	7.30	15	45.00	Pass
804	8131	07:36	20	16.537	10	6.02	10	40.00	Pass
805	8132	06:57	20	15.274	12	7.65	15	47.00	Pass
806	8133	07:36	20	14.787	15	6.50	12	47.00	Pass
807	8134	07:34	20	17.270	8	6.20	10	38.00	Pass
808	8135	10:05	0	18.037	6	5.78	8	14.00	Fail
809	8136	08:05	16	16.507	10	6.58	12	38.00	Pass
810	8137	07:19	20	15.524	12	7.21	15	47.00	Pass
811	8138	07:08	20	14.507	15	7.04	15	50.00	Pass
812	8139	07:24	20	16.023	10	7.66	15	45.00	Pass